1.4

Length of Stay by Operation, Northeastern Region, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
Northeastern Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 2
Coverage 3
Organization of Length of Stay Tables 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 * Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP ≥ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever ≥ 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsil 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) (*see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Deformez) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy (*see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, anterosternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychosnalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	18	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	28	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	18	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	28	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104073	3.1	15	<1	<1	2	4	6	8	18
20-34	218038	3.5	10	<1	1	3	4	6	8	15
35-49	89359	4.5	22	<1	1	3	6	9	12	23
50-64	75418	5.6	32	1	1	4	7	12	16	27
65+	73240	6.9	58	1	2	4	9	15	21	38
2. MULTIPLE DX										
0-19 YRS	69531	5.8	81	<1	1	3	6	12	20	57
20-34	160791	5.8	47	1	1	4	7	10	16	39
35-49	129418	7.5	71	1	2	5	9	15	22	47
50-64	191583	9.9	104	2	2	7	12	21	29	59
65+	344470	13.3	164	2	3	10	17	28	41	87
TOT. SINGLE DX	560128	4.3	23	<1	1	3	5	9	12	24
" MULTIPLE DX	895793	9.8	120	1	2	6	12	21	31	67
TOTAL 0-19 YRS	173604	4.2	43	<1	1	2	4	8	12	37
20-34	378829	4.5	27	<1	1	3	5	8	11	27
35-49	218777	6.3	53	1	1	4	8	13	18	39
50-64	267001	8.7	88	1	2	6	11	18	25	52
65+	417710	12.2	152	2	2	9	16	26	38	80
GRAND TOTAL	1455921	7.7	90	1	1	5	9	17	25	55

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	9.7	74	1	2	8	12	18	25	53
20-34	102	13.5	68	3	5	12	17	24	29	47
35-49	139	13.6	85	3	6	12	16	23	32	50
50-64	163	18.4	208	5	7	13	23	39	59	96
65+	145	17.8	177	6	7	14	23	33	48	99+
2. MULTIPLE DX										
0-19 YRS	185	17.8	294	2	2	12	24	47	73	99+
20-34	158	24.4	356	6	8	19	34	62	89	99+
35-49	188	27.1	476	6	8	20	37	71	91	99+
50-64	382	24.6	272	8	9	20	32	55	69	99+
65+	472	30.9	425	8	11	25	44	69	90	99+
TOT. SINGLE DX	660	15.0	141	2	5	12	18	28	41	72
" MULTIPLE DX	1385	26.2	382	5	8	21	35	64	82	99+
TOTAL 0-19 YRS	296	14.8	227	1	2	10	19	36	59	99+
20-34	260	20.1	271	5	7	15	25	46	66	99+
35-49	327	21.4	354	5	7	15	26	49	74	99+
50-64	545	22.7	261	7	9	18	30	51	67	99+
65+	617	27.8	397	7	9	23	37	66	84	99+
GRAND TOTAL	**2045**	**22.6**	**331**	**4**	**7**	**17**	**29**	**55**	**72**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	8.6	41	3	3	7	11	16	23	34
20-34	50	15.1	202	2	4	12	15	25	53	69
35-49	42	17.6	180	4	5	13	22	37	51	61
50-64	59	17.2	162	6	7	14	20	29	39	78
65+	57	21.8	365	5	6	17	26	37	63	98
2. MULTIPLE DX										
0-19 YRS	84	21.5	407	3	6	16	29	94	99+	99+
20-34	76	26.9	493	6	8	19	43	77	99+	99+
35-49	101	25.5	349	6	10	21	32	60	92	99+
50-64	130	25.3	382	7	8	21	34	75	97	99+
65+	191	31.6	441	8	11	26	47	75	98	99+
TOT. SINGLE DX	274	15.8	204	4	4	12	20	31	40	77
" MULTIPLE DX	582	27.1	424	7	8	22	39	76	99+	99+
TOTAL 0-19 YRS	150	15.8	286	3	4	11	22	51	99	99+
20-34	126	22.2	410	4	6	15	32	65	92	99+
35-49	143	23.2	311	5	8	20	29	51	83	99+
50-64	189	22.8	327	7	8	18	29	50	83	99+
65+	248	29.4	440	7	9	23	42	73	94	99+
GRAND TOTAL	**856**	**23.5**	**381**	**4**	**7**	**18**	**32**	**61**	**92**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	6.1	10	2	3	5	8	10	12	17
20-34	43	6.4	9	2	3	6	8	10	12	17
35-49	19	7.4	25	2	2	7	10	11	18	24
50-64	20	8.1	36	3	3	5	10	17	23	25
65+	11	8.3	25	3	3	8	11	15	19	19
2. MULTIPLE DX										
0-19 YRS	88	11.2	178	3	3	7	11	24	44	71
20-34	72	16.2	427	3	4	8	16	46	75	99
35-49	34	12.4	157	2	3	8	16	40	47	99+
50-64	20	13.0	176	5	5	10	14	37	82	99+
65+	18	15.3	103	4	5	11	20	34	35	36
TOT. SINGLE DX	224	6.5	15	2	3	6	8	11	13	24
" MULTIPLE DX	232	13.4	248	3	3	8	15	34	62	99+
TOTAL 0-19 YRS	219	8.1	84	2	3	6	9	13	19	60
20-34	115	12.5	293	2	3	7	11	26	68	97
35-49	53	10.6	115	2	3	7	11	25	45	98
50-64	40	10.5	110	3	4	9	12	19	44	99+
65+	29	12.7	84	3	3	10	15	29	34	36
GRAND TOTAL	**456**	**10.0**	**145**	**2**	**3**	**7**	**10**	**19**	**34**	**87**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	11.9	126	4	4	8	13	31	42	99+
20-34	8	10.3	21	4	4	10	14	16	16	16
35-49	14	11.4	62	2	4	8	16	24	29	30
50-64	18	18.4	242	5	5	14	24	33	56	70
65+	29	15.1	49	6	7	14	20	23	26	34
2. MULTIPLE DX										
0-19 YRS	94	19.9	365	4	5	13	26	59	74	99+
20-34	35	20.9	461	7	9	13	22	71	90	99+
35-49	32	24.9	374	6	9	19	33	76	96	99+
50-64	50	23.7	362	4	6	18	37	61	98	99+
65+	124	33.0	414	9	11	30	50	72	99+	99+
TOT. SINGLE DX	117	13.5	114	4	5	10	18	26	35	80
" MULTIPLE DX	335	25.9	422	5	7	20	41	69	97	99+
TOTAL 0-19 YRS	142	17.2	298	4	5	10	20	48	72	99+
20-34	43	18.9	395	5	7	13	20	57	86	99+
35-49	46	20.8	316	5	7	17	30	56	84	99+
50-64	68	22.3	332	4	6	17	30	60	85	99+
65+	153	29.6	395	8	10	25	45	67	97	99+
GRAND TOTAL	**452**	**22.7**	**371**	**5**	**6**	**16**	**33**	**60**	**84**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	6.9	45	2	2	5	8	14	22	37
20-34	36	10.7	56	2	2	10	16	21	22	35
35-49	11	7.6	32	2	2	6	9	15	22	23
50-64	15	11.2	51	3	6	8	15	24	26	27
65+	16	13.1	129	2	3	10	15	23	42	50
2. MULTIPLE DX										
0-19 YRS	311	10.6	149	2	2	6	14	30	40	99+
20-34	87	20.9	380	3	5	15	30	62	91	99+
35-49	47	28.5	823	3	4	14	44	77	95	99+
50-64	70	24.8	528	3	3	18	40	87	99	99+
65+	75	23.2	194	4	7	23	40	99+	99+	99+
TOT. SINGLE DX	183	8.6	58	2	2	6	11	18	23	44
" MULTIPLE DX	590	16.9	331	2	3	11	25	52	92	99+
TOTAL 0-19 YRS	416	9.7	126	2	2	6	13	24	36	99+
20-34	123	17.9	306	2	3	12	22	54	78	99+
35-49	58	24.6	738	2	4	11	36	76	93	99+
50-64	85	22.4	470	3	4	16	34	70	95	99+
65+	91	21.4	196	3	6	22	36	59	99+	99+
GRAND TOTAL	773	14.9	279	2	2	9	21	42	76	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	8.4	10	5	5	7	10	13	16	16
20-34	111	9.4	26	3	4	8	12	17	21	26
35-49	249	11.3	53	4	5	9	14	21	27	37
50-64	250	12.1	61	5	5	10	14	22	27	43
65+	144	13.1	55	5	6	11	16	23	32	47
2. MULTIPLE DX										
0-19 YRS	30	19.7	524	3	3	9	19	67	69	77
20-34	112	17.1	204	5	5	13	22	35	50	84
35-49	267	14.5	93	5	6	11	18	28	36	57
50-64	417	16.8	189	6	7	13	19	31	47	83
65+	473	21.6	222	7	8	17	27	43	58	96
TOT. SINGLE DX	764	11.6	53	4	5	9	14	21	26	41
" MULTIPLE DX	1299	18.2	198	6	7	13	22	36	50	81
TOTAL 0-19 YRS	40	16.9	417	3	4	9	15	60	68	77
20-34	223	13.3	131	4	5	10	16	25	35	74
35-49	516	12.9	77	5	5	10	16	25	32	49
50-64	667	15.0	147	5	6	12	17	27	39	76
65+	617	19.6	197	6	7	16	25	38	51	90
GRAND TOTAL	2063	15.7	154	5	6	12	19	30	41	76

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	15.1	119	2	3	12	21	32	39	45
20-34	161	10.0	138	2	2	5	12	21	39	56
35-49	242	8.8	119	2	2	5	9	18	32	54
50-64	92	9.4	68	2	3	7	12	19	30	41
65+	32	15.5	273	2	3	11	19	31	50	83
2. MULTIPLE DX										
0-19 YRS	101	19.5	183	4	5	16	28	46	55	99+
20-34	118	18.4	294	3	3	12	26	49	64	99+
35-49	138	18.7	329	2	4	13	26	48	81	99+
50-64	178	19.3	314	3	4	13	25	47	68	99+
65+	149	21.8	394	3	4	14	31	59	72	99+
TOT. SINGLE DX	583	10.2	129	2	2	6	12	23	36	53
" MULTIPLE DX	684	19.6	312	3	4	14	27	49	68	99+
TOTAL 0-19 YRS	157	17.0	164	3	5	15	25	41	51	99+
20-34	279	13.6	221	2	3	8	18	38	52	94
35-49	380	12.4	218	2	2	7	15	33	48	99+
50-64	270	16.0	252	2	3	10	20	40	54	97
65+	181	20.6	377	3	4	14	29	53	69	94
GRAND TOTAL	1267	15.3	249	2	3	10	20	40	54	99+

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.0	5	<1	1	2	4	6	8	12
20-34	171	3.7	46	<1	1	2	4	6	9	23
35-49	192	3.1	7	<1	1	2	4	5	6	18
50-64	225	4.2	50	1	1	3	4	8	12	26
65+	101	4.2	13	2	2	3	5	8	10	23
2. MULTIPLE DX										
0-19 YRS	36	5.2	44	<1	1	3	5	17	24	26
20-34	111	7.4	192	1	1	3	5	17	37	81
35-49	137	8.2	102	1	2	4	11	21	25	55
50-64	164	6.3	35	1	2	4	8	15	20	32
65+	121	8.3	104	2	2	5	10	18	24	54
TOT. SINGLE DX	752	3.7	30	<1	1	2	4	6	10	20
" MULTIPLE DX	569	7.4	93	1	2	4	9	18	24	59
TOTAL 0-19 YRS	99	3.8	21	<1	1	2	4	8	13	26
20-34	282	5.2	107	1	1	2	4	9	17	68
35-49	329	5.2	53	<1	1	3	5	12	20	41
50-64	389	5.1	45	1	2	3	5	12	16	30
65+	222	6.5	67	2	2	3	8	15	19	38
GRAND TOTAL	1321	5.3	62	1	1	3	5	12	18	38

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	141	[illegible]	[illegible]	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	752	[illegible]	[illegible]	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	1121	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	1226	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	690	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	177	3.6	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	493	3.5	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	612	4.0	27	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	984	3.9	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	792	4.6	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	3930	2.3	4	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	3058	4.0	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	318	3.0	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	1245	2.7	9	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	1733	2.9	15	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	2210	3.0	16	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	1482	3.6	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	6988	3.1	16	<1	1	2	3	5	8	20

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	8	5.3	5	2	2	5	7	9	9	9
20-34	30	6.9	14	2	3	6	9	13	14	16
35-49	21	9.5	34	4	4	9	11	15	22	30
50-64	25	9.9	21	3	4	8	12	15	18	19
65+	35	11.7	56	2	4	10	17	22	27	29
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	28	7.9	28	3	4	6	9	15	19	19
35-49	43	13.6	113	3	4	11	17	29	38	51
50-64	141	16.8	124	6	7	13	20	36	45	99+
65+	337	19.4	185	6	7	16	24	36	48	80
TOT. SINGLE DX	119	9.1	34	2	3	8	12	17	20	29
" MULTIPLE DX	550	17.6	164	5	6	14	23	34	45	92
TOTAL 0-19 YRS	9	5.6	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	58	7.4	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	64	12.3	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	166	15.6	117	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	372	18.6	178	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	669	16.1	151	4	5	13	20	32	42	81

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	79	5.0	24	<1	<1	3	7	12	16	20
" MULTIPLE DX	188	11.8	164	1	2	7	15	30	43	68
TOTAL 0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	267	9.8	132	<1	1	6	13	23	36	60

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	4.5	9	2	3	4	5	6	8	22
20-34	503	4.4	2	3	3	4	5	6	7	10
35-49	701	4.4	2	3	3	4	5	6	7	12
50-64	535	4.8	5	3	3	4	5	6	7	16
65+	197	5.3	11	3	3	5	6	8	9	23
2. MULTIPLE DX										
0-19 YRS	49	7.1	26	3	4	5	7	14	20	25
20-34	208	6.3	46	3	3	5	6	10	14	30
35-49	301	6.4	35	3	3	5	6	11	14	34
50-64	461	6.4	35	3	3	5	6	10	15	39
65+	331	10.4	128	3	4	6	11	21	34	58
TOT. SINGLE DX	2029	4.6	5	3	3	4	5	6	7	13
" MULTIPLE DX	1350	7.4	63	3	3	5	7	13	18	47
TOTAL 0-19 YRS	142	5.4	17	2	3	4	5	9	13	25
20-34	711	4.9	16	3	3	4	5	7	9	17
35-49	1002	5.0	14	3	3	4	5	7	9	16
50-64	996	5.5	20	3	3	5	6	8	11	25
65+	528	8.5	91	3	4	5	8	15	26	51
GRAND TOTAL	3379	5.7	30	3	3	4	6	8	12	30

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	2.8	5	1	1	2	3	5	5	13
20-34	99	3.7	9	1	2	3	4	6	9	20
35-49	99	4.3	8	2	2	4	4	7	11	17
50-64	92	5.1	10	1	2	5	6	8	9	23
65+	38	5.7	38	2	3	4	5	9	12	40
2. MULTIPLE DX										
0-19 YRS	31	5.0	21	1	1	3	7	11	14	22
20-34	67	8.4	70	2	3	6	10	16	19	55
35-49	95	8.6	81	2	3	5	10	18	24	54
50-64	152	9.3	86	2	3	6	12	18	23	46
65+	168	13.5	189	3	4	9	17	34	49	99+
TOT. SINGLE DX	536	3.8	11	1	1	3	4	6	8	18
" MULTIPLE DX	513	10.2	119	2	3	6	12	23	32	78
TOTAL 0-19 YRS	239	3.1	8	1	1	2	3	5	8	17
20-34	166	5.6	40	1	2	4	6	12	16	30
35-49	194	6.4	49	2	2	4	7	14	18	30
50-64	244	7.7	62	2	3	5	8	14	21	40
65+	206	12.1	171	2	4	7	14	30	43	99+
GRAND TOTAL	1049	6.9	74	1	2	4	7	14	23	50

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	7.7	17	2	3	7	10	14	16	17
20-34	50	8.4	15	4	4	8	10	15	16	18
35-49	31	9.6	65	2	3	8	10	16	22	46
50-64	31	9.6	31	4	5	8	12	15	21	31
65+	18	14.6	285	2	4	10	13	28	57	76
2. MULTIPLE DX										
0-19 YRS	20	21.2	503	3	4	13	28	57	74	83
20-34	39	14.4	217	5	6	10	15	24	37	91
35-49	76	14.6	155	3	5	10	18	28	48	96
50-64	73	18.5	245	4	6	12	24	42	53	74
65+	82	19.2	217	6	7	15	25	37	61	99+
TOT. SINGLE DX	146	9.6	64	3	4	8	11	16	19	47
" MULTIPLE DX	290	17.3	237	4	6	12	20	39	55	96
TOTAL 0-19 YRS	36	15.2	327	2	3	9	14	41	60	83
20-34	89	11.0	111	4	4	9	13	18	22	72
35-49	107	13.2	155	2	4	9	15	25	46	92
50-64	104	15.8	198	4	5	11	18	38	44	73
65+	100	18.4	230	4	7	13	25	36	62	99+
GRAND TOTAL	436	14.7	193	4	4	10	16	30	46	91

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	1.2		<1	<1	<1	1	2	2	3
20-34	53	1.6	1	<1	<1	1	2	3	4	6
35-49	68	1.5		<1	<1	1	2	2	3	6
50-64	136	1.8		<1	<1	2	2	3	3	6
65+	112	2.1	1	<1	<1	2	3	4	4	42
2. MULTIPLE DX										
0-19 YRS	47	1.8	1	<1	<1	1	2	3	5	7
20-34	23	2.4	3	<1	<1	1	2	5	7	8
35-49	66	2.1	3	<1	<1	1	2	3	6	10
50-64	145	5.2	105	<1	1	2	4	10	15	74
65+	231	6.7	109	<1	1	2	7	18	28	60
TOT. SINGLE DX	590	1.6	4	<1	<1	1	2	3	3	6
" MULTIPLE DX	512	5.0	84	<1	<1	2	4	11	19	50
TOTAL 0-19 YRS	268	1.3	1	<1	<1	1	1	2	2	6
20-34	76	1.8	2	<1	<1	1	2	4	5	8
35-49	134	1.8	2	<1	<1	1	2	3	4	9
50-64	281	3.5	58	<1	<1	2	3	6	11	33
65+	343	5.2	79	<1	1	2	4	13	21	59
GRAND TOTAL	1102	3.2	42	<1	<1	2	2	6	11	31

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	1.8		<1	<1	2	2	3	3	6
20-34	76	2.1	2	<1	<1	2	2	3	6	9
35-49	212	2.0	1	<1	<1	2	2	3	4	7
50-64	291	1.9	1	<1	1	2	2	3	3	5
65+	407	2.2	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	227	3.6	24	<1	1	2	4	7	9	35
20-34	110	4.4	44	<1	1	2	5	8	15	32
35-49	125	2.1	8	<1	1	2	3	5	9	17
50-64	288	3.5	42	1	1	2	3	5	7	26
65+	720	5.1	80	1	1	2	5	12	21	86
TOT. SINGLE DX	1199	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	2170	4.1	49	1	1	2	4	8	14	40
TOTAL 0-19 YRS	440	2.7	14	<1	1	2	3	5	7	18
20-34	386	4.0	37	<1	1	2	5	8	10	28
35-49	537	2.6	6	<1	1	2	3	4	7	14
50-64	879	3.0	30	1	1	2	3	4	6	18
65+	1127	4.1	54	1	1	2	3	8	15	50
GRAND TOTAL	3369	3.4	33	<1	1	2	3	6	9	28

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.1	4	<1	<1	1	2	3	9	10
20-34	19	2.0		1	1	2	2	3	3	3
35-49	31	2.3		1	1	2	3	3	3	6
50-64	37	2.3		1	1	2	3	3	4	5
65+	89	2.7	3	1	2	2	3	4	4	14
2. MULTIPLE DX										
0-19 YRS	17	5.1	93	1	1	2	4	7	30	42
20-34	12	2.8	1	1	1	3	3	4	5	5
35-49	22	2.5		1	1	2	3	4	4	5
50-64	54	3.4	7	2	2	3	3	8	13	96
65+	106	4.2	56	2	2	3	4	6	8	50
TOT. SINGLE DX	227	2.4	3	1	1	2	3	3	4	10
" MULTIPLE DX	211	3.8	38	1	2	3	3	5	9	53
TOTAL 0-19 YRS	68	2.9	27	<1	<1	2	3	4	9	36
20-34	31	2.3	1	1	1	2	3	3	3	5
35-49	53	2.3	1	1	1	2	3	3	4	6
50-64	91	3.0	5	1	2	2	3	5	9	64
65+	195	3.5	33	1	2	3	3	5	6	27
GRAND TOTAL	438	3.1	20	1	1	2	3	4	6	21

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	1.8	2	<1	<1	1	2	3	6	8
20-34	18	1.8	1	<1	<1	1	2	4	5	5
35-49	11	2.0	3	<1	<1	1	3	5	7	7
50-64	10	1.5		<1	<1	1	2	2	2	2
65+	15	2.4	4	<1	<1	2	2	5	8	9
2. MULTIPLE DX										
0-19 YRS	16	2.6	5	<1	1	2	3	7	8	9
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	12	3.4	11	<1	<1	2	4	9	12	12
50-64	10	2.2	2	<1	<1	2	3	4	5	5
65+	22	5.8	88	<1	1	2	6	24	62	99+
TOT. SINGLE DX	74	1.9	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	62	3.8	37	<1	1	2	4	9	17	62
TOTAL 0-19 YRS	36	2.1	4	<1	<1	2	2	3	8	9
20-34	20	2.0	2	<1	<1	1	3	4	5	5
35-49	23	2.7	8	<1	<1	2	3	7	9	12
50-64	20	1.9	1	<1	<1	2	2	4	4	5
65+	37	4.4	56	<1	<1	2	4	13	33	99+
GRAND TOTAL	136	2.8	19	<1	<1	2	3	5	9	49

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.3	14	1	1	3	4	11	13	13
20-34	25	3.7	2	1	2	4	4	5	7	8
35-49	19	4.4	5	1	2	4	6	7	9	11
50-64	31	4.5	35	1	1	3	5	6	12	34
65+	134	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	8	5.9	22	1	2	4	8	14	16	16
20-34	10	7.6	51	2	2	6	8	18	27	27
35-49	18	6.2	29	2	2	5	7	14	21	23
50-64	35	5.5	25	1	2	4	6	9	20	25
65+	224	5.2	28	2	2	4	6	8	13	32
TOT. SINGLE DX	217	3.9	8	1	2	4	5	6	7	12
" MULTIPLE DX	295	5.4	28	2	2	4	6	8	15	31
TOTAL 0-19 YRS	16	5.1	18	1	1	4	6	13	15	16
20-34	35	4.8	19	1	2	4	5	8	9	27
35-49	37	5.3	17	2	2	4	6	7	15	23
50-64	66	5.1	30	1	1	4	5	8	14	33
65+	358	4.7	19	1	2	4	5	7	9	29
GRAND TOTAL	512	4.8	20	1	2	4	5	7	10	28

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.1	7	1	1	2	4	6	9	14
20-34	67	2.6	3	<1	1	2	3	5	6	11
35-49	85	2.0	1	<1	<1	2	2	3	4	6
50-64	83	1.8		<1	<1	2	2	3	4	6
65+	73	2.0	1	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	46	6.0	35	1	2	4	7	11	19	31
20-34	32	3.9	7	1	1	3	6	8	10	11
35-49	33	4.1	14	1	1	2	5	9	12	18
50-64	43	3.7	16	<1	1	2	3	10	13	20
65+	103	4.5	33	1	1	3	5	9	15	35
TOT. SINGLE DX	380	2.3	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	257	4.5	26	1	1	3	5	10	14	31
TOTAL 0-19 YRS	118	4.3	20	1	1	3	5	9	11	27
20-34	99	3.0	5	<1	1	2	4	6	8	12
35-49	118	2.6	6	<1	<1	2	3	5	7	14
50-64	126	2.5	7	<1	<1	2	2	4	7	17
65+	176	3.5	21	<1	1	2	3	7	10	30
GRAND TOTAL	637	3.2	13	<1	1	2	3	6	9	20

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.1	4	1	1	2	3	7	8	8
20-34	11	3.5	3	1	1	3	5	6	7	7
35-49	31	3.5	6	1	1	3	4	7	8	12
50-64	78	3.1	4	1	2	3	3	5	8	13
65+	214	3.2	4	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	28	3.1	12	1	1	2	3	6	12	17
20-34	22	4.5	34	1	2	3	3	8	20	28
35-49	27	4.8	31	1	2	3	5	10	14	30
50-64	113	4.4	16	1	2	3	5	9	15	20
65+	327	4.6	31	1	2	3	5	9	14	28
TOT. SINGLE DX	349	3.2	5	1	1	3	4	6	8	12
" MULTIPLE DX	517	4.5	27	1	2	3	5	9	14	27
TOTAL 0-19 YRS	43	3.1	9	1	1	2	3	7	9	17
20-34	33	4.2	24	1	2	3	4	6	13	28
35-49	58	4.1	18	1	1	3	5	8	11	29
50-64	191	3.9	12	1	2	3	4	8	12	19
65+	541	4.1	21	1	2	3	5	8	11	23
GRAND TOTAL	866	4.0	18	1	2	3	4	8	11	21

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.8	11	1	1	3	5	8	14	14
20-34	24	3.5	11	<1	1	3	4	6	12	16
35-49	25	3.3	5	1	1	3	4	6	8	12
50-64	72	2.7	4	1	1	2	3	5	8	12
65+	142	2.8	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	16	4.2	9	<1	1	3	6	9	10	11
20-34	25	4.6	13	<1	1	3	6	12	12	13
35-49	23	6.8	54	1	2	3	9	15	27	29
50-64	91	5.1	66	1	1	3	5	12	16	82
65+	308	6.0	72	1	1	3	7	13	21	59
TOT. SINGLE DX	292	2.9	7	1	1	2	3	5	8	14
" MULTIPLE DX	463	5.7	65	1	1	3	7	12	18	57
TOTAL 0-19 YRS	45	3.9	11	<1	1	3	5	8	12	14
20-34	49	4.0	12	1	1	3	5	9	12	16
35-49	48	5.0	31	1	1	3	6	11	14	29
50-64	163	4.0	40	1	1	2	4	8	14	56
65+	450	5.0	54	1	1	3	5	11	15	46
GRAND TOTAL	755	4.7	44	1	1	3	5	10	14	42

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.0	1	1	1	2	3	3	4	5
20-34	14	3.5	14	1	2	2	3	6	14	16
35-49	238	2.5	1	2	2	2	3	3	4	7
50-64	1932	2.5	1	1	2	2	3	3	4	6
65+	7978	2.5	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	13	3.1	10	<1	1	2	3	7	12	13
20-34	16	3.9	5	1	2	3	5	8	8	8
35-49	218	3.4	10	1	2	3	3	6	9	24
50-64	2066	3.3	16	2	2	2	3	5	8	21
65+	10986	3.6	23	2	2	3	3	5	9	26
TOT. SINGLE DX	10199	2.5	2	2	2	2	3	3	4	6
" MULTIPLE DX	13299	3.5	22	2	2	3	3	5	8	25
TOTAL 0-19 YRS	50	2.3	4	1	1	2	3	4	5	13
20-34	30	3.7	9	1	2	3	5	7	8	16
35-49	456	2.9	6	1	2	2	3	4	6	13
50-64	3998	2.9	9	2	2	2	3	4	5	14
65+	18964	3.1	15	2	2	2	3	4	6	18
GRAND TOTAL	**23498**	**3.1**	**14**	**2**	**2**	**2**	**3**	**4**	**6**	**17**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	2.3		1	1	2	3	4	4	5
20-34	36	1.9		<1	1	2	2	3	4	5
35-49	259	2.2	1	1	1	2	2	3	3	8
50-64	1296	2.1		1	1	2	2	3	3	5
65+	4957	2.2		1	2	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	44	2.5	5	<1	1	2	3	4	5	15
20-34	25	4.0	52	1	1	2	3	7	15	38
35-49	164	2.9	6	1	2	2	3	4	6	18
50-64	1116	2.9	12	1	2	2	3	4	6	18
65+	5459	3.1	14	1	2	2	3	4	7	18
TOT. SINGLE DX	6640	2.2	1	1	2	2	2	3	4	5
" MULTIPLE DX	6808	3.1	14	1	2	2	3	4	7	18
TOTAL 0-19 YRS	136	2.4	2	1	1	2	3	4	4	7
20-34	61	2.8	23	<1	1	2	3	3	6	35
35-49	423	2.4	4	1	1	2	2	3	5	11
50-64	2412	2.5	7	1	1	2	2	3	4	13
65+	10416	2.7	8	1	2	2	3	4	5	13
GRAND TOTAL	**13448**	**2.6**	**8**	**1**	**2**	**2**	**3**	**4**	**5**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	10	3.0	6	<1	<1	2	3	7	10	10
35-49	30	2.2		1	1	2	2	3	4	6
50-64	237	2.2	1	1	1	2	2	3	3	4
65+	1047	2.2		1	2	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	16	1.9		<1	1	2	2	2	2	2
50-64	184	3.1	17	1	2	2	3	4	7	30
65+	1150	3.2	21	1	2	2	3	4	7	26
TOT. SINGLE DX	1327	2.2	1	1	2	2	2	3	3	5
" MULTIPLE DX	1354	3.2	21	1	2	2	3	4	7	26
TOTAL 0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	13	2.6	6	<1	<1	2	3	5	9	10
35-49	46	2.1	1	1	1	2	2	2	3	6
50-64	421	2.6	9	1	1	2	3	3	4	15
65+	2197	2.8	12	1	2	2	3	4	5	15
GRAND TOTAL	**2681**	**2.7**	**11**	**1**	**2**	**2**	**3**	**3**	**5**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.4	5	2	2	4	6	8	9	12
20-34	125	3.8	2	2	2	4	5	6	7	8
35-49	134	4.1	3	1	2	4	5	7	8	9
50-64	446	4.0	3	1	2	4	5	7	8	9
65+	381	4.7	5	1	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	26	4.1	6	1	2	4	5	6	8	15
20-34	77	5.1	11	2	2	4	6	9	11	19
35-49	100	6.0	20	1	2	5	8	10	14	26
50-64	482	5.2	10	2	2	4	6	9	11	19
65+	575	6.0	14	2	3	5	7	10	14	21
TOT. SINGLE DX	1130	4.3	5	1	2	4	5	7	8	11
" MULTIPLE DX	1260	5.6	13	2	2	5	7	9	12	21
TOTAL 0-19 YRS	70	4.3	6	2	2	4	5	7	8	14
20-34	202	4.3	6	2	2	4	5	7	8	16
35-49	234	4.9	12	1	2	4	6	8	9	23
50-64	928	4.6	8	2	2	4	6	8	9	14
65+	956	5.5	11	2	2	5	6	9	11	19
GRAND TOTAL	**2390**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.1	5	<1	1	2	4	7	8	8
20-34	27	3.7	6	1	1	3	4	8	10	11
35-49	30	3.7	7	1	2	3	4	5	9	16
50-64	63	3.0	4	1	1	2	4	5	7	12
65+	163	2.9	4	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	26	5.2	20	1	2	4	6	8	18	21
20-34	46	4.7	15	1	2	4	5	8	9	26
35-49	47	7.6	81	2	2	5	9	12	22	59
50-64	143	4.6	20	2	2	3	5	7	12	31
65+	324	5.4	45	2	2	3	6	12	16	39
TOT. SINGLE DX	301	3.1	5	1	1	2	4	6	7	13
" MULTIPLE DX	586	5.3	39	2	2	3	6	10	15	35
TOTAL 0-19 YRS	44	4.4	15	1	1	4	5	8	11	21
20-34	73	4.3	12	1	2	4	5	8	10	23
35-49	77	6.1	56	2	2	4	6	11	17	49
50-64	206	4.1	16	1	2	3	5	7	10	26
65+	487	4.6	33	1	2	3	5	9	14	34
GRAND TOTAL	**887**	**4.6**	**29**	**1**	**2**	**3**	**5**	**8**	**12**	**30**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1470	1.6		<1	<1	2	2	2	2	3
20-34	241	1.9		<1	1	2	2	2	3	4
35-49	105	1.8		1	1	2	2	2	3	4
50-64	52	2.1		1	1	2	2	3	3	6
65+	41	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	424	1.8	13	<1	<1	2	2	2	3	5
20-34	82	2.1		<1	1	2	2	3	3	7
35-49	41	2.0		1	1	2	2	3	3	3
50-64	48	2.8	21	<1	1	2	2	4	4	34
65+	42	2.5	1	1	2	2	3	4	5	6
TOT. SINGLE DX	1909	1.7	1	<1	<1	2	2	2	2	3
" MULTIPLE DX	637	2.0	11	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	1894	1.6	3	<1	<1	2	2	2	2	3
20-34	323	2.0	1	<1	1	2	2	3	3	5
35-49	146	1.9		1	1	2	2	2	3	3
50-64	100	2.4	11	1	1	2	2	3	4	20
65+	83	2.2	1	1	1	2	2	3	4	6
GRAND TOTAL	**2546**	**1.7**	**3**	**<1**	**<1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	3	1	1	2	4	4	4	4
20-34	4	2.3		2	2	2	3	3	3	3
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	3.3	3	2	2	3	4	6	6	6
TOT. SINGLE DX	15	3.1	3	1	1	2	4	6	7	7
" MULTIPLE DX	13	2.5	2	1	1	2	3	4	6	6
TOTAL 0-19 YRS	9	2.1	2	1	1	2	3	4	4	4
20-34	5	2.2		2	2	2	3	3	3	3
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	6	3.0	2	2	2	3	3	6	6	6
GRAND TOTAL	**28**	**2.8**	**2**	**1**	**1**	**2**	**3**	**6**	**6**	**7**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.2	9	<1	1	2	4	6	11	18
20-34	73	4.1	41	1	1	3	4	8	10	44
35-49	39	3.4	3	1	1	3	4	6	8	9
50-64	53	4.0	12	<1	1	3	5	9	10	19
65+	98	3.6	9	1	1	3	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	54	5.4	25	1	2	3	7	13	17	24
20-34	74	5.3	17	1	2	4	8	12	14	18
35-49	70	5.7	29	2	2	4	7	13	18	29
50-64	93	4.4	19	1	2	3	4	11	15	68
65+	200	7.0	89	1	2	4	8	16	21	58
TOT. SINGLE DX	348	3.6	16	1	1	3	4	7	10	19
" MULTIPLE DX	491	5.9	51	1	2	4	7	14	19	33
TOTAL 0-19 YRS	139	4.1	17	<1	1	2	5	9	13	21
20-34	147	4.7	29	1	1	3	5	10	13	20
35-49	109	4.9	21	1	2	3	6	10	14	26
50-64	146	4.2	17	1	1	3	5	10	14	29
65+	298	5.9	66	1	2	3	6	14	20	40
GRAND TOTAL	**839**	**5.0**	**37**	**1**	**1**	**3**	**5**	**11**	**15**	**27**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	2.0	2	<1	<1	2	2	3	5	8
20-34	146	1.9	2	<1	<1	1	2	3	5	9
35-49	79	1.9	1	<1	<1	1	2	3	4	8
50-64	97	2.2	3	<1	<1	1	3	3	5	12
65+	115	3.3	11	<1	<1	2	3	7	11	18
2. MULTIPLE DX										
0-19 YRS	212	3.8	10	<1	1	3	5	8	10	16
20-34	122	5.7	60	<1	1	2	6	15	27	37
35-49	72	3.9	20	<1	1	2	4	7	14	25
50-64	109	7.8	147	1	1	3	10	16	27	75
65+	246	9.6	150	1	1	5	13	25	39	99+
TOT. SINGLE DX	793	2.2	4	<1	<1	2	2	4	6	11
" MULTIPLE DX	761	6.5	90	1	1	3	7	15	26	61
TOTAL 0-19 YRS	568	2.7	6	<1	<1	2	3	5	7	12
20-34	268	3.6	32	<1	<1	2	3	8	12	32
35-49	151	2.9	11	<1	<1	2	3	5	8	22
50-64	206	5.2	87	<1	<1	2	4	13	16	49
65+	361	7.6	115	<1	1	3	10	19	33	97
GRAND TOTAL	1554	4.3	51	<1	<1	2	4	10	16	39

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.4		1	2	2	3	3	4	5
20-34	174	2.8	2	2	2	3	3	4	5	12
35-49	251	2.5		1	2	2	3	4	4	5
50-64	276	2.7		2	2	2	3	4	4	5
65+	124	2.7		2	2	3	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	20	2.9	2	<1	1	2	3	5	7	8
20-34	58	2.5		1	1	2	3	4	4	5
35-49	88	2.9	2	1	1	2	3	4	5	12
50-64	104	2.9	5	1	1	2	3	4	5	15
65+	63	3.0	1	1	2	3	3	4	5	8
TOT. SINGLE DX	859	2.7	1	2	2	3	3	4	4	6
" MULTIPLE DX	333	2.8	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	54	2.6	2	1	1	2	3	4	5	8
20-34	232	2.7	2	1	2	3	3	4	5	8
35-49	339	2.6	1	1	2	2	3	4	4	6
50-64	380	2.8	2	2	2	3	3	4	4	6
65+	187	2.8	1	2	2	3	3	4	4	7
GRAND TOTAL	1192	2.7	2	2	2	3	3	4	4	7

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	341	2.0		1	1	2	2	3	3	4
20-34	207	2.2		1	1	2	2	3	4	5
35-49	186	2.2		1	1	2	2	3	3	6
50-64	186	2.4	1	1	1	2	3	3	3	6
65+	66	2.3	1	1	1	2	3	3	4	9
2. MULTIPLE DX										
0-19 YRS	286	2.2		1	1	2	2	3	4	5
20-34	189	2.7	10	1	1	2	3	3	4	14
35-49	177	2.5	3	1	1	2	2	3	4	9
50-64	214	3.0	23	1	1	2	3	4	4	24
65+	80	3.0	4	2	2	3	3	4	7	13
TOT. SINGLE DX	986	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	946	2.6	9	1	1	2	3	3	4	11
TOTAL 0-19 YRS	627	2.1	1	1	1	2	2	3	3	5
20-34	396	2.5	6	1	1	2	2	3	4	7
35-49	363	2.4	2	1	1	2	2	3	4	7
50-64	400	2.7	13	1	1	2	3	3	4	14
65+	146	2.7	3	1	2	2	3	4	5	11
GRAND TOTAL	1932	2.4	5	1	1	2	3	3	4	7

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3753									
20-34	90									
35-49	64									
50-64	69									
65+	41	3	16					6		
2. MULTIPLE DX										
0-19 YRS	2123	1.4	4							
20-34	64									
35-49	59									
50-64	70									
65+	69									
TOT. SINGLE DX	4016									
" MULTIPLE DX	2405	1.7	5				1	2	6	16
TOTAL 0-19 YRS	5876									
20-34	174									
35-49	123									
50-64	139									
65+	112									
GRAND TOTAL	6424	1.3	4	<1	<1	<1	1	2	2	8

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	3.0	11					6		
20-34	100	3.1	10					6		
35-49	78	3.6	13					6		
50-64	79	4.4	21					6		
65+	45	4.3	17					6		
2. MULTIPLE DX										
0-19 YRS	220	3.6	15					6		
20-34	169	3.1	9					5		
35-49	129	3.9	20					6		
50-64	170	4.4	31					7		
65+	77	5.0	163					26	35	80
TOT. SINGLE DX	424	3.4	10	1	2	3	3	5	6	16
" MULTIPLE DX	765	4.3	35			3	4	6	12	32
TOTAL 0-19 YRS	342	3.4	14					5	7	22
20-34	269	3.2	7					5	6	12
35-49	207	3.8	18					6	8	16
50-64	249	4.2	24					6	8	16
65+	122	7.2	168					19	32	80
GRAND TOTAL	1189	3.9	26	1	2	3	4	6	9	31

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162									
20-34	69									
35-49	77									
50-64	85									
65+	32									
2. MULTIPLE DX										
0-19 YRS	123									
20-34	69									
35-49	58									
50-64	94									
65+	48	5.9	178							
TOT. SINGLE DX	425	2.6	3					5		
" MULTIPLE DX	427	3.7	40					9		
TOTAL 0-19 YRS	285									
20-34	138									
35-49	135									
50-64	179									
65+	80									
GRAND TOTAL	852	3.1	22	<1	<1	2	3	6	7	19

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	2.5		1	1	2	3	4	4	5
20-34	928	2.4		1	1	2	3	4	4	5
35-49	356	2.5	1	1	1	2	3	4	4	5
50-64	152	2.5	1	1	1	2	3	3	4	5
65+	36	2.6	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	697	2.5		1	1	2	3	4	4	5
20-34	1409	2.6	1	1	1	2	3	4	4	6
35-49	741	2.8	5	1	1	2	3	4	5	11
50-64	391	3.1	6	1	2	3	3	5	6	19
65+	135	3.8	13	1	2	3	4	7	13	21
TOT. SINGLE DX	1988	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	3373	2.7	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	1213	2.5	1	1	1	2	3	4	4	5
20-34	2337	2.5	1	1	1	2	3	4	4	6
35-49	1097	2.7	4	1	1	2	3	4	5	8
50-64	543	2.9	5	1	1	3	3	4	5	12
65+	171	3.6	11	1	2	3	4	5	11	21
GRAND TOTAL	**5361**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	744	2.5	1	1	1	2	3	4	5	7
20-34	1404	2.3	1	1	1	2	3	3	4	6
35-49	548	2.4		1	1	2	3	4	4	5
50-64	273	2.5	1	1	1	2	3	4	5	8
65+	70	2.6	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	1005	2.6	2	1	1	2	3	4	5	7
20-34	1971	2.6	3	1	1	2	3	4	5	9
35-49	973	2.8	12	1	1	2	3	4	5	11
50-64	567	3.1	5	1	1	2	3	5	7	17
65+	213	5.0	65	1	1	3	5	10	16	36
TOT. SINGLE DX	3039	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	4729	2.8	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1749	2.6	2	1	1	2	3	4	5	7
20-34	3375	2.5	2	1	1	2	3	4	4	7
35-49	1521	2.7	9	1	1	2	3	4	5	9
50-64	840	2.9	5	1	1	2	3	5	6	14
65+	283	4.4	51	1	1	3	4	8	12	32
GRAND TOTAL	**7768**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.3	3	<1	<1	2	2	5	6	10
20-34	154	2.3	5	<1	<1	2	3	4	5	17
35-49	158	2.1	1	<1	<1	2	3	4	5	6
50-64	255	2.3	3	<1	<1	2	2	4	5	9
65+	252	2.7	5	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	95	3.0	7	<1	1	2	3	6	9	16
20-34	207	3.1	26	<1	1	2	3	4	7	48
35-49	258	2.9	9	<1	1	2	3	4	5	12
50-64	417	3.6	20	1	1	3	3	5	11	25
65+	482	6.3	81	1	1	3	7	15	26	89
TOT. SINGLE DX	903	2.4	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	1459	4.2	41	1	1	3	4	8	14	41
TOTAL 0-19 YRS	179	2.6	6	<1	<1	2	3	5	8	15
20-34	361	2.8	18	<1	<1	2	3	4	6	22
35-49	416	2.6	7	<1	1	2	3	4	5	10
50-64	672	3.1	14	<1	1	2	3	5	8	20
65+	734	5.0	58	1	1	3	5	12	20	46
GRAND TOTAL	**2362**	**3.5**	**28**	**<1**	**1**	**2**	**3**	**6**	**10**	**31**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	777	1.7	1	<1	<1	1	2	3	4	6
20-34	520	2.3	2	<1	<1	2	3	5	5	9
35-49	176	3.2	6	<1	<1	2	4	6	8	15
50-64	141	4.3	6	<1	1	4	6	8	10	11
65+	98	4.2	7	1	1	4	6	7	10	15
2. MULTIPLE DX										
0-19 YRS	318	3.4	12	<1	1	2	4	7	9	21
20-34	416	3.9	17	1	1	3	5	8	10	18
35-49	217	4.9	13	1	1	4	6	10	12	19
50-64	280	6.3	19	1	2	5	8	12	14	23
65+	422	8.3	106	1	2	6	9	16	23	72
TOT. SINGLE DX	1712	2.4	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	1653	5.5	43	1	1	4	7	11	15	28
TOTAL 0-19 YRS	1095	2.2	5	<1	<1	2	3	4	6	10
20-34	936	3.0	10	<1	<1	2	4	6	8	13
35-49	393	4.1	11	<1	1	3	5	8	11	17
50-64	421	5.6	16	1	2	5	7	10	13	19
65+	520	7.6	90	1	2	5	8	15	21	67
GRAND TOTAL	**3365**	**3.9**	**25**	**<1**	**<1**	**3**	**5**	**8**	**11**	**21**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.8	43	1	1	2	4	4	7	45
20-34	139	3.1	13	1	1	2	3	4	6	26
35-49	123	3.0	4	1	1	2	4	4	6	16
50-64	94	2.8	1	1	1	3	3	5	5	8
65+	49	4.0	8	2	2	3	5	7	11	16
2. MULTIPLE DX										
0-19 YRS	34	3.4	12	1	1	2	4	6	12	18
20-34	134	4.5	34	1	1	2	3	4	8	12	36
35-49	155	4.2	25	1	1	2	3	4	6	10	27
50-64	166	5.1	42	2	2	3	5	9	15	43
65+	90	6.6	55	2	2	4	6	15	21	43
TOT. SINGLE DX	449	3.2	11	1	2	3	3	5	6	16
" MULTIPLE DX	579	4.8	37	1	2	3	5	9	15	38
TOTAL 0-19 YRS	78	3.6	30	1	1	2	4	5	10	37
20-34	273	3.8	24	1	1	2	3	4	5	9	32
35-49	278	3.7	17	1	1	2	3	4	5	8	20
50-64	260	4.3	29	2	2	3	4	6	10	39
65+	139	5.7	40	2	2	4	5	13	18	32
GRAND TOTAL	1028	4.1	26	1	2	3	4	6	11	28

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	3.6	11	<1	1	2	4	8	10	17
20-34	135	3.1	6	<1	1	2	4	6	8	14
35-49	96	3.7	15	<1	1	2	4	9	13	21
50-64	100	3.9	9	<1	1	3	5	9	10	15
65+	56	5.0	54	1	1	3	5	8	13	50
2. MULTIPLE DX										
0-19 YRS	66	6.5	44	1	2	4	9	16	23	31
20-34	149	4.3	31	1	1	3	4	8	14	30
35-49	169	5.8	85	1	1	3	5	10	23	61
50-64	199	5.5	35	1	2	3	7	11	16	29
65+	124	8.9	110	2	2	5	13	21	28	49
TOT. SINGLE DX	452	3.7	16	<1	1	3	4	8	10	17
" MULTIPLE DX	707	6.0	62	1	2	3	6	14	21	36
TOTAL 0-19 YRS	131	5.1	30	1	1	3	6	10	17	31
20-34	284	3.8	20	<1	1	3	4	7	10	28
35-49	265	5.0	61	1	1	3	5	9	17	40
50-64	299	4.9	27	1	2	3	6	10	13	28
65+	180	7.7	96	1	2	4	9	18	25	48
GRAND TOTAL	1159	5.1	49	1	1	3	5	10	17	31

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2663	1.5		<1	<1	1	2	2	2	3
20-34	2112	1.5		<1	<1	1	2	2	2	3
35-49	379	1.6		<1	<1	2	2	2	2	4
50-64	249	1.9		<1	<1	2	2	3	3	5
65+	147	2.1		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1141	2.3	18	<1	<1	2	2	3	4	31
20-34	1450	3.2	35	<1	<1	2	2	5	10	36
35-49	784	3.8	40	<1	1	2	3	8	15	34
50-64	891	4.3	47	1	1	2	3	9	17	44
65+	914	7.7	137	1	2	3	9	20	33	99+
TOT. SINGLE DX	5550	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	5180	4.1	56	<1	1	2	3	9	16	45
TOTAL 0-19 YRS	3804	1.7	6	<1	<1	1	2	2	2	7
20-34	3562	2.2	15	<1	<1	2	2	2	4	18
35-49	1163	3.1	29	<1	1	2	2	5	11	29
50-64	1140	3.8	38	1	1	2	3	8	13	39
65+	1061	6.9	123	1	2	2	7	18	32	99
GRAND TOTAL	10730	2.8	29	<1	<1	2	2	3	9	32

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	1.2		<1	<1	1	1	2	2	4
20-34	30	2.0	3	<1	<1	1	2	5	6	9
35-49	14	2.7	5	<1	<1	2	3	5	9	10
50-64	8	2.4		1	1	2	3	4	4	4
65+	8	3.8	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	192	2.0	24	<1	<1	1	2	2	3	99+
20-34	77	5.9	160	<1	1	2	2	13	37	63
35-49	22	4.0	38	<1	<1	2	2	13	19	27
50-64	13	6.5	89	1	1	3	5	20	32	35
65+	4	5.8	23	3	3	4	8	13	13	13
TOT. SINGLE DX	217	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	308	3.4	65	<1	<1	2	2	4	13	79
TOTAL 0-19 YRS	349	1.6	14	<1	<1	1	2	2	3	64
20-34	107	4.9	119	<1	1	2	2	8	30	61
35-49	36	3.5	25	<1	<1	2	3	10	13	27
50-64	21	4.9	58	1	1	3	3	11	25	35
65+	12	4.4	10	2	2	3	5	9	12	13
GRAND TOTAL	525	2.6	39	<1	<1	1	2	3	7	59

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	2.3	4	<1	<1	2	2	5	7	11
20-34	99	1.9	2	<1	<1	1	2	4	5	10
35-49	126	1.9	1	<1	<1	1	2	4	4	7
50-64	100	2.2	3	<1	<1	2	3	4	5	11
65+	39	2.8	5	<1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	119	3.6	69	<1	1	2	3	7	12	92
20-34	119	3.7	22	<1	1	2	3	8	15	54
35-49	127	3.4	14	<1	1	2	3	6	11	22
50-64	144	5.1	111	1	1	3	4	9	17	94
65+	91	6.1	69	1	2	3	5	18	28	38
TOT. SINGLE DX	439	2.1	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	600	4.3	59	<1	1	2	4	9	16	58
TOTAL 0-19 YRS	194	3.1	45	<1	<1	2	3	6	10	56
20-34	218	2.9	14	<1	<1	2	3	5	10	25
35-49	253	2.6	9	<1	<1	2	3	4	7	20
50-64	244	3.9	69	<1	<1	2	3	7	10	79
65+	130	5.1	53	1	1	2	4	13	23	36
GRAND TOTAL	**1039**	**3.4**	**37**	**<1**	**<1**	**2**	**3**	**6**	**11**	**33**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.7	3	<1	1	2	4	5	6	10
20-34	225	3.7	7	1	2	3	4	6	8	15
35-49	283	3.8	3	2	2	3	5	6	7	12
50-64	336	4.0	8	2	2	3	5	6	8	12
65+	259	4.5	8	1	2	4	5	8	10	16
2. MULTIPLE DX										
0-19 YRS	30	5.2	15	1	2	4	7	10	11	20
20-34	86	4.3	12	1	2	3	5	7	10	22
35-49	137	5.2	28	2	2	4	5	9	11	24
50-64	273	5.4	15	2	2	4	6	10	15	20
65+	388	8.5	101	2	3	5	9	17	25	58
TOT. SINGLE DX	1189	3.9	7	1	2	3	5	6	8	13
" MULTIPLE DX	914	6.6	56	2	2	4	7	12	19	40
TOTAL 0-19 YRS	116	3.3	7	<1	1	3	4	6	8	14
20-34	311	3.9	9	1	2	3	4	6	9	19
35-49	420	4.3	12	2	2	4	5	7	9	16
50-64	609	4.6	12	2	2	4	5	8	11	19
65+	647	6.9	68	2	2	5	7	13	19	44
GRAND TOTAL	**2103**	**5.1**	**30**	**1**	**2**	**4**	**5**	**9**	**12**	**27**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	3.7	4	1	1	4	5	6	7	10
20-34	12	4.1	1	2	3	4	5	6	6	6
35-49										
50-64	5	3.6	4	2	2	3	4	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	187	4.8	33	2	2	4	5	7	8	24
20-34	11	4.4	3	2	2	4	6	7	7	7
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	4	2.9	1	1	1	3	4	4	4	4
65+	3	6.0	48	2	2	2	11	14	14	14
TOT. SINGLE DX	221	3.8	4	1	1	4	5	6	7	10
" MULTIPLE DX	208	4.8	31	2	2	4	5	7	9	21
TOTAL 0-19 YRS	390	4.3	18	1	2	4	5	6	8	14
20-34	23	4.2	2	2	3	4	5	6	7	7
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	9	3.2	3	1	1	3	4	6	7	7
65+	4	5.0	36	2	2	2	8	14	14	14
GRAND TOTAL	**429**	**4.3**	**17**	**1**	**2**	**4**	**5**	**6**	**8**	**14**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	502	3.3	7	<1	<1	2	5	7	8	12
20-34	162	3.6	10	<1	<1	2	5	8	9	14
35-49	137	3.7	23	<1	<1	2	4	7	12	22
50-64	254	4.4	38	<1	1	3	4	9	15	32
65+	221	5.1	48	1	1	3	5	10	16	43
2. MULTIPLE DX										
0-19 YRS	410	3.9	22	1	1	3	5	7	10	38
20-34	286	4.9	43	1	1	3	6	10	14	40
35-49	213	7.0	89	1	1	4	8	16	22	69
50-64	417	9.6	158	1	2	5	12	25	38	73
65+	568	10.8	177	1	2	6	13	26	39	81
TOT. SINGLE DX	1276	3.9	23	<1	<1	2	5	8	11	24
" MULTIPLE DX	1894	7.7	118	1	1	4	9	19	30	66
TOTAL 0-19 YRS	912	3.6	14	<1	1	2	5	7	9	18
20-34	448	4.5	32	<1	1	3	6	9	12	25
35-49	350	5.7	66	<1	1	3	7	13	19	64
50-64	671	7.6	119	1	1	3	9	20	29	67
65+	789	9.2	148	1	2	5	11	22	35	66
GRAND TOTAL	**3170**	**6.2**	**83**	**<1**	**1**	**3**	**7**	**14**	**22**	**56**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4292	1.8		1	1	2	2	2	3	4
20-34	2824	2.0		1	1	2	2	3	3	4
35-49	260	2.2		1	1	2	2	3	4	5
50-64	37	2.4	1	<1	1	2	3	3	4	9
65+	6	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	857	2.0	1	1	1	2	2	3	4	8
20-34	406	2.5	1	1	1	2	3	4	5	8
35-49	69	3.3	7	1	1	2	4	7	10	15
50-64	31	3.9	15	2	2	2	4	8	13	20
65+	15	5.3	11	2	2	5	7	14	74	99+
TOT. SINGLE DX	7919	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1378	2.3	3	1	1	2	2	4	5	10
TOTAL 0-19 YRS	5649	1.8	1	1	1	2	2	2	3	5
20-34	3230	2.1	1	1	1	2	2	3	3	5
35-49	329	2.4	3	1	1	2	3	4	4	10
50-64	68	3.1	8	1	2	2	3	5	9	19
65+	21	4.4	11	1	2	3	7	11	48	99+
GRAND TOTAL	9297	1.9	1	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6436	1.5		<1	1	1	2	2	2	3
20-34	169	1.8		1	1	2	2	3	3	5
35-49	11	1.8	1	1	1	2	2	3	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4183	1.6		<1	1	1	2	2	3	4
20-34	64	2.1	1	1	1	2	2	3	4	6
35-49	8	2.1		1	1	2	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	3	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	6622	1.5	1	<1	1	1	2	2	2	3
" MULTIPLE DX	4260	1.6	1	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	10619	1.5	1	<1	1	1	2	2	2	3
20-34	233	1.9	1	1	1	2	2	3	3	5
35-49	19	1.9	1	1	1	2	3	3	4	4
50-64	4	2.0		2	2	2	2	2	2	2
65+	7	1.4		1	1	1	2	2	2	2
GRAND TOTAL	10882	1.6	1	<1	1	1	2	2	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	654	1.4		<1	<1	1	2	2	2	3
20-34	16	2.6	10	<1	1	2	3	4	11	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	1671	1.4	1	<1	<1	1	2	2	2	3
20-34	14	2.4	5	<1	<1	2	2	5	8	9
35-49										
50-64										
65+										
TOT. SINGLE DX	672	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	1685	1.5	1	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	2325	1.4	1	<1	<1	1	2	2	2	3
20-34	30	2.5	8	<1	<1	2	2	5	9	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	2357	1.5	1	<1	<1	1	2	2	2	3

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	449	2.8	5	<1	1	2	3	6	7	12
20-34	286	3.0	7	1	1	2	4	5	6	16
35-49	111	3.6	15	1	1	2	4	7	10	23
50-64	122	4.5	54	<1	1	2	4	9	13	39
65+	88	5.3	91	1	1	3	6	10	11	62
2. MULTIPLE DX										
0-19 YRS	106	5.0	73	1	1	3	5	11	12	50
20-34	97	5.4	99	1	2	3	5	9	15	63
35-49	72	6.2	65	1	1	3	7	12	20	46
50-64	176	8.6	113	1	2	5	11	22	27	79
65+	192	14.3	294	1	2	8	18	44	55	95
TOT. SINGLE DX	1056	3.3	20	<1	1	2	4	6	9	17
" MULTIPLE DX	643	8.9	167	1	2	4	10	22	37	86
TOTAL 0-19 YRS	555	3.3	19	<1	1	2	4	6	9	14
20-34	383	3.6	32	1	1	3	4	6	8	23
35-49	183	4.6	36	1	1	3	5	9	13	33
50-64	298	6.9	93	1	1	3	8	18	24	65
65+	280	11.5	248	1	2	6	12	33	52	89
GRAND TOTAL	1699	5.5	83	1	1	3	5	11	20	54

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	80	2.9	98	<1	<1	1	2	4	5	65
20-34	35	3.0	3	1	1	2	4	6	8	8
35-49	39	3.3	8	<1	1	3	4	5	10	15
50-64	50	3.1	5	1	1	3	4	6	6	13
65+	57	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	69	3.8	4	1	1	3	5	7	8	11
20-34	16	4.5	8	1	2	3	6	10	10	10
35-49	35	6.7	87	1	1	4	6	11	19	55
50-64	97	5.7	29	1	2	4	7	12	15	33
65+	226	8.0	88	2	2	5	9	16	31	60
TOT. SINGLE DX	261	3.1	34	<1	<1	2	4	5	7	13
" MULTIPLE DX	443	6.6	61	1	2	4	7	12	18	47
TOTAL 0-19 YRS	149	3.3	55	<1	<1	2	3	6	7	12
20-34	51	3.5	6	1	1	3	5	7	9	10
35-49	74	4.9	48	<1	1	3	5	10	13	47
50-64	147	4.8	23	1	1	3	6	10	15	43
65+	283	7.1	74	1	2	4	8	14	27	55
GRAND TOTAL	**704**	**5.3**	**54**	**<1**	**1**	**3**	**6**	**10**	**15**	**43**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	150	1.9		<1	1	2	2	3	3	5
20-34	248	1.8	6	<1	<1	2	2	2	3	10
35-49	479	1.8	1	<1	<1	2	2	2	3	8
50-64	690	2.1	5	<1	1	2	2	2	3	16
65+	416	2.2	7	1	1	2	2	3	4	16
2. MULTIPLE DX										
0-19 YRS	43	4.3	33	<1	<1	2	3	14	19	25
20-34	71	4.1	102	<1	<1	2	2	6	10	65
35-49	203	3.2	16	<1	1	2	3	6	12	21
50-64	519	4.4	61	<1	1	2	3	9	16	42
65+	480	6.3	112	1	1	2	5	17	29	57
TOT. SINGLE DX	1983	2.0	5	<1	1	2	2	2	3	12
" MULTIPLE DX	1316	4.9	76	<1	1	2	3	12	20	49
TOTAL 0-19 YRS	193	2.4	9	<1	1	2	2	3	5	20
20-34	319	2.3	28	<1	<1	2	2	2	4	22
35-49	682	2.2	7	<1	1	2	2	3	4	17
50-64	1209	3.1	31	<1	1	2	2	5	10	27
65+	896	4.4	68	1	1	2	3	10	19	42
GRAND TOTAL	**3299**	**3.1**	**35**	**<1**	**1**	**2**	**2**	**4**	**11**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	9	2.1	1	<1	<1	2	3	4	5	5
20-34	7	9.3	42	<1	<1	5	10	16	17	17
35-49	21	7.9	148	<1	1	5	11	26	41	46
50-64	54	7.9	56	1	1	3	14	17	21	31
65+	37	8.4	89	1	2	3	12	22	31	34
2. MULTIPLE DX										
0-19 YRS	7	8.6	152	1	1	3	7	30	36	36
20-34	5	2.2	2	1	1	2	3	5	5	5
35-49	16	19.7	561	2	2	10	26	44	78	92
50-64	31	16.2	209	2	3	12	25	33	38	76
65+	83	20.7	379	2	3	15	27	48	67	84
TOT. SINGLE DX	128	7.5	77	<1	1	2	12	19	26	39
" MULTIPLE DX	182	17.9	320	1	2	13	25	38	56	85
TOTAL 0-19 YRS	16	4.9	73	<1	1	2	4	8	28	36
20-34	12	4.0	27	<1	<1	2	4	13	16	17
35-49	37	13.0	351	<1	1	4	14	39	46	92
50-64	125	12.6	159	1	1	10	18	29	35	61
65+	120	17.0	321	1	2	12	23	36	60	81
GRAND TOTAL	**310**	**13.6**	**265**	**1**	**1**	**9**	**19**	**32**	**44**	**80**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34	2	15.5	181	6	6	15	25	25	25	25
35-49	8	24.4	162	10	11	20	34	44	47	47
50-64	35	17.6	59	10	10	15	22	33	36	99+
65+	46	21.0	136	11	11	16	24	36	48	62
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	27	24.6	274	10	12	19	27	44	68	83
50-64	134	24.1	158	11	12	21	34	48	55	99+
65+	120	26.1	192	12	13	22	35	47	71	99+
TOT. SINGLE DX	91	19.8	110	10	11	16	24	35	45	84
" MULTIPLE DX	282	25.0	184	11	13	21	34	47	62	99+
TOTAL 0-19 YRS										
20-34	3	14.7	92	6	6	13	22	25	25	25
35-49	35	24.5	243	10	12	19	28	46	60	83
50-64	169	22.7	145	11	12	19	30	44	54	99+
65+	166	24.7	182	11	12	21	34	45	61	99+
GRAND TOTAL	**373**	**23.7**	**170**	**11**	**12**	**20**	**31**	**45**	**56**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	15.5	5	14	14	15	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	3	18.0	139	8	8	15	27	31	31	31
20-34	4	25.8	654	5	5	18	43	62	62	62
35-49	16	33.9	556	6	13	23	66	72	91	99+
50-64	37	31.6	514	9	7	30	70	99+	99+	99+
65+	56	38.9	385	9	13	45	71	99+	99+	99+
TOT. SINGLE DX	3	12.3	32	6	6	14	16	17	17	17
" MULTIPLE DX	116	34.9	459	5	11	40	66	99+	99+	99+
TOTAL 0-19 YRS	3	18.0	139	8	8	15	27	31	31	31
20-34	4	25.8	654	5	5	18	43	62	62	62
35-49	16	33.9	557	6	13	23	66	72	91	99+
50-64	38	31.0	518	9	6	30	68	99+	99+	99+
65+	58	38.1	390	9	13	44	69	99+	99+	99+
GRAND TOTAL	119	34.4	461	5	10	39	65	99+	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	56	5.9	25	1	1	4	9	14	16	22
20-34	30	6.6	28	1	1	5	10	15	17	18
35-49	17	13.9	547	1	1	3	14	32	76	85
50-64	31	7.7	81	1	1	4	7	20	34	34
65+	38	10.6	208	1	1	4	12	29	51	56
2. MULTIPLE DX										
0-19 YRS	86	19.6	452	2	2	12	35	86	99+	99+
20-34	83	23.4	695	2	2	18	35	53	92	99+
35-49	72	21.3	467	2	2	17	46	99+	99+	99+
50-64	248	32.9	606	2	2	29	53	82	99+	99+
65+	310	36.9	795	2	2	40	77	99+	99+	99+
TOT. SINGLE DX	172	8.1	131	1	1	4	9	18	30	58
" MULTIPLE DX	799	30.8	679	2	3	29	58	98	99+	99+
TOTAL 0-19 YRS	142	14.2	328	1	2	8	20	51	92	99+
20-34	113	18.9	425	2	2	10	32	69	74	99+
35-49	89	19.9	486	2	2	13	41	99+	99+	99+
50-64	279	29.5	610	2	2	26	51	77	96	99+
65+	348	34.0	788	2	2	35	73	99+	99+	99+
GRAND TOTAL	971	26.8	657	2	2	22	51	91	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	22	3.0	16	<1	1	4	8	11	13	16
20-34	127	7.0	72	1	1	4	10	16	21	40
35-49	106	6.2	63	1	1	4	9	13	16	28
50-64	448	7.3	55	1	1	5	9	17	22	32
65+	477	8.1	73	1	2	6	10	17	22	45
2. MULTIPLE DX										
0-19 YRS	21	8.6	77	1	1	6	12	22	31	31
20-34	191	14.9	211	1	1	7	20	36	40	99+
35-49	482	14.0	182	1	1	7	18	29	38	79
50-64	1803	12.8	138	1	1	7	17	26	34	71
65+	2833	15.4	171	1	1	8	20	32	41	77
TOT. SINGLE DX	1280	7.3	65	1	1	5	9	16	21	39
" MULTIPLE DX	5330	14.4	164	1	3	11	19	29	39	73
TOTAL 0-19 YRS	43	5.8	68	<1	1	4	9	14	22	31
20-34	318	11.7	178	1	1	6	17	27	39	69
35-49	588	11.7	140	1	1	5	15	25	32	71
50-64	2251	11.7	127	1	1	6	15	24	32	66
65+	3310	14.4	164	1	3	11	19	30	40	71
GRAND TOTAL	6610	13.0	152	1	2	10	17	27	37	71

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	3	5.3	6	4	4	6	6	9	9	9
50-64	6	17.6	118	1	1	11	20	27	27	27
65+	3	37.3	1765	10	10	16	66	86	86	86
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	10	16.1	621	1	2	10	16	56	86	86
TOTAL 0-19 YRS										
20-34										
35-49	4	6.0	5	4	4	5	7	9	9	9
50-64	6	17.6	118	1	1	11	20	27	27	27
65+	3	37.3	1765	10	10	16	66	86	86	86
GRAND TOTAL	11	16.9	575	1	3	9	15	51	83	86

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	9.5	31	2	3	9	13	16	20	25
20-34	82	9.7	40	3	4	8	10	17	22	36
35-49	94	11.6	71	2	3	10	16	21	24	47
50-64	229	11.2	89	2	2	10	14	20	26	51
65+	209	11.9	72	1	2	10	17	24	29	37
2. MULTIPLE DX										
0-19 YRS	57	17.1	123	7	8	13	19	38	48	96
20-34	140	20.2	318	6	7	13	24	46	69	81
35-49	257	16.4	177	2	4	13	22	33	49	99+
50-64	822	16.1	125	3	5	13	21	31	39	60
65+	1140	19.0	197	3	4	16	25	37	48	82
TOT. SINGLE DX	636	11.2	73	2	2	10	14	21	26	43
" MULTIPLE DX	2416	17.8	178	3	5	14	23	34	45	78
TOTAL 0-19 YRS	79	15.0	109	4	6	12	17	29	43	87
20-34	222	16.3	241	4	5	10	19	39	52	78
35-49	351	15.1	153	2	4	12	20	30	43	99+
50-64	1051	15.1	122	2	4	12	20	29	35	57
65+	1349	17.9	185	2	4	15	23	34	45	81
GRAND TOTAL	**3052**	**16.4**	**163**	**2**	**4**	**13**	**21**	**32**	**43**	**74**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	12.0	48	8	8	8	17	20	20	20
20-34	4	12.0	8	10	10	11	14	16	16	16
35-49	35	12.7	25	7	8	10	16	21	23	25
50-64	130	16.6	95	7	8	14	21	27	36	62
65+	111	15.9	42	8	9	14	19	24	29	37
2. MULTIPLE DX										
0-19 YRS	11	16.6	449	6	8	12	18	36	48	49
20-34	28	16.6	100	8	8	13	20	34	52	99+
35-49	97	20.4	234	8	9	17	21	38	47	87
50-64	481	18.7	111	8	9	16	23	32	42	96
65+	498	22.3	179	9	10	18	27	37	52	85
TOT. SINGLE DX	283	15.7	65	8	9	14	19	24	30	49
" MULTIPLE DX	1115	20.4	155	9	10	17	25	35	46	92
TOTAL 0-19 YRS	14	15.6	126	6	8	11	19	30	45	49
20-34	32	16.0	91	8	8	13	19	33	48	99+
35-49	132	18.4	191	8	9	14	20	33	45	78
50-64	611	18.2	108	8	9	16	22	30	40	72
65+	609	21.1	161	9	10	18	26	35	48	84
GRAND TOTAL	**1398**	**19.4**	**141**	**8**	**9**	**16**	**23**	**33**	**44**	**84**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.9	19	<1	1	2	4	10	14	21
20-34	117	4.2	13	1	1	3	6	10	11	20
35-49	203	6.3	69	<1	1	3	8	14	19	45
50-64	348	6.9	53	1	1	4	9	16	23	35
65+	359	7.8	62	1	1	5	10	19	23	34
2. MULTIPLE DX										
0-19 YRS	126	11.6	224	2	2	5	13	36	50	82
20-34	227	13.1	197	1	2	9	17	28	48	96
35-49	520	12.7	169	1	2	9	16	30	42	89
50-64	1317	12.2	131	2	2	9	16	25	34	64
65+	2276	15.1	191	2	3	11	20	34	48	99+
TOT. SINGLE DX	1144	6.5	53	1	1	4	8	15	21	33
" MULTIPLE DX	4466	13.8	174	2	2	10	18	31	43	93
TOTAL 0-19 YRS	243	7.9	140	1	1	3	9	18	37	69
20-34	344	10.1	152	1	2	6	13	23	34	82
35-49	723	10.9	150	1	1	7	14	25	38	69
50-64	1665	11.1	119	1	2	8	15	24	32	61
65+	2635	14.1	180	2	2	11	18	32	44	98
GRAND TOTAL	**5610**	**12.3**	**158**	**1**	**2**	**9**	**16**	**28**	**39**	**80**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.3	12	1	1	4	8	10	12	13
20-34	53	5.5	4	2	3	6	7	8	9	10
35-49	20	6.9	19	2	3	6	8	13	17	20
50-64	19	11.2	112	1	1	10	15	27	36	41
65+	16	14.1	95	3	4	13	18	32	35	36
2. MULTIPLE DX										
0-19 YRS	18	8.4	68	2	3	6	10	15	29	38
20-34	37	9.9	34	3	3	9	12	19	23	25
35-49	41	17.7	247	3	4	11	24	42	55	59
50-64	74	13.8	119	3	4	11	17	23	45	89
65+	97	18.2	285	3	4	13	25	44	70	99+
TOT. SINGLE DX	128	7.6	44	2	2	6	9	15	20	37
" MULTIPLE DX	267	15.1	194	3	4	11	19	34	53	98
TOTAL 0-19 YRS	38	6.8	41	1	2	5	9	12	15	38
20-34	90	7.3	22	2	3	6	9	12	18	25
35-49	61	14.2	197	2	3	10	17	38	48	59
50-64	93	13.2	118	2	3	11	17	24	43	81
65+	113	17.6	259	3	4	13	24	36	63	99+
GRAND TOTAL	**395**	**12.7**	**157**	**2**	**3**	**9**	**15**	**27**	**41**	**83**

569: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	120	6.7	24	2	3	5	8	12	16	28
20-34	533	6.1	12	2	3	5	7	9	12	23
35-49	185	7.2	29	2	3	6	8	12	17	27
50-64	107	9.0	38	2	3	7	12	18	22	32
65+	81	10.0	48	2	3	9	12	20	24	34
2. MULTIPLE DX										
0-19 YRS	209	15.8	301	2	3	9	17	45	63	99+
20-34	417	10.9	76	3	4	8	13	21	26	44
35-49	329	13.0	133	3	4	9	15	27	41	70
50-64	653	15.9	160	3	4	12	20	33	41	62
65+	952	18.1	195	4	5	14	24	40	51	99+
TOT. SINGLE DX	1026	6.9	24	2	3	6	8	12	16	27
" MULTIPLE DX	2560	15.5	175	4	5	11	20	34	45	87
TOTAL 0-19 YRS	329	12.5	219	2	3	7	13	29	52	96
20-34	950	8.2	46	3	3	6	9	15	21	39
35-49	514	10.9	104	3	4	8	13	21	33	58
50-64	760	14.9	149	3	4	11	19	31	40	61
65+	1033	17.4	188	4	5	13	24	38	49	99+
GRAND TOTAL	3586	13.0	146	3	4	9	16	28	41	71

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	190	6.3	11	1	2	7	7	9	11	22
20-34	156	6.8	39	<1	1	5	10	15	17	32
35-49	162	6.6	39	<1	1	4	9	15	19	29
50-64	165	7.9	51	<1	1	5	11	18	23	31
65+	134	9.0	69	1	1	7	14	19	23	39
2. MULTIPLE DX										
0-19 YRS	68	9.9	75	1	2	7	12	19	31	44
20-34	202	13.6	179	2	3	11	17	27	41	99+
35-49	273	13.3	180	1	2	10	16	28	40	67
50-64	665	15.7	206	2	3	12	20	32	43	83
65+	1076	16.4	194	2	3	13	22	34	44	88
TOT. SINGLE DX	807	7.2	41	<1	1	6	9	15	20	31
" MULTIPLE DX	2284	15.4	194	2	3	12	20	32	43	86
TOTAL 0-19 YRS	258	7.2	31	1	2	7	7	11	18	34
20-34	358	10.6	130	1	2	9	14	21	29	95
35-49	435	10.8	138	1	1	8	14	24	33	57
50-64	830	14.1	185	2	2	11	19	29	41	69
65+	1210	15.6	186	2	3	12	21	33	43	81
GRAND TOTAL	3091	13.2	167	1	2	10	18	28	38	76

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	154	9.8	23	5	6	8	11	15	21	29
20-34	31	11.9	15	7	8	11	13	17	22	24
35-49	32	14.9	61	8	9	14	16	19	24	53
50-64	98	13.8	17	9	9	13	16	19	23	26
65+	72	16.3	44	9	10	14	20	28	29	35
2. MULTIPLE DX										
0-19 YRS	274	13.0	60	7	8	10	15	22	29	64
20-34	87	18.5	163	8	9	14	21	36	42	72
35-49	158	18.7	132	9	9	15	20	33	42	64
50-64	491	21.1	150	10	11	18	24	37	45	73
65+	533	23.9	224	11	12	19	28	44	58	89
TOT. SINGLE DX	387	12.6	35	6	7	11	15	20	24	32
" MULTIPLE DX	1543	20.2	173	8	9	16	24	37	48	77
TOTAL 0-19 YRS	428	11.9	49	6	7	10	13	20	24	47
20-34	118	16.8	133	8	9	13	18	32	42	67
35-49	190	18.0	122	9	9	15	20	30	41	62
50-64	589	19.9	135	9	11	16	23	35	44	69
65+	605	23.0	209	10	11	18	27	42	54	88
GRAND TOTAL	1930	18.7	154	8	9	15	22	34	44	74

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	16.2	15	11	11	16	18	22	22	22
35-49	169	11.4	12	8	8	11	13	15	17	27
50-64	612	13.0	25	9	9	12	14	18	22	31
65+	236	15.5	46	9	10	13	18	24	32	40
2. MULTIPLE DX										
0-19 YRS	5	11.2	35	3	3	11	15	19	19	19
20-34	28	14.1	52	8	8	12	15	22	28	43
35-49	847	13.9	52	8	9	12	15	20	27	47
50-64	3466	15.4	67	9	9	13	17	25	31	50
65+	1976	19.8	139	9	10	16	23	33	43	79
TOT. SINGLE DX	1023	13.3	30	8	9	12	15	19	23	35
" MULTIPLE DX	6322	16.6	93	9	9	14	19	27	35	58
TOTAL 0-19 YRS	6	10.8	29	3	4	10	14	18	19	19
20-34	33	14.4	47	8	9	13	16	22	25	43
35-49	1016	13.5	47	8	9	12	15	20	26	46
50-64	4078	15.1	62	9	9	13	17	24	29	48
65+	2212	19.3	132	9	10	16	23	33	41	75
GRAND TOTAL	7345	16.1	85	9	9	13	18	26	33	56

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	2.1	5	1	1	2	2	3	4	12
20-34	161	3.1	9	1	2	2	2	6	10	16
35-49	939	3.1	9	1	2	2	2	6	10	17
50-64	1955	3.0	9	1	2	2	2	6	10	17
65+	651	3.5	14	1	2	2	3	8	12	17
2. MULTIPLE DX										
0-19 YRS	735	3.0	21	1	1	2	2	5	10	25
20-34	353	5.5	52	1	2	2	7	13	17	41
35-49	2832	5.0	34	2	2	2	6	12	16	29
50-64	7560	5.0	33	2	2	2	6	12	16	27
65+	3631	7.0	66	2	2	3	9	17	23	40
TOT. SINGLE DX	3986	3.1	10	1	2	2	2	6	10	17
" MULTIPLE DX	15111	5.4	42	2	2	2	7	14	18	31
TOTAL 0-19 YRS	1015	2.8	17	1	1	2	2	4	9	23
20-34	514	4.7	40	1	2	2	5	11	15	38
35-49	3771	4.5	29	2	2	2	5	11	15	25
50-64	9515	4.6	29	2	2	2	5	12	15	25
65+	4282	6.4	60	2	2	3	8	16	21	37
GRAND TOTAL	**19097**	**4.9**	**36**	**1**	**2**	**2**	**5**	**12**	**17**	**29**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.0	2	1	1	4	4	5	5	5
20-34	24	5.6	14	1	1	5	7	13	13	14
35-49	54	6.5	32	1	2	4	8	11	19	32
50-64	186	7.9	33	2	2	6	11	16	18	30
65+	926	6.8	29	2	2	5	8	13	16	29
2. MULTIPLE DX										
0-19 YRS	28	6.3	21	2	2	5	8	15	17	19
20-34	38	8.4	43	2	3	7	11	19	27	99+
35-49	198	12.6	67	3	4	11	17	23	27	44
50-64	1261	13.5	91	3	4	12	17	24	31	51
65+	6691	14.4	135	3	4	12	18	28	38	75
TOT. SINGLE DX	1197	6.9	30	2	2	5	9	14	17	30
" MULTIPLE DX	8216	14.2	127	3	4	12	18	27	36	72
TOTAL 0-19 YRS	35	5.6	19	1	2	4	7	10	17	19
20-34	62	7.3	33	1	2	6	9	17	21	91
35-49	252	11.3	67	2	3	10	15	22	26	43
50-64	1447	12.8	87	3	4	11	17	23	30	51
65+	7617	13.5	129	3	4	11	17	26	36	72
GRAND TOTAL	**9413**	**13.3**	**121**	**3**	**4**	**11**	**17**	**25**	**34**	**68**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	8.7	22	1	3	8	10	16	19	21
20-34	21	9.3	122	1	2	6	11	20	34	51
35-49	66	5.1	21	2	2	3	5	13	16	22
50-64	135	5.1	21	2	2	3	6	11	14	27
65+	38	7.2	68	2	2	4	10	15	18	48
2. MULTIPLE DX										
0-19 YRS	28	11.4	55	3	4	10	13	19	23	41
20-34	60	16.8	252	4	5	11	20	35	50	90
35-49	221	10.2	88	3	3	8	13	20	27	40
50-64	566	10.4	84	3	3	8	14	20	27	50
65+	300	15.4	176	3	4	12	20	34	47	87
TOT. SINGLE DX	280	5.9	37	2	2	4	7	13	16	29
" MULTIPLE DX	1175	12.0	122	3	3	9	15	24	34	62
TOTAL 0-19 YRS	48	10.2	43	2	4	9	12	17	21	41
20-34	81	14.8	228	2	3	10	16	32	49	83
35-49	287	9.0	77	2	2	6	11	18	23	37
50-64	701	9.4	77	2	3	6	12	19	25	48
65+	338	14.5	170	3	3	11	19	32	46	77
GRAND TOTAL	**1455**	**10.8**	**111**	**2**	**3**	**8**	**14**	**22**	**31**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	3.0	9	<1	1	2	4	7	8	17
20-34	116	3.3	12	<1	1	2	4	8	10	19
35-49	168	3.9	19	<1	1	2	4	10	14	20
50-64	227	3.4	17	<1	1	2	3	8	15	20
65+	198	5.0	31	1	1	2	7	12	15	31
2. MULTIPLE DX										
0-19 YRS	239	8.1	152	<1	1	5	9	15	21	75
20-34	187	11.1	140	1	2	8	15	26	37	92
35-49	362	9.7	96	1	2	7	13	21	26	50
50-64	919	11.3	118	1	2	8	15	24	32	57
65+	2386	15.4	183	2	3	12	20	32	41	78
TOT. SINGLE DX	925	3.7	19	<1	1	2	4	9	13	21
" MULTIPLE DX	4093	13.3	164	1	2	10	18	29	37	72
TOTAL 0-19 YRS	455	5.7	91	<1	1	3	6	11	17	56
20-34	303	8.1	106	1	1	5	10	18	30	79
35-49	530	7.9	79	1	1	5	11	16	23	44
50-64	1146	9.7	109	1	1	7	13	22	29	53
65+	2584	14.6	179	2	2	11	19	31	39	76
GRAND TOTAL	**5018**	**11.6**	**151**	**1**	**2**	**8**	**16**	**26**	**35**	**69**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	3.3	2	2	2	3	4	5	8	8
20-34	667	3.8	4	2	2	3	4	6	7	9
35-49	998	4.2	5	2	2	4	5	7	8	11
50-64	730	4.9	13	2	3	4	5	8	10	21
65+	206	6.4	32	2	3	5	7	12	19	30
2. MULTIPLE DX										
0-19 YRS	11	4.1	5	<1	1	5	5	7	9	9
20-34	173	5.7	17	2	3	4	6	10	15	23
35-49	440	6.3	26	2	3	5	7	12	16	29
50-64	549	7.6	41	2	3	6	9	16	21	35
65+	298	11.7	116	3	3	8	16	25	32	46
TOT. SINGLE DX	2636	4.4	10	2	2	4	5	7	9	19
" MULTIPLE DX	1471	7.8	53	2	3	5	9	17	22	37
TOTAL 0-19 YRS	46	3.5	4	1	2	3	4	6	8	9
20-34	840	4.2	7	2	2	4	5	6	8	16
35-49	1438	4.8	13	2	2	4	5	8	10	20
50-64	1279	6.1	27	2	3	5	7	11	16	29
65+	504	9.5	88	2	3	6	12	21	28	42
GRAND TOTAL	**4107**	**5.6**	**28**	**2**	**2**	**4**	**6**	**10**	**16**	**29**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	10.4	38	3	6	9	11	14	22	36
20-34	28	9.4	115	2	2	6	12	19	26	54
35-49	86	10.9	68	2	3	9	13	18	23	47
50-64	356	11.9	64	2	4	11	14	18	23	51
65+	372	13.8	84	3	6	12	17	23	28	49
2. MULTIPLE DX										
0-19 YRS	64	14.4	144	3	3	10	19	33	47	94
20-34	140	19.3	358	2	3	13	24	51	62	90
35-49	409	15.6	129	3	5	13	20	31	39	60
50-64	1964	17.5	155	5	7	14	21	32	46	81
65+	2891	21.8	238	7	9	17	27	45	60	99+
TOT. SINGLE DX	867	12.5	75	3	4	11	15	20	26	50
" MULTIPLE DX	5468	19.6	208	6	8	15	24	39	54	99
TOTAL 0-19 YRS	89	13.3	117	3	4	10	14	29	45	83
20-34	168	17.7	331	2	3	12	22	49	60	86
35-49	495	14.8	122	2	4	12	18	29	39	58
50-64	2320	16.6	146	5	7	13	19	31	42	78
65+	3263	20.9	228	7	8	16	25	43	59	99+
GRAND TOTAL	**6335**	**18.7**	**196**	**5**	**7**	**15**	**22**	**37**	**52**	**94**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	17.5	181	8	8	17	27	27	27	27
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	15.0		15	15	15	15	15	15	15
50-64	8	17.3	99	8	8	14	24	33	35	35
65+	5	18.6	63	11	11	17	25	30	30	30
TOT. SINGLE DX	6	13.0	53	8	8	10	15	26	27	27
" MULTIPLE DX	16	16.4	81	2	8	15	21	30	33	35
TOTAL 0-19 YRS	3	6.3	21	<1	<1	9	9	9	9	9
20-34	1	16.0		16	16	16	16	16	16	16
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	10	17.3	97	8	8	14	27	32	35	35
65+	6	18.0	53	11	11	16	23	29	30	30
GRAND TOTAL	**22**	**15.5**	**73**	**5**	**8**	**14**	**19**	**29**	**32**	**35**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.7	6	5	5	8	9	10	10	10
20-34	17	4.1	35	<1	<1	2	3	12	20	24
35-49	15	4.7	18	<1	1	3	6	10	15	16
50-64	36	6.6	51	<1	<1	4	10	13	24	32
65+	30	6.1	25	1	2	5	8	12	14	25
2. MULTIPLE DX										
0-19 YRS	53	5.8	22	1	2	5	8	11	14	26
20-34	453	5.6	55	<1	<1	3	7	14	18	48
35-49	451	8.6	81	1	2	6	11	18	24	53
50-64	875	9.1	104	1	2	6	11	20	29	59
65+	951	11.4	139	2	3	8	14	25	37	73
TOT. SINGLE DX	101	5.8	35	<1	<1	3	8	12	15	30
" MULTIPLE DX	2783	9.2	107	<1	1	6	11	19	29	59
TOTAL 0-19 YRS	56	5.9	21	1	2	5	8	11	14	26
20-34	470	5.5	55	<1	<1	3	7	14	18	46
35-49	466	8.5	80	1	2	6	11	17	24	52
50-64	911	9.0	102	<1	2	6	11	19	29	58
65+	981	11.2	136	2	3	8	14	24	36	73
GRAND TOTAL	**2884**	**9.0**	**105**	**<1**	**1**	**6**	**11**	**19**	**28**	**58**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	6.7	30	1	2	5	8	13	16	28
20-34	221	6.9	62	1	1	4	9	17	22	42
35-49	300	9.1	67	1	2	6	13	20	24	39
50-64	794	8.9	47	2	3	7	11	16	20	45
65+	993	10.1	47	2	3	9	13	18	23	39
2. MULTIPLE DX										
0-19 YRS	1075	19.3	430	2	3	11	26	57	77	99+
20-34	587	12.0	163	1	2	8	16	31	39	64
35-49	1015	12.7	175	1	2	9	17	30	44	99+
50-64	3896	14.3	171	2	3	11	17	29	41	77
65+	6793	17.1	206	3	5	13	21	36	51	99+
TOT. SINGLE DX	2573	9.0	51	1	2	7	12	17	22	39
" MULTIPLE DX	13366	15.9	214	2	4	12	20	35	50	99+
TOTAL 0-19 YRS	1340	16.8	377	1	3	9	20	53	72	99+
20-34	808	10.6	141	1	1	6	14	28	37	62
35-49	1315	11.9	153	1	2	8	16	27	39	99+
50-64	4690	13.4	155	2	3	10	16	27	38	74
65+	7786	16.2	192	3	5	13	20	34	48	99+
GRAND TOTAL	**15939**	**14.8**	**194**	**2**	**3**	**11**	**18**	**32**	**46**	**96**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	401	3.2	12	<1	<1	2	3	7	11	20
20-34	530	4.0	24	<1	<1	2	4	9	11	19
35-49	378	4.8	47	<1	1	3	6	11	14	28
50-64	367	5.6	40	1	1	3	7	13	17	28
65+	257	7.4	54	1	1	5	10	15	21	37
2. MULTIPLE DX										
0-19 YRS	188	6.7	72	<1	1	4	8	13	22	51
20-34	379	11.1	172	1	2	7	13	27	42	68
35-49	432	9.9	104	1	2	6	13	22	29	51
50-64	886	11.3	136	2	2	8	14	25	34	58
65+	1087	13.7	170	2	2	10	18	28	38	70
TOT. SINGLE DX	1933	4.8	35	<1	1	3	6	11	14	28
" MULTIPLE DX	2972	11.7	148	1	2	8	15	26	36	64
TOTAL 0-19 YRS	589	4.4	34	<1	<1	2	5	10	13	27
20-34	909	6.9	98	<1	1	3	8	15	23	55
35-49	810	7.5	85	<1	1	4	10	18	25	46
50-64	1253	9.6	115	1	2	6	12	21	30	56
65+	1344	12.5	154	2	2	9	16	26	37	66
GRAND TOTAL	**4905**	**8.9**	**115**	**1**	**1**	**5**	**11**	**21**	**29**	**56**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	6.1	70	1	1	3	7	14	29	32
20-34	36	6.3	19	2	2	5	9	12	17	18
35-49	51	8.4	162	2	2	6	8	11	15	79
50-64	64	9.2	71	2	3	7	10	20	22	56
65+	48	8.9	77	1	3	8	10	13	25	51
2. MULTIPLE DX										
0-19 YRS	7	8.1	49	<1	<1	6	15	18	18	18
20-34	54	9.6	25	3	4	9	12	15	21	26
35-49	81	10.1	98	2	3	7	11	24	37	48
50-64	246	13.5	129	3	5	9	17	28	40	78
65+	254	13.5	103	4	4	10	17	27	36	54
TOT. SINGLE DX	212	8.3	86	2	2	6	9	13	21	58
" MULTIPLE DX	642	12.7	107	3	4	9	16	26	37	55
TOTAL 0-19 YRS	20	6.8	61	<1	1	4	9	17	25	32
20-34	90	8.3	26	2	3	8	11	14	18	26
35-49	132	9.5	123	2	3	6	10	17	34	61
50-64	310	12.6	120	3	4	9	15	28	37	67
65+	302	12.8	102	3	4	10	16	25	34	53
GRAND TOTAL	**854**	**11.6**	**106**	**2**	**3**	**9**	**14**	**24**	**32**	**57**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	2	10.5	1	10	10	10	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	26.0		26	26	26	26	26	26	26
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	25.5	545	9	9	25	42	42	42	42
TOT. SINGLE DX	4	8.8	10	4	4	10	11	11	11	11
" MULTIPLE DX	6	18.0	190	6	6	13	26	40	42	42
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	16.0		16	16	16	16	16	16	16
35-49	3	13.3	129	4	4	10	22	26	26	26
50-64	3	9.0	7	6	6	10	11	11	11	11
65+	2	25.5	545	9	9	25	42	42	42	42
GRAND TOTAL	**10**	**14.3**	**132**	**4**	**5**	**10**	**16**	**34**	**42**	**42**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	42.0		42	42	42	42	42	42	42
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	62.7	267	51	51	57	98	99+	99+	99+
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	3	16.7	481	4	4	4	33	42	42	42
" MULTIPLE DX	7	62.7	268	51	51	57	98	99+	99+	99+
TOTAL 0-19 YRS	8	55.4	660	4	27	57	97	99+	99+	99+
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	42.0		42	42	42	42	42	42	42
50-64										
65+										
GRAND TOTAL	10	48.9	780	4	4	56	83	99+	99+	99+

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	276	6.0	27	<1	1	5	7	11	16	30
20-34	254	8.1	27	2	2	7	9	15	17	29
35-49	214	9.8	54	2	3	8	12	18	26	38
50-64	234	9.4	67	2	2	7	11	19	29	39
65+	323	10.3	78	2	3	8	13	20	26	51
2. MULTIPLE DX										
0-19 YRS	413	11.2	133	<1	2	8	12	26	40	63
20-34	594	14.6	180	3	5	10	17	35	47	99+
35-49	796	14.3	149	3	4	11	18	29	39	64
50-64	1810	15.4	173	3	4	12	19	33	42	75
65+	5156	17.0	189	4	5	13	21	35	48	89
TOT. SINGLE DX	1301	8.7	54	1	2	7	11	17	23	37
" MULTIPLE DX	8869	16.0	181	3	5	12	20	34	46	85
TOTAL 0-19 YRS	689	9.2	98	<1	1	7	10	19	32	53
20-34	948	12.9	148	2	4	9	15	28	42	87
35-49	1010	13.3	133	2	4	10	17	27	36	71
50-64	2044	14.7	165	2	4	11	19	32	40	70
65+	5479	16.6	185	4	5	13	21	34	47	87
GRAND TOTAL	10170	15.1	171	3	4	11	19	32	43	82

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	51	12.4	181	2	2	5	17	32	38	66
20-34	56	11.5	223	1	2	5	10	32	52	65
35-49	36	9.4	109	1	1	5	10	28	33	42
50-64	39	10.5	104	2	3	6	12	30	34	41
65+	26	10.7	98	2	3	6	14	28	32	38
2. MULTIPLE DX										
0-19 YRS	177	23.3	544	3	4	14	37	73	97	99+
20-34	161	19.3	298	2	3	14	29	42	50	85
35-49	227	17.3	377	2	2	9	25	43	56	96
50-64	406	16.3	277	1	2	10	24	42	54	94
65+	397	20.1	337	2	3	15	29	53	64	99+
TOT. SINGLE DX	208	11.1	156	2	2	6	13	30	38	60
" MULTIPLE DX	1368	18.8	353	2	2	12	28	48	64	99+
TOTAL 0-19 YRS	228	20.9	485	2	3	12	34	64	91	99+
20-34	217	17.3	289	2	3	10	27	41	50	81
35-49	263	16.2	347	2	2	8	23	41	55	96
50-64	445	15.8	264	1	2	10	24	41	53	90
65+	423	19.5	328	2	3	14	29	51	63	99+
GRAND TOTAL	1576	17.8	334	2	2	11	26	45	61	99+

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	110	2.9	11	<1	1	2	4	6	8	19
20-34	68	4.4	15	<1	<1	3	7	9	15	16
35-49	110	5.1	60	<1	<1	3	7	11	14	50
50-64	227	5.2	63	<1	<1	2	6	11	18	60
65+	270	7.4	79	1	1	4	9	16	23	47
2. MULTIPLE DX										
0-19 YRS	110	6.7	106	1	1	3	7	16	26	55
20-34	197	8.5	111	1	1	5	10	21	32	53
35-49	379	9.1	99	1	1	6	12	21	28	48
50-64	1029	9.8	113	1	2	7	12	21	30	58
65+	1821	12.7	178	2	2	9	16	28	42	87
TOT. SINGLE DX	785	5.5	59	<1	1	3	7	12	17	44
" MULTIPLE DX	3536	11.1	148	1	2	8	14	25	37	77
TOTAL 0-19 YRS	220	4.8	62	<1	1	2	4	11	16	41
20-34	265	7.5	90	<1	1	4	9	16	25	46
35-49	489	8.3	94	<1	1	5	11	19	27	48
50-64	1256	8.9	108	1	1	6	11	20	29	59
65+	2091	12.0	168	1	2	8	15	27	41	85
GRAND TOTAL	4321	10.1	136	1	1	7	13	23	35	73

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	390	4.3	3	2	2	4	5	7	8	12
20-34	6	8.0	16	3	3	7	8	15	16	16
35-49	3	10.7	21	8	8	8	14	16	16	16
50-64	4	12.5	13	10	10	12	15	15	15	15
65+	2	25.0	200	15	15	35	35	35	35	35
2. MULTIPLE DX										
0-19 YRS	95	7.1	62	2	3	5	7	13	16	53
20-34	7	15.4	120	3	4	15	23	32	34	34
35-49	12	31.0	678	6	7	20	47	72	85	87
50-64	16	19.4	54	10	11	18	25	30	32	33
65+	44	25.2	433	6	7	20	26	70	83	99+
TOT. SINGLE DX	403	4.6	7	2	3	4	5	7	8	15
" MULTIPLE DX	174	14.8	274	3	3	6	19	30	55	95
TOTAL 0-19 YRS	485	4.9	16	2	3	4	5	7	9	17
20-34	13	12.0	93	3	3	6	16	27	33	34
35-49	15	26.9	607	6	7	16	41	66	82	87
50-64	18	18.7	54	10	10	17	25	29	32	33
65+	46	25.2	418	6	7	20	26	67	81	99+
GRAND TOTAL	577	7.7	109	2	3	4	7	16	25	69

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	9	12.6	178	2	2	7	17	36	36	36
20-34	2	13.5	1	13	13	13	14	14	14	14
35-49	6	19.8	131	1	1	9	29	32	32	32
50-64	19	9.4	30	2	2	7	14	17	64	99+
65+	34	16.3	327	1	3	12	23	32	65	99+
2. MULTIPLE DX										
0-19 YRS	45	25.7	534	6	7	15	45	68	99+	99+
20-34	12	13.8	59	3	5	11	20	36	86	99+
35-49	17	22.6	324	4	6	11	47	61	99+	99+
50-64	149	23.4	468	5	7	19	28	42	99	99+
65+	767	27.5	485	5	7	21	43	76	99+	99+
TOT. SINGLE DX	62	14.5	223	1	3	11	20	32	68	99+
" MULTIPLE DX	1031	26.8	476	5	7	21	43	76	99+	99+
TOTAL 0-19 YRS	54	23.5	495	3	5	14	39	77	99+	99+
20-34	15	13.8	51	3	6	13	20	28	79	99+
35-49	41	23.3	303	4	7	11	45	69	99+	99+
50-64	162	24.1	452	4	7	18	28	42	99+	99+
65+	821	27.0	483	4	6	21	42	76	99+	99+
GRAND TOTAL	1093	26.1	469	4	6	20	41	75	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	22	3.9	11	<1	<1	3	6	8	11	14
20-34	30	4.3	11	<1	<1	3	6	8	11	12
35-49	190	5.8	22	<1	<1	4	8	10	13	17
50-64	210	5.2	13	<1	<1	4	8	10	14	25
65+	268	6.8	41	<1	<1	5	9	15	18	32
2. MULTIPLE DX										
0-19 YRS	39	5.9	13	1	1	5	9	11	13	14
20-34	265	8.9	20	1	2	6	11	16	24	40
35-49	611	8.9	53	1	2	6	11	17	24	37
50-64	1413	10.0	96	1	2	7	12	20	29	41
65+	3629	13.1	121	1	4	10	16	25	34	47
TOT. SINGLE DX	790	5.8	29	<1	<1	4	8	12	16	28
" MULTIPLE DX	5959	11.7	102	1	3	9	14	22	31	50
TOTAL 0-19 YRS	61	5.2	13	<1	<1	4	8	11	13	14
20-34	295	8.4	19	1	2	6	10	15	23	40
35-49	793	8.2	48	1	2	6	10	16	23	35
50-64	1623	9.4	84	1	2	7	11	18	26	40
65+	3917	12.6	118	1	4	10	15	24	32	46
GRAND TOTAL	6749	11.0	97	1	2	9	14	22	29	50

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	11.0		10	10	11	12	12	12	12
20-34	35	13.7	44	8	8	12	16	25	26	34
35-49	92	13.7	34	7	8	12	17	21	23	37
50-64	131	14.6	42	7	8	13	18	23	29	51
65+	135	17.5	78	9	10	15	21	26	31	66
2. MULTIPLE DX										
0-19 YRS	5	12.2	30	6	6	11	15	21	21	21
20-34	42	18.7	100	8	9	16	21	33	42	49
35-49	200	17.1	93	8	9	14	21	32	39	55
50-64	441	20.4	144	8	10	17	24	35	48	71
65+	833	26.6	236	10	12	23	34	50	61	99+
TOT. SINGLE DX	397	15.3	55	8	9	13	18	24	29	43
" MULTIPLE DX	1521	23.3	201	9	10	19	28	43	56	99
TOTAL 0-19 YRS	9	11.7	16	6	7	11	12	18	21	21
20-34	77	16.4	80	8	8	14	20	27	35	48
35-49	292	16.0	77	8	9	13	20	27	37	52
50-64	572	19.0	127	8	9	16	23	33	46	70
65+	968	25.3	224	10	12	21	31	48	60	99+
GRAND TOTAL	**1918**	**21.6**	**181**	**9**	**10**	**18**	**26**	**40**	**52**	**92**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	22.8	41	15	15	22	27	32	33	33
50-64	24	20.1	226	9	10	19	21	33	89	99+
65+	25	22.5	188	11	12	18	26	35	46	77
2. MULTIPLE DX										
0-19 YRS										
20-34	4	35.3	1603	10	10	18	57	95	95	95
35-49	26	30.6	492	10	12	20	42	83	89	99+
50-64	124	29.0	296	12	13	24	40	58	74	99+
65+	176	29.6	252	12	15	25	36	56	72	99+
TOT. SINGLE DX	56	21.2	186	10	11	19	25	34	63	99
" MULTIPLE DX	330	29.5	298	12	13	24	37	59	76	99+
TOTAL 0-19 YRS										
20-34	5	29.6	1362	7	7	16	39	95	95	95
35-49	32	29.1	413	10	14	21	36	71	87	99+
50-64	148	27.6	294	12	12	22	35	55	82	99+
65+	201	28.7	249	12	14	24	35	53	71	99+
GRAND TOTAL	**386**	**28.3**	**290**	**12**	**13**	**24**	**35**	**57**	**76**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	25	11.9	36	5	6	10	13	23	27	27
35-49	48	12.1	48	7	7	10	13	18	22	43
50-64	29	14.4	61	8	8	12	17	22	26	47
65+	16	12.9	29	7	8	12	13	19	27	30
2. MULTIPLE DX										
0-19 YRS	5	15.2	124	<1	<1	13	24	30	30	30
20-34	35	12.7	53	6	7	10	14	19	26	42
35-49	54	13.4	41	7	8	11	17	22	26	34
50-64	94	16.7	106	7	9	13	20	29	35	91
65+	122	24.2	257	9	11	19	31	47	77	99+
TOT. SINGLE DX	118	12.7	47	7	7	11	14	19	26	44
" MULTIPLE DX	310	18.6	170	7	9	15	22	34	46	99+
TOTAL 0-19 YRS	5	15.2	125	<1	<1	13	24	30	30	30
20-34	60	12.4	46	6	7	10	14	21	27	41
35-49	102	12.8	45	7	7	11	14	20	25	40
50-64	123	16.2	96	8	9	13	20	27	35	84
65+	138	22.9	244	9	11	18	29	43	72	99+
GRAND TOTAL	**428**	**17.0**	**143**	**7**	**8**	**13**	**20**	**32**	**42**	**91**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	8.8	35	3	4	8	10	12	25	31
20-34	167	8.5	12	5	6	8	9	12	13	23
35-49	180	8.9	7	6	6	8	10	12	14	20
50-64	117	11.0	33	5	6	10	12	18	25	35
65+	91	14.8	110	7	8	12	16	25	31	68
2. MULTIPLE DX										
0-19 YRS	106	22.4	425	5	6	14	29	65	82	99+
20-34	212	12.5	129	5	6	9	12	29	38	99+
35-49	351	12.4	80	6	7	9	14	21	33	48
50-64	431	17.9	162	7	7	14	22	38	51	99+
65+	693	24.5	284	8	9	20	30	49	67	99+
TOT. SINGLE DX	601	10.1	36	5	6	9	11	15	21	33
" MULTIPLE DX	1793	19.0	231	6	7	14	24	41	56	99+
TOTAL 0-19 YRS	152	18.3	346	4	5	11	24	43	75	99+
20-34	379	10.7	82	5	6	8	11	15	32	90
35-49	531	11.2	58	6	6	9	12	17	24	44
50-64	548	16.4	143	6	7	12	20	33	49	99+
65+	784	23.3	274	8	9	18	29	47	66	99+
GRAND TOTAL	**2394**	**16.8**	**197**	**6**	**7**	**11**	**20**	**35**	**50**	**98**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	179	5.9	36	<1	1	4	8	12	17	36
20-34	387	6.0	31	<1	1	4	8	12	16	29
35-49	389	4.6	21	<1	<1	2	7	11	13	20
50-64	735	3.7	18	<1	<1	2	4	9	13	20
65+	905	4.4	37	<1	1	2	5	11	16	30
2. MULTIPLE DX										
0-19 YRS	189	9.5	67	1	2	7	13	18	28	83
20-34	654	9.4	73	1	2	7	11	18	26	46
35-49	856	8.8	66	1	2	7	11	17	23	49
50-64	2247	8.7	75	1	2	7	11	18	24	43
65+	5034	11.6	126	1	2	9	15	24	33	59
TOT. SINGLE DX	2595	4.6	30	<1	<1	2	6	11	15	27
" MULTIPLE DX	8980	10.4	105	1	2	8	14	21	30	55
TOTAL 0-19 YRS	368	7.8	55	<1	1	6	10	16	23	49
20-34	1041	8.1	61	1	1	5	10	15	22	44
35-49	1245	7.5	57	<1	1	5	10	16	20	38
50-64	2982	7.4	66	<1	1	5	10	16	21	39
65+	5939	10.5	119	1	1	8	14	22	32	56
GRAND TOTAL	11575	9.1	94	1	1	7	12	20	27	51

598: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	24	10.5	18	5	6	10	13	15	21	22
20-34	46	14.1	63	6	6	11	20	25	29	41
35-49	45	11.4	30	5	6	10	15	18	24	29
50-64	49	15.5	68	7	8	13	19	25	32	46
65+	59	18.1	210	8	8	14	20	29	57	80
2. MULTIPLE DX										
0-19 YRS	75	19.5	390	6	6	11	23	47	62	95
20-34	130	16.2	124	6	8	13	20	26	43	99+
35-49	178	21.0	271	7	8	15	26	44	54	90
50-64	369	22.3	239	8	10	17	27	43	60	90
65+	687	24.5	244	9	11	20	32	49	67	99+
TOT. SINGLE DX	223	14.5	98	6	7	12	16	24	30	61
" MULTIPLE DX	1439	22.5	249	8	9	18	28	46	62	99+
TOTAL 0-19 YRS	99	17.3	314	6	6	10	19	41	59	92
20-34	176	15.7	109	6	7	13	20	26	39	99+
35-49	223	19.1	237	7	7	13	24	38	50	90
50-64	418	21.5	224	8	9	17	26	41	56	89
65+	746	24.0	245	9	10	19	31	48	66	99+
GRAND TOTAL	1662	21.4	236	7	9	17	26	43	58	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	28	16.5	125	8	8	11	22	31	43	52
20-34	119	15.6	100	7	8	12	18	28	37	56
35-49	261	13.2	47	7	8	11	15	21	26	34
50-64	581	13.2	32	8	9	12	15	19	23	36
65+	878	15.8	65	9	10	14	18	24	29	53
2. MULTIPLE DX										
0-19 YRS	80	21.0	275	7	8	17	25	41	73	99+
20-34	273	20.6	242	8	9	15	24	41	60	83
35-49	640	17.4	123	8	9	14	20	29	41	88
50-64	2353	17.9	115	9	9	15	21	31	40	74
65+	6072	22.3	185	10	11	18	27	41	52	96
TOT. SINGLE DX	1867	14.6	57	8	9	13	17	23	28	48
" MULTIPLE DX	9418	20.8	171	9	10	17	25	37	50	94
TOTAL 0-19 YRS	108	19.8	239	7	8	13	25	39	55	99+
20-34	392	19.1	204	7	9	14	22	39	52	79
35-49	901	16.2	105	7	8	13	19	27	35	76
50-64	2934	17.0	103	8	9	14	20	29	37	72
65+	6950	21.5	175	9	11	17	25	39	50	94
GRAND TOTAL	11285	19.8	157	9	10	16	23	35	47	87

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	7	7.7	23	4	4	6	8	16	18	18
20-34	7	12.1	24	7	7	12	16	19	20	20
35-49	22	10.9	31	4	5	9	15	21	22	22
50-64	22	12.6	18	7	8	12	14	20	21	22
65+	43	15.5	105	7	8	12	20	23	35	59
2. MULTIPLE DX										
0-19 YRS	8	31.4	842	6	6	21	49	78	88	88
20-34	28	16.9	217	6	6	13	17	30	59	70
35-49	51	19.0	194	6	8	15	22	41	59	99+
50-64	130	22.2	275	7	8	17	26	47	80	99+
65+	296	23.8	260	8	10	19	28	53	71	99+
TOT. SINGLE DX	101	13.1	64	5	6	12	16	21	22	53
" MULTIPLE DX	513	22.6	267	7	9	18	27	48	71	99+
TOTAL 0-19 YRS	15	20.3	581	4	4	8	23	54	79	88
20-34	35	15.9	181	6	7	12	17	24	52	70
35-49	73	16.5	158	5	7	13	21	35	45	94
50-64	152	20.8	250	7	8	16	25	42	75	99+
65+	339	22.7	248	8	9	19	27	47	65	99+
GRAND TOTAL	614	21.1	246	7	8	17	25	43	67	99+

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	6.9	11	3	3	6	9	11	13	17
20-34	108	10.5	55	4	5	9	11	16	22	53
35-49	121	9.3	10	5	6	9	11	13	15	20
50-64	175	10.0	21	4	6	9	11	14	18	31
65+	230	10.7	65	4	5	9	12	16	20	53
2. MULTIPLE DX										
0-19 YRS	149	13.4	155	4	4	10	16	34	57	99+
20-34	237	14.2	87	6	7	11	17	24	39	52
35-49	286	14.6	114	6	8	11	16	24	31	73
50-64	646	15.3	127	6	7	12	17	29	40	71
65+	1209	16.7	157	6	7	13	20	33	43	88
TOT. SINGLE DX	747	9.7	38	4	4	9	11	14	17	32
" MULTIPLE DX	2527	15.7	139	6	7	12	18	30	42	85
TOTAL 0-19 YRS	262	10.6	104	3	4	8	11	20	36	99+
20-34	345	13.0	80	5	6	10	15	22	35	52
35-49	407	13.0	90	5	7	10	14	21	27	69
50-64	821	14.2	109	5	7	11	16	26	37	70
65+	1439	15.8	148	5	7	12	18	31	41	84
GRAND TOTAL	**3274**	**14.3**	**123**	**5**	**6**	**11**	**16**	**26**	**38**	**78**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.7	9	8	8	10	11	16	17	17
20-34	14	11.1	18	6	7	10	12	19	21	21
35-49	13	13.6	29	9	9	12	14	22	27	28
50-64	48	15.8	59	3	8	15	21	27	30	37
65+	73	20.7	281	8	10	15	21	39	54	95
2. MULTIPLE DX										
0-19 YRS	25	28.2	453	7	9	20	41	76	87	99+
20-34	48	24.6	347	8	10	20	26	67	85	99+
35-49	87	20.4	156	8	9	17	26	40	60	99+
50-64	308	23.7	190	9	10	20	31	45	57	99+
65+	786	26.9	246	10	12	23	34	56	79	99+
TOT. SINGLE DX	155	17.3	167	7	8	14	20	28	38	83
" MULTIPLE DX	1254	25.6	237	9	11	22	32	54	75	99+
TOTAL 0-19 YRS	32	24.3	407	7	8	19	33	67	83	99+
20-34	62	21.6	304	7	8	17	24	61	79	99+
35-49	100	19.5	145	8	9	16	25	37	55	99+
50-64	356	22.6	180	8	10	19	28	43	55	99+
65+	859	26.4	252	10	12	22	34	55	78	99+
GRAND TOTAL	**1409**	**24.7**	**236**	**9**	**11**	**21**	**31**	**52**	**71**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5624	4.6	5	2	3	4	5	7	9	13
20-34	3529	4.8	6	2	3	4	6	8	9	13
35-49	1124	5.6	7	3	3	5	7	9	11	15
50-64	560	7.0	13	3	4	6	9	11	14	22
65+	208	8.7	21	4	4	8	11	15	17	23
2. MULTIPLE DX										
0-19 YRS	1396	7.2	25	3	3	6	9	14	17	26
20-34	1182	7.4	27	3	3	6	9	13	16	27
35-49	583	8.9	37	3	4	7	11	15	21	33
50-64	605	11.5	54	4	5	10	14	20	27	39
65+	505	15.8	160	5	7	12	18	26	42	81
TOT. SINGLE DX	11045	5.0	8	2	3	4	6	8	10	15
" MULTIPLE DX	4271	9.1	56	3	3	7	11	17	22	39
TOTAL 0-19 YRS	7020	5.1	11	2	3	4	6	9	11	18
20-34	4711	5.5	13	2	3	4	6	9	11	18
35-49	1707	6.7	21	3	3	5	7	11	14	24
50-64	1165	9.4	40	3	4	8	11	16	21	33
65+	713	13.8	130	4	5	11	16	23	36	76
GRAND TOTAL	**15316**	**6.1**	**25**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	5.3	5	2	3	5	7	9	9	11
20-34	41	5.9	8	3	4	5	6	10	13	15
35-49	9	5.8	3	3	3	6	7	9	9	9
50-64	6	9.0	5	6	6	9	9	13	13	13
65+	2	16.0	200	6	6	16	26	26	26	26
2. MULTIPLE DX										
0-19 YRS	32	8.8	238	2	3	5	7	14	18	91
20-34	44	6.4	6	3	4	6	8	9	11	15
35-49	12	8.8	16	3	4	8	10	14	18	19
50-64	11	17.5	456	6	6	10	16	45	77	80
65+	7	13.9	66	7	7	13	18	27	29	29
TOT. SINGLE DX	104	6.0	11	3	3	5	7	9	12	20
" MULTIPLE DX	106	9.0	134	3	3	7	9	15	19	85
TOTAL 0-19 YRS	78	6.7	102	2	3	5	7	9	13	70
20-34	85	6.1	8	3	4	5	7	9	12	15
35-49	21	7.5	13	3	4	7	8	12	15	19
50-64	17	14.5	304	6	6	9	14	21	60	80
65+	9	14.3	76	6	6	13	21	28	29	29
GRAND TOTAL	**210**	**7.5**	**75**	**3**	**3**	**6**	**8**	**12**	**15**	**49**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.8	23	2	3	7	13	16	17	18
20-34	12	11.1	19	4	6	10	14	18	18	18
35-49	11	10.7	9	5	7	10	13	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+	7	13.4	7	10	10	14	15	17	18	18
2. MULTIPLE DX										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	9	11.8	30	4	5	9	17	19	20	20
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	10	18.4	133	7	9	13	21	36	47	47
65+	21	24.4	294	9	11	21	28	35	61	92
TOT. SINGLE DX	50	10.4	18	3	4	10	14	16	18	18
" MULTIPLE DX	45	18.7	208	5	7	18	21	28	39	92
TOTAL 0-19 YRS	22	8.3	22	2	3	7	12	15	17	18
20-34	21	11.4	23	4	6	10	16	18	19	20
35-49	13	10.8	10	5	7	10	14	15	15	15
50-64	11	17.6	127	7	9	13	21	34	46	47
65+	28	21.7	243	9	10	18	25	32	42	92
GRAND TOTAL	**95**	**14.3**	**124**	**4**	**5**	**12**	**18**	**22**	**28**	**72**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.3	8	<1	<1	2	4	7	10	14
20-34	187	4.8	19	<1	1	3	6	10	13	24
35-49	149	4.5	18	<1	1	3	6	8	11	22
50-64	215	4.6	37	<1	<1	3	6	9	15	45
65+	341	5.9	53	1	2	4	7	12	18	37
2. MULTIPLE DX										
0-19 YRS	74	9.7	173	1	1	6	11	16	32	78
20-34	132	6.8	34	1	2	5	8	17	20	28
35-49	202	8.8	102	1	2	6	10	18	23	58
50-64	512	8.3	60	1	2	6	11	17	23	38
65+	1258	11.9	137	2	2	8	16	26	35	68
TOT. SINGLE DX	1009	4.9	34	<1	1	3	6	10	14	30
" MULTIPLE DX	2178	10.4	114	1	2	7	13	23	31	59
TOTAL 0-19 YRS	191	5.8	81	<1	1	3	7	11	14	57
20-34	319	5.6	27	1	1	4	7	12	18	26
35-49	351	7.0	72	<1	1	5	8	15	21	39
50-64	727	7.2	57	1	1	5	9	16	22	38
65+	1599	10.7	125	2	2	7	14	25	33	62
GRAND TOTAL	**3187**	**8.7**	**95**	**1**	**2**	**6**	**11**	**20**	**28**	**55**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	4.7	26	1	1	3	5	11	17	27
20-34	189	3.4	4	1	1	3	4	6	8	12
35-49	131	3.4	5	1	1	3	4	6	9	14
50-64	70	4.4	11	1	1	3	5	8	10	20
65+	31	6.5	22	1	2	5	8	14	16	22
2. MULTIPLE DX										
0-19 YRS	27	7.1	59	1	2	5	7	19	30	30
20-34	108	5.1	14	1	1	4	7	10	14	18
35-49	103	4.8	12	1	2	4	6	10	12	17
50-64	109	8.3	66	2	2	5	10	20	22	44
65+	102	12.4	129	2	3	9	16	32	40	76
TOT. SINGLE DX	467	3.9	10	1	1	3	5	7	10	16
" MULTIPLE DX	449	7.6	64	1	2	5	9	18	24	46
TOTAL 0-19 YRS	73	5.6	39	1	2	3	6	12	21	30
20-34	297	4.0	9	1	1	3	5	8	10	15
35-49	234	4.0	9	1	1	3	5	8	11	15
50-64	179	6.7	49	1	2	4	8	17	21	32
65+	133	11.0	111	2	3	7	14	26	36	61
GRAND TOTAL	**916**	**5.7**	**40**	**1**	**1**	**4**	**6**	**12**	**19**	**35**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	15.8	458	2	4	10	13	31	73	94
20-34	25	15.6	44	5	8	15	19	24	28	30
35-49	57	14.5	69	7	8	13	16	19	36	49
50-64	196	14.9	46	7	9	14	17	23	27	43
65+	264	17.3	94	8	10	15	20	26	32	56
2. MULTIPLE DX										
0-19 YRS	37	15.6	65	6	7	14	21	26	33	36
20-34	42	21.5	279	7	8	16	28	45	51	91
35-49	132	18.0	58	10	10	16	22	28	31	48
50-64	668	19.6	111	9	11	17	23	32	42	69
65+	1322	23.1	166	10	11	20	27	38	48	90
TOT. SINGLE DX	559	16.1	84	7	9	14	18	25	30	53
" MULTIPLE DX	2201	21.6	147	10	11	18	26	36	46	83
TOTAL 0-19 YRS	54	15.7	183	5	7	12	19	27	35	92
20-34	67	19.3	198	6	8	16	23	35	46	85
35-49	189	16.9	64	9	10	15	19	27	31	48
50-64	864	18.5	100	9	10	16	22	30	39	68
65+	1586	22.1	159	10	11	19	26	37	47	86
GRAND TOTAL	**2760**	**20.5**	**139**	**9**	**10**	**17**	**24**	**34**	**45**	**78**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	3.6	9	<1	<1	3	5	7	10	16
20-34	511	4.8	15	<1	1	4	6	9	12	20
35-49	563	4.8	14	<1	<1	4	6	9	12	17
50-64	646	4.9	22	<1	<1	4	6	9	12	26
65+	715	6.2	39	<1	1	5	8	12	17	34
2. MULTIPLE DX										
0-19 YRS	245	6.9	87	1	1	5	8	12	20	58
20-34	1111	7.5	52	1	2	6	9	15	20	35
35-49	1792	7.6	45	1	2	6	9	14	19	34
50-64	3208	8.6	53	1	2	7	11	16	22	39
65+	6123	11.5	112	2	3	9	14	22	32	73
TOT. SINGLE DX	2599	5.1	24	<1	<1	4	7	10	13	26
" MULTIPLE DX	12479	9.7	85	2	2	7	12	19	26	56
TOTAL 0-19 YRS	409	5.6	59	<1	1	4	6	10	15	36
20-34	1622	6.6	42	1	2	5	8	13	18	30
35-49	2355	6.9	40	<1	2	6	9	13	17	29
50-64	3854	8.0	50	1	2	6	10	15	21	37
65+	6838	10.9	108	1	2	8	14	21	31	70
GRAND TOTAL	**15078**	**8.9**	**77**	**1**	**2**	**7**	**11**	**18**	**24**	**51**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.7	5	1	1	2	3	4	7	14
20-34	379	3.5	3	1	2	3	4	6	7	10
35-49	345	3.5	3	2	2	3	4	5	6	10
50-64	198	3.6	2	2	2	3	4	5	6	11
65+	75	4.0	7	1	2	3	5	6	8	18
2. MULTIPLE DX										
0-19 YRS	18	7.4	152	1	1	3	5	26	42	47
20-34	248	4.0	5	2	2	4	5	7	8	12
35-49	360	4.7	12	2	2	4	5	8	11	25
50-64	324	5.2	14	2	2	4	6	10	14	22
65+	162	7.6	116	2	3	5	7	13	18	71
TOT. SINGLE DX	1033	3.5	4	1	2	3	4	5	6	10
" MULTIPLE DX	1112	5.2	30	2	2	4	5	9	12	27
TOTAL 0-19 YRS	54	4.3	58	1	1	2	4	7	13	46
20-34	627	3.7	4	1	2	3	4	6	7	11
35-49	705	4.1	8	2	2	4	5	6	8	19
50-64	522	4.6	11	2	2	4	5	7	11	19
65+	237	6.5	85	2	2	4	6	11	17	52
GRAND TOTAL	**2145**	**4.4**	**18**	**1**	**2**	**4**	**5**	**7**	**9**	**19**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.1	4	<1	<1	2	5	6	7	8
20-34	401	2.8	2	<1	1	2	4	5	5	9
35-49	176	3.1	4	1	1	3	4	5	7	8
50-64	105	3.5	4	1	2	3	4	6	7	12
65+	50	4.3	6	1	2	4	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	28	2.9	5	<1	1	2	4	6	7	11
20-34	321	4.2	7	1	2	4	5	7	9	16
35-49	370	4.4	6	2	2	4	5	8	9	14
50-64	210	4.7	9	2	2	4	5	7	10	18
65+	200	7.0	67	2	2	5	7	14	19	42
TOT. SINGLE DX	778	3.1	4	<1	1	3	4	5	7	9
" MULTIPLE DX	1229	4.8	18	1	2	4	5	8	11	20
TOTAL 0-19 YRS	74	3.0	4	<1	1	2	4	6	7	10
20-34	722	3.4	5	1	1	3	4	6	7	13
35-49	546	4.0	6	1	2	3	5	7	8	14
50-64	415	4.4	8	1	2	4	5	7	9	17
65+	250	6.4	56	2	2	4	7	13	19	32
GRAND TOTAL	**2007**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.3	6	2	2	3	6	9	10	10
20-34	360	4.3	3	2	2	4	5	6	7	11
35-49	521	4.4	3	2	2	4	5	7	8	11
50-64	332	4.8	4	2	3	4	6	7	8	15
65+	141	5.0	9	2	2	4	6	9	10	19
2. MULTIPLE DX										
0-19 YRS	37	4.2	4	2	2	4	5	7	8	13
20-34	1286	4.6	8	2	2	4	5	7	8	15
35-49	2034	4.9	9	2	2	4	6	8	9	17
50-64	1730	5.5	13	2	3	5	6	9	12	21
65+	970	7.7	53	2	3	5	9	14	21	40
TOT. SINGLE DX	1372	4.5	4	2	2	4	5	7	8	11
" MULTIPLE DX	6057	5.4	18	2	2	5	6	9	12	24
TOTAL 0-19 YRS	55	4.2	5	2	2	4	5	7	9	13
20-34	1646	4.5	7	2	2	4	5	7	8	14
35-49	2555	4.8	8	2	2	4	6	7	9	16
50-64	2062	5.4	12	2	3	5	6	9	11	20
65+	1111	7.3	49	2	3	5	8	14	20	38
GRAND TOTAL	**7429**	**5.3**	**16**	**2**	**2**	**4**	**5**	**8**	**11**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.8	11	<1	1	3	4	8	11	19
20-34	349	3.3	4	1	1	3	4	6	7	12
35-49	332	3.5	5	1	1	3	4	6	8	13
50-64	191	4.2	6	1	1	4	5	7	9	15
65+	100	4.5	9	1	1	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	60	6.2	17	1	2	5	9	11	15	19
20-34	230	4.9	23	1	2	4	6	9	12	22
35-49	266	5.6	26	2	2	4	7	10	13	28
50-64	260	7.5	74	2	2	5	9	14	22	43
65+	277	11.2	174	2	3	7	13	24	36	72
TOT. SINGLE DX	1052	3.7	7	1	1	3	5	7	8	15
" MULTIPLE DX	1093	7.4	80	2	2	5	8	14	21	61
TOTAL 0-19 YRS	140	4.8	16	1	1	3	6	10	12	19
20-34	579	3.9	13	1	1	3	5	7	10	16
35-49	598	4.4	16	1	1	4	6	8	10	19
50-64	451	6.1	49	2	2	4	7	11	17	42
65+	377	9.4	139	2	2	6	11	18	31	71
GRAND TOTAL	**2145**	**5.5**	**47**	**1**	**2**	**4**	**6**	**10**	**15**	**40**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	12.2	59	3	3	11	19	21	21	21
35-49	3	10.3	54	2	2	13	15	16	16	16
50-64	3	14.0	133	3	3	13	23	26	26	26
65+	7	12.1	169	2	2	8	18	35	38	38
2. MULTIPLE DX										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	11	23.5	517	5	6	15	34	55	81	83
35-49	13	17.2	138	2	2	14	24	35	38	39
50-64	26	18.1	89	2	3	18	23	32	35	39
65+	53	25.4	252	2	6	24	32	48	62	69
TOT. SINGLE DX	18	12.2	97	2	2	10	19	25	33	38
" MULTIPLE DX	104	22.4	229	2	5	22	30	39	51	75
TOTAL 0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	16	20.0	390	4	5	14	26	36	69	83
35-49	16	15.9	126	2	2	14	23	33	37	39
50-64	29	17.7	91	2	3	18	23	30	34	39
65+	60	23.8	258	2	3	23	32	43	58	69
GRAND TOTAL	**122**	**20.9**	**222**	**2**	**3**	**19**	**29**	**38**	**48**	**73**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	5.7	45	1	1	3	6	18	23	26
20-34	274	4.5	35	1	1	2	6	11	16	29
35-49	291	4.6	49	1	1	2	4	11	16	32
50-64	291	4.8	39	1	1	2	6	12	20	30
65+	176	7.1	93	1	1	3	10	19	26	54
2. MULTIPLE DX										
0-19 YRS	108	15.0	333	2	2	9	17	37	57	99
20-34	361	10.6	132	1	2	7	14	24	36	66
35-49	565	11.4	139	1	1	8	15	26	39	65
50-64	1149	11.6	124	1	2	9	16	26	34	54
65+	1330	14.9	161	2	2	12	20	30	39	62
TOT. SINGLE DX	1089	5.1	51	1	1	2	6	13	20	31
" MULTIPLE DX	3513	12.8	151	1	2	10	17	28	37	62
TOTAL 0-19 YRS	165	11.8	253	1	2	6	14	30	45	97
20-34	635	8.0	100	1	1	4	11	19	27	55
35-49	856	9.1	119	1	1	5	13	23	33	59
50-64	1440	10.3	114	1	1	7	14	24	32	53
65+	1506	14.0	159	1	2	11	19	29	38	62
GRAND TOTAL	**4602**	**11.0**	**138**	**1**	**1**	**8**	**15**	**25**	**34**	**60**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	7.4	10	4	5	7	9	12	13	17
20-34	2871	7.1	6	4	5	7	8	10	12	16
35-49	2812	7.5	7	5	5	7	8	11	12	18
50-64	2629	8.2	10	5	5	7	9	12	14	20
65+	1475	10.2	21	5	6	9	12	17	19	27
2. MULTIPLE DX										
0-19 YRS	163	10.6	84	5	5	8	12	18	23	71
20-34	2144	9.4	36	5	5	8	11	15	19	33
35-49	3056	10.2	44	5	6	8	11	16	21	39
50-64	5153	11.8	57	5	6	9	14	20	25	45
65+	6539	16.3	118	6	7	13	19	29	38	70
TOT. SINGLE DX	10010	8.0	11	5	5	7	9	12	14	21
" MULTIPLE DX	17055	12.9	84	5	6	10	15	22	30	56
TOTAL 0-19 YRS	376	8.8	45	4	5	7	10	14	17	30
20-34	5015	8.1	21	5	5	7	9	12	15	25
35-49	5868	8.9	29	5	5	8	10	14	17	31
50-64	7792	10.6	45	5	6	9	12	17	22	38
65+	8014	15.2	106	6	7	12	18	27	35	65
GRAND TOTAL	**27065**	**11.1**	**63**	**5**	**6**	**9**	**13**	**19**	**25**	**48**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	5	8.4	62	1	1	7	16	18	18	18
20-34	34	8.7	53	1	1	7	14	17	20	34
35-49	53	10.7	69	2	3	8	13	22	28	37
50-64	97	11.6	64	3	3	10	15	20	29	44
65+	164	13.3	104	2	3	13	18	22	26	39
2. MULTIPLE DX										
0-19 YRS	12	27.0	225	6	9	21	41	48	51	52
20-34	48	17.3	244	3	4	14	21	41	54	99+
35-49	127	15.8	129	2	4	13	23	28	34	64
50-64	323	18.8	145	3	7	17	24	31	39	73
65+	971	21.8	210	4	8	19	28	42	53	95
TOT. SINGLE DX	343	11.9	84	2	2	11	16	22	26	39
" MULTIPLE DX	1481	20.6	195	3	7	18	26	39	51	89
TOTAL 0-19 YRS	17	21.5	247	1	2	18	33	46	50	52
20-34	82	13.7	182	1	2	10	16	33	45	99
35-49	180	14.3	116	2	3	11	20	27	33	59
50-64	410	17.3	137	3	5	15	22	30	37	68
65+	1135	20.6	205	3	6	16	26	40	51	92
GRAND TOTAL	1824	18.9	185	3	5	16	24	36	47	86

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	13	10.4	209	<1	1	2	14	31	47	51
20-34	95	7.1	53	1	1	5	9	15	21	38
35-49	138	7.5	92	1	1	5	9	16	31	69
50-64	135	9.1	125	1	1	5	11	21	38	72
65+	154	7.6	65	1	1	5	10	20	26	47
2. MULTIPLE DX										
0-19 YRS	24	13.4	182	1	2	11	18	33	43	54
20-34	190	14.9	215	1	2	8	17	29	51	99+
35-49	378	15.5	230	1	2	11	19	36	51	79
50-64	554	16.9	244	2	3	12	21	41	52	95
65+	766	17.7	238	2	3	14	23	40	56	99+
TOT. SINGLE DX	535	7.9	89	1	1	5	10	19	29	53
" MULTIPLE DX	1912	16.5	237	2	3	12	21	39	53	99+
TOTAL 0-19 YRS	37	12.3	188	1	1	9	16	31	46	54
20-34	285	10.9	168	1	2	7	14	26	38	99+
35-49	516	13.4	206	1	2	9	16	33	48	77
50-64	689	15.4	231	2	3	11	20	38	51	93
65+	920	16.0	223	2	3	12	22	35	51	99+
GRAND TOTAL	2447	14.6	217	1	2	10	19	34	50	99

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	235	4.0	10	<1	[illegible]	3	5	7	9	16
20-34	612	5.3	14	<1	[illegible]	4	7	10	13	20
35-49	573	5.2	23	<1	[illegible]	4	7	10	13	24
50-64	750	4.5	16	<1	<1	3	6	9	12	20
65+	980	5.6	42	<1	<1	4	7	12	15	33
2. MULTIPLE DX										
0-19 YRS	238	6.4	41	[illegible]	[illegible]	5	8	12	17	42
20-34	889	7.5	52	[illegible]	[illegible]	6	9	14	19	36
35-49	1294	8.1	70	[illegible]	[illegible]	6	10	16	22	43
50-64	2999	8.6	76	[illegible]	[illegible]	6	11	17	24	54
65+	8403	10.9	107	[illegible]	[illegible]	8	13	21	30	69
TOT. SINGLE DX	3150	5.1	25	<1	<1	4	7	10	13	23
" MULTIPLE DX	13723	9.9	95	1	2	7	12	19	27	62
TOTAL 0-19 YRS	473	5.2	27	[illegible]	[illegible]	4	6	10	14	26
20-34	1501	6.6	38	[illegible]	[illegible]	5	8	13	16	30
35-49	1867	7.1	58	[illegible]	[illegible]	5	9	14	19	41
50-64	3649	7.8	67	[illegible]	[illegible]	6	10	16	21	45
65+	9383	10.4	104	[illegible]	[illegible]	8	13	21	29	67
GRAND TOTAL	16873	9.0	85	1	2	7	11	18	25	56

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2935	2.0	1	<1	<1	1	2	3	4	6
20-34	3110	3.2	3	[illegible]	[illegible]	3	4	5	5	7
35-49	2835	3.6	3	[illegible]	[illegible]	3	4	5	6	9
50-64	4195	3.7	3	[illegible]	[illegible]	3	4	5	7	9
65+	3246	4.5	5	[illegible]	[illegible]	4	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	1593	2.5	23	<1	<1	1	3	4	5	16
20-34	1029	3.8	6	[illegible]	[illegible]	3	4	5	7	[illegible]
35-49	1621	4.6	9	[illegible]	[illegible]	4	5	6	10	[illegible]
50-64	3925	5.1	14	[illegible]	[illegible]	4	6	8	[illegible]	[illegible]
65+	5538	7.5	46	[illegible]	[illegible]	5	8	14	19	39
TOT. SINGLE DX	16321	3.4	3	[illegible]	[illegible]	3	4	5	7	9
" MULTIPLE DX	13716	5.6	30	[illegible]	[illegible]	4	6	10	15	30
TOTAL 0-19 YRS	4528	2.2	9	<1	<1	1	3	4	6	9
20-34	4149	3.4	4	[illegible]	[illegible]	3	4	5	6	8
35-49	4456	3.9	5	[illegible]	[illegible]	4	5	6	[illegible]	[illegible]
50-64	8120	4.4	9	[illegible]	[illegible]	4	6	7	9	[illegible]
65+	8784	6.4	34	[illegible]	[illegible]	5	7	12	16	32
GRAND TOTAL	30037	4.4	17	1	2	4	5	7	10	21

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1043	1.5		<1	<1	1	2	2	3	4
20-34	230	3.8	2	2	2	4	5	6	6	9
35-49	304	4.2	3	2	2	4	5	6	7	10
50-64	484	4.5	2	2	3	4	5	7	8	9
65+	309	5.1	5	2	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	700	2.5	42	<1	<1	1	2	4	6	84
20-34	90	4.3	2	2	2	4	5	6	7	10
35-49	240	5.1	7	2	3	5	6	7	10	19
50-64	525	5.6	8	3	3	5	6	9	10	16
65+	573	8.2	45	3	3	6	9	14	20	39
TOT. SINGLE DX	2370	3.2	4	<1	<1	3	4	6	7	9
" MULTIPLE DX	2128	5.2	34	<1	<1	4	6	9	13	33
TOTAL 0-19 YRS	1743	1.9	17	<1	<1	1	2	3	4	12
20-34	320	4.0	2	2	2	4	5	6	6	9
35-49	544	4.6	6	2	3	4	5	7	8	15
50-64	1009	5.1	6	3	3	5	6	8	9	15
65+	882	7.1	34	3	3	6	8	13	17	32
GRAND TOTAL	**4498**	**4.1**	**20**	**<1**	**<1**	**3**	**5**	**7**	**10**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.5		<1	1	2	3	4	4	4
20-34	76	3.7	1	2	2	3	5	5	6	8
35-49	127	3.5	4	2	2	3	4	5	5	13
50-64	178	4.2	3	2	2	4	5	6	8	10
65+	210	6.2	20	3	3	5	7	10	12	23
2. MULTIPLE DX										
0-19 YRS	7	3.0	5	<1	<1	2	5	7	7	7
20-34	45	4.0	2	1	2	4	5	6	7	8
35-49	67	4.8	11	2	2	4	6	8	10	21
50-64	149	7.9	54	2	3	6	8	15	24	34
65+	491	11.1	107	3	4	8	13	22	32	71
TOT. SINGLE DX	619	4.6	11	2	2	4	5	7	9	15
" MULTIPLE DX	759	9.4	87	2	3	6	11	19	28	52
TOTAL 0-19 YRS	35	2.6	2	<1	<1	2	3	4	5	7
20-34	121	3.8	2	2	2	3	5	6	7	8
35-49	194	3.9	7	2	2	3	4	6	8	20
50-64	327	5.9	30	2	2	5	6	10	15	32
65+	701	9.6	86	3	3	7	11	18	27	57
GRAND TOTAL	**1378**	**7.2**	**58**	**2**	**2**	**5**	**8**	**15**	**21**	**47**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	441	2.0	1	<1	<1	2	2	3	4	6
20-34	248	3.3	2	1	2	3	4	5	6	8
35-49	331	3.6	3	1	2	3	4	6	7	9
50-64	278	4.2	6	2	2	4	5	7	9	15
65+	137	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	85	4.3	81	<1	<1	2	3	6	11	61
20-34	114	4.7	8	2	2	4	6	8	9	19
35-49	274	5.7	26	2	2	5	6	10	13	22
50-64	397	7.2	46	2	3	6	8	12	15	45
65+	376	10.4	88	3	3	8	12	21	33	91
TOT. SINGLE DX	1435	3.3	4	<1	1	3	4	6	7	11
" MULTIPLE DX	1246	7.4	59	2	2	5	8	14	21	51
TOTAL 0-19 YRS	526	2.3	15	<1	<1	2	2	3	4	9
20-34	362	3.7	5	1	2	3	4	6	7	10
35-49	605	4.5	15	2	2	4	5	7	10	18
50-64	675	6.0	32	2	2	5	7	10	14	31
65+	513	9.0	73	2	3	6	10	18	29	68
GRAND TOTAL	**2681**	**5.2**	**34**	**1**	**2**	**4**	**6**	**10**	**14**	**34**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.4	2	<1	<1	2	3	4	6	9
20-34	366	4.0	5	1	2	3	5	7	8	12
35-49	594	5.0	7	2	2	4	6	8	9	16
50-64	676	5.9	8	2	3	5	7	9	11	17
65+	464	6.8	13	3	3	6	8	11	14	21
2. MULTIPLE DX										
0-19 YRS	34	4.1	13	<1	<1	3	6	9	14	16
20-34	212	6.2	18	2	2	5	7	11	15	23
35-49	594	7.6	35	2	3	6	9	13	16	33
50-64	971	8.8	49	3	4	7	10	15	20	38
65+	1197	11.1	65	3	4	9	13	21	28	54
TOT. SINGLE DX	2201	5.4	10	2	2	5	7	9	11	17
" MULTIPLE DX	3008	9.2	53	3	3	7	11	17	23	42
TOTAL 0-19 YRS	135	2.8	6	<1	<1	2	3	6	8	15
20-34	578	4.8	11	2	2	4	6	8	11	18
35-49	1188	6.3	23	2	3	5	8	11	14	25
50-64	1647	7.6	35	3	3	6	9	13	17	32
65+	1661	9.9	55	3	4	8	12	19	25	44
GRAND TOTAL	**5209**	**7.6**	**39**	**2**	**3**	**6**	**9**	**14**	**19**	**36**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.9	9	<1	1	5	7	9	11	11
20-34	18	7.3	20	3	3	7	9	12	18	21
35-49	24	9.5	28	2	3	9	11	14	21	28
50-64	26	8.4	10	2	6	8	11	13	14	16
65+	35	10.7	24	4	5	10	13	18	19	25
2. MULTIPLE DX										
0-19 YRS	15	11.2	198	<1	<1	7	14	24	47	55
20-34	40	9.9	72	3	4	8	11	14	29	49
35-49	80	11.3	42	5	6	10	12	19	23	41
50-64	151	13.0	77	5	7	10	15	23	30	43
65+	201	18.0	203	7	8	13	20	38	53	98
TOT. SINGLE DX	116	8.8	22	2	3	8	11	14	18	26
" MULTIPLE DX	487	14.5	135	5	6	11	16	26	40	71
TOTAL 0-19 YRS	28	8.3	117	<1	<1	6	9	19	27	55
20-34	58	9.1	57	3	3	7	11	14	23	48
35-49	104	10.9	40	3	6	9	12	18	23	40
50-64	177	12.3	70	5	6	10	14	21	29	42
65+	236	16.9	183	6	8	13	19	33	46	96
GRAND TOTAL	603	13.4	119	3	6	10	15	24	36	67

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	4.2	18	<1	1	3	5	9	11	21
20-34	244	4.7	13	1	1	4	6	9	12	19
35-49	193	5.9	21	1	2	5	8	11	16	24
50-64	228	8.2	78	1	2	6	10	16	21	51
65+	186	9.2	74	1	2	7	12	19	25	46
2. MULTIPLE DX										
0-19 YRS	139	6.9	72	<1	1	4	9	14	24	59
20-34	323	10.0	94	1	2	7	12	22	30	51
35-49	549	13.0	169	2	3	9	17	29	37	90
50-64	1166	14.2	142	2	3	11	19	30	39	63
65+	1598	17.0	214	2	4	13	21	35	47	89
TOT. SINGLE DX	1061	6.3	44	1	1	4	8	13	17	34
" MULTIPLE DX	3775	14.6	177	2	3	11	19	31	42	82
TOTAL 0-19 YRS	349	5.3	42	<1	1	3	7	11	14	44
20-34	567	7.7	66	1	2	5	9	17	23	43
35-49	742	11.1	141	1	2	8	14	24	33	75
50-64	1394	13.2	136	2	3	10	18	28	38	63
65+	1784	16.2	206	2	3	13	21	34	46	87
GRAND TOTAL	4836	12.8	159	1	2	9	17	28	38	68

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	6.1	12	2	3	5	8	11	14	25
20-34	248	6.6	21	1	2	6	8	12	17	25
35-49	128	9.6	48	2	4	8	11	21	24	41
50-64	83	11.7	41	5	6	10	14	20	25	34
65+	71	14.6	91	5	6	11	19	31	34	47
2. MULTIPLE DX										
0-19 YRS	179	10.6	80	3	4	8	12	26	31	51
20-34	435	10.6	111	3	4	7	12	20	33	69
35-49	296	14.8	162	4	5	11	18	30	43	99
50-64	376	19.1	212	5	7	15	24	39	58	97
65+	550	23.8	257	8	9	20	30	47	58	99+
TOT. SINGLE DX	675	8.5	42	2	3	7	10	17	23	35
" MULTIPLE DX	1836	17.0	210	4	5	12	22	37	49	97
TOTAL 0-19 YRS	324	8.6	55	2	3	6	10	17	26	49
20-34	683	9.1	83	2	3	6	10	17	26	55
35-49	424	13.2	134	4	5	9	16	27	40	95
50-64	459	17.8	190	5	6	14	23	35	51	90
65+	621	22.8	247	7	8	19	29	45	54	98
GRAND TOTAL	2511	14.7	179	3	4	10	19	32	44	87

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	3.4	14	<1	1	2	4	7	9	18
20-34	1730	2.2	3	<1	<1	2	2	4	6	9
35-49	364	2.5	3	<1	<1	2	2	4	6	12
50-64	46	2.3	6	<1	1	2	2	4	5	17
65+	14	5.1	25	1	2	2	10	13	15	16
2. MULTIPLE DX										
0-19 YRS	226	3.8	13	1	1	2	5	8	12	16
20-34	2072	2.6	7	<1	<1	2	3	5	8	15
35-49	551	3.0	14	<1	1	2	3	6	9	21
50-64	83	7.5	112	1	1	3	10	21	36	84
65+	71	13.2	171	1	2	10	18	30	38	69
TOT. SINGLE DX	2470	2.4	5	<1	<1	2	2	5	7	11
" MULTIPLE DX	3003	3.2	19	<1	<1	2	3	7	10	21
TOTAL 0-19 YRS	542	3.6	14	<1	1	2	4	7	11	15
20-34	3802	2.4	5	<1	<1	2	2	5	7	12
35-49	915	2.7	11	<1	<1	2	2	5	8	19
50-64	129	5.7	80	<1	1	2	5	16	28	63
65+	85	11.9	156	1	2	9	16	27	36	66
GRAND TOTAL	5473	2.8	13	<1	<1	2	3	6	8	18

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	7.8	55	1	2	6	9	13	20	45
20-34	272	6.0	22	<1	1	5	8	11	16	24
35-49	246	8.7	40	1	2	8	10	16	22	37
50-64	205	10.0	37	2	3	9	13	17	21	35
65+	168	12.2	51	3	4	11	15	22	25	39
2. MULTIPLE DX										
0-19 YRS	134	11.5	145	2	2	8	13	25	32	63
20-34	820	7.5	60	1	2	6	8	14	20	44
35-49	586	11.6	115	1	2	8	15	25	34	61
50-64	648	16.9	192	4	5	13	20	34	47	73
65+	1047	20.5	222	6	8	16	26	42	57	92
TOT. SINGLE DX	972	8.7	43	1	2	8	11	16	22	32
" MULTIPLE DX	3235	14.5	180	2	3	11	18	31	44	75
TOTAL 0-19 YRS	215	10.1	115	2	2	7	11	22	31	57
20-34	1092	7.1	51	1	1	6	8	14	19	37
35-49	832	10.7	95	1	2	8	13	22	32	57
50-64	853	15.2	164	3	5	12	18	29	43	71
65+	1215	19.3	207	5	7	15	24	39	55	87
GRAND TOTAL	4207	13.1	154	2	2	9	16	27	40	71

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	8.4	16	4	5	7	10	15	17	18
20-34	30	9.3	9	6	6	9	11	14	15	17
35-49	71	11.6	23	6	7	10	15	17	20	30
50-64	130	12.4	27	7	8	11	15	19	23	34
65+	113	14.5	43	8	9	13	16	23	27	42
2. MULTIPLE DX										
0-19 YRS	76	10.4	34	5	6	9	12	20	22	84
20-34	86	13.0	75	6	7	10	15	25	32	51
35-49	132	16.2	110	7	8	13	19	29	39	54
50-64	459	16.9	91	8	9	14	20	28	37	60
65+	583	20.1	158	8	9	17	25	36	47	95
TOT. SINGLE DX	373	12.3	32	6	7	11	15	18	23	36
" MULTIPLE DX	1336	17.6	126	7	8	15	21	31	40	74
TOTAL 0-19 YRS	105	9.9	30	5	5	8	11	17	21	67
20-34	116	12.1	61	6	7	9	14	19	28	46
35-49	203	14.6	84	7	8	12	17	25	31	48
50-64	589	15.9	81	8	8	13	19	26	33	56
65+	696	19.2	144	8	9	16	23	34	43	92
GRAND TOTAL	1709	16.5	110	7	8	14	20	29	38	67

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	7.9	34	2	2	7	11	15	19	28
20-34	254	9.0	26	2	3	8	12	16	18	26
35-49	275	8.7	19	2	3	8	11	13	17	23
50-64	293	10.1	39	2	2	9	13	17	21	29
65+	137	10.5	84	1	2	9	13	20	28	53
2. MULTIPLE DX										
0-19 YRS	188	12.7	90	2	2	11	18	26	33	48
20-34	364	13.3	98	2	3	11	16	25	34	55
35-49	421	15.5	187	2	4	12	19	29	42	87
50-64	592	15.9	146	3	4	12	21	31	39	67
65+	656	17.4	191	2	4	14	22	33	45	72
TOT. SINGLE DX	1107	9.2	37	2	2	9	12	16	20	29
" MULTIPLE DX	2221	15.6	157	2	4	12	20	30	38	69
TOTAL 0-19 YRS	336	10.6	71	2	2	9	14	22	28	41
20-34	618	11.5	73	2	3	10	14	21	28	47
35-49	696	12.8	132	2	3	10	15	25	33	71
50-64	885	13.9	118	2	4	10	18	26	35	58
65+	793	16.2	179	2	3	13	21	32	42	70
GRAND TOTAL	3328	13.5	126	2	3	10	17	26	34	62

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.9	10	2	4	8	10	12	13	13
20-34	184	9.0	15	3	4	9	11	14	15	20
35-49	273	9.4	18	3	5	9	11	15	17	25
50-64	254	9.6	17	3	5	9	11	15	17	24
65+	108	10.6	22	2	5	10	13	17	18	25
2. MULTIPLE DX										
0-19 YRS	15	8.1	53	<1	1	7	11	18	24	26
20-34	109	10.4	33	3	4	10	13	17	22	33
35-49	219	10.8	25	4	6	10	13	17	21	27
50-64	350	13.1	70	3	6	11	16	22	29	38
65+	331	16.2	141	4	6	13	19	30	39	70
TOT. SINGLE DX	831	9.5	18	3	5	9	11	15	17	24
" MULTIPLE DX	1024	13.3	85	3	5	11	16	23	30	49
TOTAL 0-19 YRS	27	8.0	33	1	2	7	11	16	19	26
20-34	293	9.5	23	3	4	9	12	15	17	26
35-49	492	10.1	22	3	5	9	12	16	19	26
50-64	604	11.6	51	3	6	10	14	18	25	36
65+	439	14.8	118	3	6	12	17	27	34	66
GRAND TOTAL	**1855**	**11.6**	**58**	**3**	**5**	**10**	**14**	**19**	**25**	**41**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	8.4	6	5	6	8	9	12	14	17
20-34	18	12.6	57	7	8	11	13	17	31	41
35-49	14	12.5	14	5	8	13	15	17	18	18
50-64	15	15.5	32	9	9	13	20	24	26	27
65+	16	13.4	33	4	8	12	16	22	25	27
2. MULTIPLE DX										
0-19 YRS	164	13.1	52	6	7	10	16	24	28	32
20-34	45	15.2	74	5	7	13	20	23	30	46
35-49	25	20.3	111	6	9	19	29	35	39	43
50-64	56	17.8	130	4	8	16	22	31	55	97
65+	92	23.9	232	8	11	20	29	47	70	99+
TOT. SINGLE DX	183	10.2	22	5	6	9	12	16	18	27
" MULTIPLE DX	382	17.1	131	6	8	14	22	31	42	81
TOTAL 0-19 YRS	284	11.1	38	6	6	9	13	21	24	31
20-34	63	14.5	70	6	8	12	17	23	31	46
35-49	39	17.5	89	6	8	16	23	31	37	43
50-64	71	17.3	110	6	9	15	21	28	52	91
65+	108	22.4	216	8	10	18	28	43	64	99+
GRAND TOTAL	**565**	**14.9**	**107**	**6**	**7**	**12**	**18**	**28**	**35**	**70**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	5.2	24	<1	1	3	8	14	17	20
20-34	265	4.5	8	1	2	4	6	8	10	17
35-49	341	4.4	8	1	2	4	6	8	9	12
50-64	257	4.8	12	1	2	4	6	9	11	17
65+	106	5.9	21	2	2	4	8	11	15	27
2. MULTIPLE DX										
0-19 YRS	47	10.0	47	<1	1	9	15	21	22	25
20-34	137	5.9	27	2	2	4	7	11	16	28
35-49	219	6.8	27	2	2	6	8	12	17	28
50-64	303	7.8	55	2	2	6	10	16	20	30
65+	225	11.8	147	2	3	8	14	26	34	70
TOT. SINGLE DX	1018	4.7	12	1	2	4	6	9	11	17
" MULTIPLE DX	931	8.4	71	2	2	6	10	18	24	41
TOTAL 0-19 YRS	96	7.6	41	<1	1	6	11	18	21	25
20-34	402	5.0	15	2	2	4	6	9	12	20
35-49	560	5.3	17	2	2	4	7	9	12	25
50-64	560	6.4	38	2	2	5	8	12	18	27
65+	331	9.9	115	2	2	6	12	22	30	60
GRAND TOTAL	**1949**	**6.5**	**43**	**2**	**2**	**5**	**8**	**13**	**18**	**31**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	570	2.3	7	<1	<1	1	2	5	7	12
20-34	888	3.5	9	<1	<1	2	5	7	9	17
35-49	1028	3.4	8	<1	<1	2	5	7	9	15
50-64	1406	3.5	11	<1	1	2	4	8	10	16
65+	1515	4.1	15	1	1	2	5	9	12	19
2. MULTIPLE DX										
0-19 YRS	624	3.6	27	<1	<1	2	4	9	11	26
20-34	1271	5.8	46	<1	1	4	7	12	18	34
35-49	1921	6.4	55	1	1	4	8	14	18	36
50-64	4068	6.9	70	1	1	4	9	16	22	47
65+	8184	11.1	155	1	2	8	14	26	37	87
TOT. SINGLE DX	5407	3.5	11	<1	<1	2	5	8	10	16
" MULTIPLE DX	16068	8.8	115	1	1	5	11	20	30	69
TOTAL 0-19 YRS	1194	3.0	18	<1	<1	1	3	7	10	21
20-34	2159	4.8	32	<1	1	3	6	10	14	28
35-49	2949	5.4	41	<1	1	3	7	11	16	31
50-64	5474	6.0	58	1	1	3	8	13	20	42
65+	9699	10.0	141	1	2	6	13	23	35	83
GRAND TOTAL	**21475**	**7.5**	**94**	**1**	**1**	**4**	**9**	**17**	**25**	**58**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.9	8	<1	1	2	3	8	10	10
20-34	68	3.5	7	<1	1	3	4	7	9	15
35-49	217	3.3	4	1	1	3	4	6	8	11
50-64	956	4.0	12	1	1	3	5	7	9	18
65+	1874	4.6	19	1	2	4	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	10	4.5	26	<1	<1	2	3	14	16	16
20-34	80	6.1	83	<1	1	3	6	14	19	57
35-49	248	5.7	68	<1	1	4	6	11	17	38
50-64	1501	5.8	39	1	2	4	7	12	17	35
65+	4732	8.5	93	2	2	6	10	18	25	54
TOT. SINGLE DX	3128	4.3	16	1	2	3	5	8	10	17
" MULTIPLE DX	6571	7.8	81	1	2	5	9	16	24	50
TOTAL 0-19 YRS	23	3.6	16	<1	1	2	3	10	13	16
20-34	148	4.9	50	<1	1	3	5	11	16	36
35-49	465	4.6	40	<1	1	3	5	8	12	29
50-64	2457	5.1	30	1	2	4	6	10	14	31
65+	6606	7.4	75	2	2	5	9	15	22	48
GRAND TOTAL	**9699**	**6.6**	**63**	**1**	**2**	**4**	**8**	**13**	**20**	**43**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	5.3	13	1	2	4	7	9	15	17
20-34	62	5.9	25	1	2	4	8	11	15	28
35-49	126	5.9	33	<1	1	4	8	14	16	30
50-64	265	6.8	56	1	2	4	9	15	20	34
65+	341	7.5	51	1	2	4	11	18	22	29
2. MULTIPLE DX										
0-19 YRS	196	11.2	136	2	3	8	14	23	36	79
20-34	150	10.9	180	1	2	6	13	30	43	97
35-49	233	11.6	150	1	2	8	14	24	39	68
50-64	636	11.4	146	1	2	8	15	25	36	80
65+	1779	15.1	217	2	2	11	19	33	50	95
TOT. SINGLE DX	864	6.7	46	1	2	4	9	15	19	32
" MULTIPLE DX	2994	13.5	193	2	2	10	17	30	43	88
TOTAL 0-19 YRS	266	9.6	110	2	3	6	12	19	31	65
20-34	212	9.4	140	1	2	6	11	21	34	75
35-49	359	9.6	117	1	2	6	12	20	28	63
50-64	901	10.0	124	1	2	7	13	21	29	71
65+	2120	13.8	199	2	2	10	18	31	45	89
GRAND TOTAL	**3858**	**12.0**	**168**	**2**	**2**	**8**	**15**	**27**	**38**	**82**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	1.2		<1	<1	1	1	2	2	3
20-34	17	2.5	2	<1	<1	2	3	5	6	6
35-49	8	2.1	4	<1	<1	1	2	6	7	7
50-64	13	2.5	1	2	2	2	3	4	6	6
65+	15	2.9	2	1	1	3	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	108	2.0	4	<1	<1	1	2	3	6	13
20-34	33	3.9	29	1	1	2	3	9	14	29
35-49	26	3.0	10	<1	<1	2	3	6	9	17
50-64	36	4.0	29	<1	<1	2	4	7	16	29
65+	39	8.4	93	1	2	5	10	17	32	44
TOT. SINGLE DX	256	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	242	3.7	31	<1	<1	2	3	9	14	30
TOTAL 0-19 YRS	311	1.5	2	<1	<1	1	1	2	3	11
20-34	50	3.4	21	1	1	2	3	7	10	29
35-49	34	2.8	9	<1	<1	2	3	6	7	17
50-64	49	3.6	22	<1	1	2	3	7	9	29
65+	54	6.9	74	1	2	4	8	15	19	44
GRAND TOTAL	**498**	**2.5**	**17**	**<1**	**<1**	**1**	**2**	**5**	**9**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	6.6	19	<1	1	7	9	12	14	19
20-34	166	3.4	14	<1	<1	2	3	8	12	21
35-49	94	5.1	14	<1	1	4	7	10	13	17
50-64	86	4.0	7	1	1	3	5	8	10	13
65+	114	4.1	12	1	2	3	5	7	10	22
2. MULTIPLE DX										
0-19 YRS	186	7.7	39	<1	1	7	11	15	20	31
20-34	87	6.3	56	1	1	4	8	13	21	43
35-49	87	7.2	92	1	1	5	8	13	22	59
50-64	136	6.0	28	1	2	4	8	12	15	31
65+	313	8.3	84	2	2	5	10	20	27	43
TOT. SINGLE DX	853	5.2	18	<1	1	4	8	11	14	19
" MULTIPLE DX	809	7.4	63	1	2	5	9	15	22	39
TOTAL 0-19 YRS	579	7.0	26	<1	1	7	10	14	16	23
20-34	253	4.4	30	<1	1	2	5	9	14	29
35-49	181	6.1	53	1	1	5	8	11	15	33
50-64	222	5.2	21	1	2	4	7	10	13	26
65+	427	7.2	69	2	2	4	8	17	23	42
GRAND TOTAL	**1662**	**6.3**	**41**	**1**	**1**	**4**	**9**	**13**	**17**	**31**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	1.6	2	<1	<1	1	2	3	4	9
20-34	89	2.4	5	<1	<1	2	3	5	9	11
35-49	105	2.7	5	<1	<1	2	3	5	8	12
50-64	82	4.2	33	<1	1	2	4	9	12	37
65+	143	3.6	9	1	1	3	4	8	11	26
2. MULTIPLE DX										
0-19 YRS	213	2.6	44	<1	<1	1	2	5	8	16
20-34	252	4.6	30	<1	<1	2	5	12	17	28
35-49	277	5.7	80	<1	1	3	6	13	17	56
50-64	461	6.3	60	1	1	3	7	15	20	40
65+	1167	10.0	115	1	2	7	14	22	30	60
TOT. SINGLE DX	582	2.8	11	<1	<1	2	3	5	9	16
" MULTIPLE DX	2370	7.5	92	<1	1	4	10	18	24	52
TOTAL 0-19 YRS	376	2.2	26	<1	<1	1	2	4	7	15
20-34	341	4.0	25	<1	<1	2	4	10	16	23
35-49	382	4.9	62	<1	<1	2	5	11	15	47
50-64	543	6.0	57	1	1	3	7	14	19	40
65+	1310	9.3	108	1	2	6	13	21	29	60
GRAND TOTAL	2952	6.6	80	<1	1	3	8	16	22	48

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.5	4	<1	<1	2	3	5	7	10
20-34	145	3.5	8	<1	<1	3	5	6	9	14
35-49	91	4.4	11	<1	1	3	6	9	11	17
50-64	129	4.5	14	1	1	3	6	9	11	20
65+	123	5.5	26	2	2	4	7	10	12	33
2. MULTIPLE DX										
0-19 YRS	64	2.1	2	<1	<1	1	2	5	6	7
20-34	115	4.7	34	<1	1	3	6	10	15	32
35-49	110	5.7	44	1	1	4	6	12	18	36
50-64	183	7.2	76	1	2	4	8	17	21	54
65+	468	9.8	136	2	3	6	11	20	34	95
TOT. SINGLE DX	573	4.1	14	<1	1	3	5	9	10	18
" MULTIPLE DX	940	7.7	98	1	2	5	9	17	23	66
TOTAL 0-19 YRS	149	2.3	3	<1	<1	2	3	5	6	10
20-34	260	4.0	20	<1	<1	3	5	8	11	25
35-49	201	5.1	30	<1	1	4	6	10	14	21
50-64	312	6.1	52	1	2	4	7	13	18	37
65+	591	8.9	117	2	2	6	10	18	30	86
GRAND TOTAL	1513	6.3	69	<1	1	4	7	13	19	55

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	61	6.7	4	3	3	7	8	9	10	11
35-49	144	7.7	4	5	5	7	9	10	11	13
50-64	138	8.8	7	5	6	8	10	12	14	20
65+	63	9.4	8	6	7	9	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	37	7.5	11	4	5	7	8	9	11	25
35-49	245	8.7	12	5	5	8	10	13	15	22
50-64	210	10.5	34	6	6	9	12	16	20	40
65+	167	13.0	92	6	7	10	14	23	30	82
TOT. SINGLE DX	406	8.2	7	5	5	8	9	11	13	17
" MULTIPLE DX	661	10.3	43	5	6	9	11	16	21	41
TOTAL 0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	98	7.0	7	3	5	7	8	9	10	19
35-49	389	8.3	9	5	5	8	10	12	14	20
50-64	348	9.8	25	5	6	9	11	14	19	37
65+	230	12.0	72	6	7	10	13	19	27	58
GRAND TOTAL	1067	9.5	30	5	6	8	10	14	18	35

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	10	9.6	15	5	5	9	10	16	18	18
35-49	33	6.9	4	3	5	7	8	9	11	13
50-64	34	7.6	7	4	4	7	9	10	13	16
65+	22	9.4	11	4	6	9	11	15	16	17
2. MULTIPLE DX										
0-19 YRS	5	15.2	127	7	7	11	18	35	35	35
20-34	15	9.3	12	2	6	10	11	15	15	15
35-49	47	9.8	86	5	5	8	9	15	21	67
50-64	60	9.1	13	4	5	9	10	13	16	23
65+	52	11.5	41	5	6	10	13	21	32	98
TOT. SINGLE DX	99	8.0	9	4	5	8	9	12	15	18
" MULTIPLE DX	179	10.2	44	4	6	9	11	16	21	57
TOTAL 0-19 YRS	5	15.2	127	7	7	11	18	35	35	35
20-34	25	9.4	14	4	6	9	11	15	16	18
35-49	80	8.6	54	5	5	7	9	12	17	53
50-64	94	8.6	12	4	5	8	10	12	15	22
65+	74	10.9	33	4	6	10	12	18	27	83
GRAND TOTAL	278	9.4	33	4	5	8	10	15	19	34

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.2	12	<1	<1	2	4	9	10	10
20-34	12	5.7	4	3	3	5	7	9	10	10
35-49	15	4.5	4	1	1	4	5	7	8	8
50-64	20	6.4	12	1	1	6	8	11	13	14
65+	8	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	9.0	140	<1	<1	3	12	28	38	38
20-34	22	10.0	58	2	3	9	13	20	30	31
35-49	34	8.6	73	1	2	7	11	13	30	44
50-64	59	9.7	124	2	2	7	10	23	25	71
65+	80	14.6	220	2	2	10	20	34	41	80
TOT. SINGLE DX	61	4.9	9	1	1	4	6	9	11	14
* MULTIPLE DX	204	11.5	152	2	2	8	14	24	36	75
TOTAL 0-19 YRS	15	6.7	93	<1	<1	2	10	12	32	38
20-34	34	8.5	43	2	3	7	11	14	26	31
35-49	49	7.4	56	1	2	6	9	12	15	47
50-64	79	8.9	98	2	2	7	10	20	24	62
65+	88	13.5	213	1	2	9	19	30	40	80
GRAND TOTAL	265	10.0	126	1	2	6	11	23	31	70

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	10	5.5	13	1	1	5	7	11	13	13
35-49	11	7.9	51	1	1	7	9	20	24	24
50-64	7	6.1	3	3	3	6	8	9	9	9
65+	9	10.2	69	<1	1	8	12	24	26	26
2. MULTIPLE DX										
0-19 YRS	8	16.8	272	2	3	12	19	45	54	54
20-34	15	16.3	261	<1	<1	10	22	46	53	56
35-49	18	12.4	49	2	4	11	16	24	26	27
50-64	20	17.6	118	1	6	16	21	34	41	45
65+	49	15.7	214	2	2	11	23	36	42	77
TOT. SINGLE DX	38	7.4	36	1	2	6	9	16	23	26
* MULTIPLE DX	110	15.6	176	1	3	12	22	31	42	64
TOTAL 0-19 YRS	9	15.6	252	<1	3	12	17	42	54	54
20-34	25	12.0	187	1	3	8	14	27	48	56
35-49	29	10.7	53	1	3	9	16	23	24	27
50-64	27	14.6	113	1	4	12	19	30	39	45
65+	58	14.8	194	1	2	9	22	31	41	74
GRAND TOTAL	148	13.5	153	1	2	10	18	28	40	56

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
* MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	7	2	2	5	7	9	9	9
20-34										
35-49	49	5.6	5	2	2	5	7	9	9	12
50-64	1354	6.7	7	4	4	6	8	9	11	17
65+	3041	7.6	16	4	5	7	9	11	14	22
2. MULTIPLE DX										
0-19 YRS	7	17.9	1132	<1	1	7	7	77	94	94
20-34	12	9.6	47	3	4	7	11	21	25	27
35-49	115	9.6	68	3	4	7	10	17	25	30
50-64	2963	9.4	50	4	5	7	11	15	20	40
65+	11485	12.6	106	5	5	9	15	24	33	69
TOT. SINGLE DX	4449	7.3	14	4	5	6	8	11	13	20
* MULTIPLE DX	14582	11.9	97	4	5	9	14	22	31	65
TOTAL 0-19 YRS	12	12.5	664	<1	1	6	7	34	65	94
20-34	12	9.6	47	3	4	7	11	21	25	27
35-49	164	8.4	53	3	4	7	9	14	21	30
50-64	4317	8.5	39	4	5	7	9	14	18	32
65+	14526	11.5	92	5	5	8	13	22	30	63
GRAND TOTAL	19031	10.8	81	4	5	8	12	20	27	58

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	174	11.9	14	7	8	11	13	17	19	24
65+	345	12.4	20	8	8	12	14	17	21	26
2. MULTIPLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34										
35-49	7	11.3	6	9	9	12	12	15	16	16
50-64	431	14.2	51	8	9	12	16	21	27	45
65+	1504	16.3	79	8	9	14	19	27	34	61
TOT. SINGLE DX	522	12.2	19	7	8	11	14	17	21	25
" MULTIPLE DX	1944	15.8	74	8	9	13	18	25	33	57
TOTAL 0-19 YRS	4	4.8	19	1	1	5	8	9	9	9
20-34										
35-49	8	10.9	7	8	8	10	12	15	16	16
50-64	605	13.6	42	8	9	12	15	20	25	41
65+	1849	15.5	71	8	9	13	18	25	32	55
GRAND TOTAL	**2466**	**15.0**	**64**	**8**	**9**	**13**	**17**	**23**	**30**	**52**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	8	4.5	18	<1	<1	3	6	12	14	14
35-49	51	2.7	5	1	1	2	3	4	5	17
50-64	410	2.9	6	<1	1	2	3	5	8	13
65+	654	3.4	8	1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	3.8	1	2	2	4	5	6	6	6
35-49	44	5.7	26	1	2	4	7	15	16	24
50-64	490	5.8	56	1	2	3	7	12	18	38
65+	1352	8.5	76	1	2	5	12	20	25	43
TOT. SINGLE DX	1126	3.2	8	1	1	2	3	6	9	15
" MULTIPLE DX	1899	7.7	71	1	2	4	10	18	24	40
TOTAL 0-19 YRS	4	4.8	31	1	1	2	8	13	13	13
20-34	20	4.1	8	1	2	4	5	6	10	14
35-49	95	4.1	18	1	1	3	4	9	15	22
50-64	900	4.5	35	1	1	3	5	9	13	28
65+	2006	6.9	60	1	2	4	9	17	23	39
GRAND TOTAL	**3025**	**6.0**	**52**	**1**	**1**	**3**	**7**	**14**	**20**	**36**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.8	7	<1	1	2	3	5	6	15
20-34	101	3.2	4	1	1	3	4	6	7	11
35-49	93	3.4	5	1	1	3	4	6	8	13
50-64	88	3.1	4	<1	1	3	4	5	6	13
65+	48	6.3	45	1	2	4	8	11	18	42
2. MULTIPLE DX										
0-19 YRS	61	3.8	19	1	1	3	4	7	9	29
20-34	59	4.9	23	1	2	3	5	10	14	29
35-49	67	7.3	83	1	1	3	9	22	36	90
50-64	119	6.5	29	2	3	4	8	14	20	27
65+	129	10.8	135	2	3	7	13	21	39	82
TOT. SINGLE DX	445	3.4	11	<1	1	3	4	6	9	16
" MULTIPLE DX	435	7.3	73	1	2	4	9	17	23	53
TOTAL 0-19 YRS	176	3.1	12	1	1	2	3	6	7	25
20-34	160	3.8	12	1	1	3	4	6	10	19
35-49	160	5.0	42	1	1	3	5	11	18	42
50-64	207	5.1	22	1	2	3	5	10	15	25
65+	177	9.6	115	2	2	6	12	19	35	73
GRAND TOTAL	**880**	**5.3**	**45**	**1**	**1**	**3**	**5**	**11**	**17**	**41**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	3.1	6	<1	1	2	4	5	8	15
20-34	222	4.6	11	2	2	3	5	9	12	18
35-49	101	4.5	10	1	2	4	5	7	11	20
50-64	85	5.9	22	2	2	4	7	11	14	28
65+	183	5.1	29	2	2	3	5	11	16	32
2. MULTIPLE DX										
0-19 YRS	137	4.1	73	<1	1	3	4	6	11	35
20-34	130	6.2	34	2	2	4	8	13	20	55
35-49	63	7.8	102	1	2	4	8	17	25	64
50-64	197	9.9	127	2	2	6	13	22	33	52
65+	817	11.5	150	2	3	8	15	23	32	72
TOT. SINGLE DX	785	4.5	16	1	2	3	5	9	12	20
" MULTIPLE DX	1344	9.8	132	2	2	6	12	22	29	68
TOTAL 0-19 YRS	331	3.5	35	<1	1	3	4	5	8	23
20-34	352	5.2	21	2	2	4	6	10	14	23
35-49	164	5.7	48	1	2	4	6	11	17	31
50-64	282	8.7	99	2	2	5	10	19	27	46
65+	1000	10.3	134	2	2	6	13	22	30	67
GRAND TOTAL	**2129**	**7.8**	**96**	**2**	**2**	**4**	**9**	**18**	**24**	**52**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1007	2.3	1	<1	1	2	3	4	5	7
20-34	86	2.5	2	1	1	2	3	4	5	6
35-49	8	2.5	2	1	1	2	3	5	5	5
50-64	3	2.3		1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	684	2.6	4	<1	<1	2	3	4	5	9
20-34	44	3.9	5	1	1	3	5	6	9	11
35-49	13	3.8	6	2	2	3	4	8	10	10
50-64	6	3.2	2	<1	<1	3	5	5	5	5
65+										
TOT. SINGLE DX	1105	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	747	2.7	5	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	1691	2.4	3	<1	1	2	3	4	5	8
20-34	130	2.9	3	1	1	3	4	5	6	10
35-49	21	3.3	5	1	1	2	4	7	9	10
50-64	9	2.9	2	<1	1	3	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	1852	2.5	3	<1	1	2	3	4	5	8

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	2.2	1	<1	1	2	3	4	5	7
20-34	140	2.4	2	<1	<1	2	3	4	6	8
35-49	51	2.8	3	<1	1	2	3	5	5	10
50-64	11	3.3	4	1	1	3	4	7	8	8
65+	5	3.2		2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	93	2.8	5	<1	1	2	3	5	8	14
20-34	77	3.2	8	1	1	2	4	5	7	20
35-49	30	3.7	12	<1	<1	3	4	6	15	16
50-64	25	6.0	38	1	1	4	7	13	19	29
65+	21	7.9	102	1	2	6	8	11	29	50
TOT. SINGLE DX	411	2.4	2	<1	1	2	3	4	6	8
" MULTIPLE DX	246	3.8	21	<1	1	3	4	7	10	24
TOTAL 0-19 YRS	297	2.4	3	<1	1	2	3	4	6	11
20-34	217	2.7	5	<1	1	2	3	5	6	11
35-49	81	3.2	7	<1	1	3	4	5	7	16
50-64	36	5.2	29	1	1	3	6	11	15	29
65+	26	7.0	85	1	2	5	8	10	20	50
GRAND TOTAL	657	2.9	10	<1	1	2	3	5	7	14

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	163	1.1		<1	<1	<1	<1	1	2	3
35-49	139	1.1		<1	<1	<1	1	2	2	3
50-64	10	1.1		<1	<1	<1	<1	1	2	2
65+	6	8.7	42	2	2	7	9	20	21	21
2. MULTIPLE DX										
0-19 YRS										
20-34	34	2.5	6	<1	<1	2	3	5	10	11
35-49	50	2.7	8	<1	<1	2	2	8	9	13
50-64	17	4.8	20	<1	<1	3	7	11	15	17
65+	21	13.8	122	2	3	11	18	29	41	44
TOT. SINGLE DX	320	1.3	2	<1	<1	<1	1	2	2	7
" MULTIPLE DX	122	4.8	45	<1	<1	2	7	12	17	40
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	197	1.4	2	<1	<1	<1	1	2	3	9
35-49	189	1.5	3	<1	<1	<1	1	2	3	10
50-64	27	3.4	16	<1	<1	2	5	9	12	17
65+	27	12.7	107	2	3	9	16	23	40	44
GRAND TOTAL	442	2.3	16	<1	<1	<1	2	4	9	21

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	496	2.3	2	<1	1	2	3	4	5	9
20-34	866	2.3	1	1	1	2	3	4	4	6
35-49	596	2.5	1	1	1	2	3	4	4	7
50-64	382	3.2	2	1	2	3	4	5	5	8
65+	170	3.5	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	291	2.4	5	<1	<1	2	3	4	5	12
20-34	418	2.9	7	1	1	2	3	4	6	16
35-49	307	3.4	9	1	1	3	4	5	9	20
50-64	376	4.5	13	2	2	4	5	8	11	18
65+	289	5.4	44	2	2	4	5	10	14	28
TOT. SINGLE DX	2510	2.6	2	1	1	2	3	4	5	8
" MULTIPLE DX	1681	3.7	16	1	1	3	4	6	9	20
TOTAL 0-19 YRS	787	2.3	3	<1	<1	2	3	4	5	10
20-34	1284	2.5	3	1	1	2	3	4	5	9
35-49	903	2.8	4	1	1	2	3	4	5	12
50-64	758	3.9	8	1	2	3	4	6	8	17
65+	459	4.7	30	1	2	4	5	8	11	22
GRAND TOTAL	4191	3.0	8	1	1	2	3	5	6	14

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	1.6	1	<1	<1	2	2	2	2	3
20-34	94	1.7		<1	<1	2	2	2	3	5
35-49	83	1.7		<1	<1	2	2	2	3	3
50-64	54	1.8		<1	1	2	2	3	3	4
65+	38	2.2	1	<1	1	2	3	3	3	8
2. MULTIPLE DX										
0-19 YRS	92	2.9	16	<1	<1	2	3	5	8	23
20-34	53	2.2	2	<1	<1	2	3	4	5	8
35-49	82	3.9	82	<1	<1	2	3	6	7	63
50-64	146	3.9	17	1	1	2	4	9	11	21
65+	159	6.6	77	1	2	3	8	16	19	37
TOT. SINGLE DX	2004	1.8	2	<1	<1	2	2	2	3	7
" MULTIPLE DX	1135	5.0	58	<1	1	2	5	12	18	37
TOTAL 0-19 YRS	1510	2.7	28	<1	<1	1	2	4	8	27
20-34	460	2.1	2	<1	<1	2	2	3	4	8
35-49	361	2.8	24	<1	<1	2	2	4	7	19
50-64	441	3.3	14	<1	1	2	3	7	10	21
65+	367	5.0	46	1	1	3	5	13	17	35
GRAND TOTAL	**3139**	**2.9**	**25**	**<1**	**<1**	**2**	**2**	**5**	**10**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	3.1	7	<1	<1	2	4	8	9	13
20-34	125	3.1	31	<1	<1	1	2	8	11	27
35-49	78	4.8	24	<1	1	3	7	11	14	28
50-64	154	4.9	9	1	2	4	6	8	10	14
65+	80	4.8	4	2	2	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	56	3.3	7	<1	<1	2	4	7	9	11
20-34	91	6.6	147	<1	1	4	6	10	17	78
35-49	135	6.8	62	2	2	5	7	12	20	45
50-64	293	6.7	38	2	3	6	8	10	16	34
65+	182	8.1	63	2	3	6	9	15	19	53
TOT. SINGLE DX	541	4.1	16	<1	<1	3	5	8	10	16
" MULTIPLE DX	757	6.8	61	1	2	5	8	11	17	43
TOTAL 0-19 YRS	160	3.2	7	<1	<1	2	4	7	9	13
20-34	216	4.6	83	<1	<1	2	5	9	15	49
35-49	213	6.1	49	<1	1	4	7	11	17	42
50-64	447	6.1	30	2	2	5	7	10	14	32
65+	262	7.1	48	2	2	5	8	12	16	40
GRAND TOTAL	**1298**	**5.7**	**44**	**<1**	**1**	**4**	**7**	**10**	**14**	**35**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	5.5	4	3	3	5	6	8	9	13
20-34	1009	5.6	3	3	4	6	7	8	8	12
35-49	164	6.6	12	3	4	6	7	10	12	24
50-64	24	7.3	7	1	4	7	9	11	12	13
65+	14	9.6	14	5	6	9	10	14	19	21
2. MULTIPLE DX										
0-19 YRS	239	6.2	7	3	4	6	7	9	12	16
20-34	1820	6.3	9	3	4	6	7	9	11	19
35-49	449	7.4	24	2	4	6	8	11	16	30
50-64	62	12.7	52	5	6	11	17	21	25	42
65+	79	15.8	111	4	7	14	18	25	34	65
TOT. SINGLE DX	1456	5.8	5	3	4	6	7	8	9	14
" MULTIPLE DX	2649	6.9	19	3	4	6	7	10	14	25
TOTAL 0-19 YRS	484	5.8	6	3	3	5	7	8	10	15
20-34	2829	6.1	7	3	4	6	7	8	10	16
35-49	613	7.2	22	2	4	6	8	10	15	25
50-64	86	11.2	46	4	5	10	15	19	23	39
65+	93	14.9	102	4	7	13	18	24	29	63
GRAND TOTAL	**4105**	**6.5**	**15**	**3**	**4**	**6**	**7**	**9**	**12**	**22**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	6.4	14	4	4	6	7	9	11	28
20-34	575	6.1	3	4	4	6	7	8	9	13
35-49	325	6.6	5	4	4	6	7	9	10	17
50-64	65	7.4	10	5	5	7	8	10	15	23
65+	29	9.6	29	5	5	7	11	20	22	24
2. MULTIPLE DX										
0-19 YRS	151	7.2	10	4	4	6	8	13	14	19
20-34	1264	6.8	9	4	4	6	7	10	12	18
35-49	798	7.9	18	4	5	7	8	12	16	29
50-64	122	12.6	102	5	6	9	14	24	35	51
65+	139	16.9	105	7	7	15	22	32	36	45
TOT. SINGLE DX	1088	6.4	7	4	4	6	7	8	10	18
" MULTIPLE DX	2474	8.0	29	4	5	7	8	13	17	33
TOTAL 0-19 YRS	245	6.9	12	4	4	6	7	11	14	19
20-34	1839	6.6	8	4	4	6	7	9	11	17
35-49	1123	7.5	15	4	5	7	8	11	14	24
50-64	187	10.8	76	5	6	8	12	21	29	41
65+	168	15.6	100	6	7	13	20	28	35	40
GRAND TOTAL	**3562**	**7.5**	**22**	**4**	**4**	**6**	**8**	**11**	**15**	**29**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	45	5.9	4	2	3	6	7	9	9	10
35-49	89	6.9	10	4	5	7	8	9	11	25
50-64	66	8.2	11	5	6	7	9	13	15	21
65+	29	10.5	20	5	6	10	13	18	21	21
2. MULTIPLE DX										
0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	152	7.8	31	4	4	6	8	13	18	30
35-49	404	8.8	27	5	5	7	10	15	17	33
50-64	207	11.7	48	5	6	9	15	21	25	35
65+	190	16.8	104	7	7	14	22	31	36	61
TOT. SINGLE DX	231	7.5	13	4	5	7	8	11	14	21
" MULTIPLE DX	956	10.9	58	5	5	8	13	21	26	40
TOTAL 0-19 YRS	5	5.4	5	3	3	5	7	9	9	9
20-34	197	7.3	26	3	4	6	8	11	16	30
35-49	493	8.5	25	5	5	7	9	13	17	32
50-64	273	10.9	42	5	6	8	13	19	24	34
65+	219	16.0	98	6	7	13	21	30	35	59
GRAND TOTAL	**1187**	**10.2**	**51**	**4**	**5**	**8**	**11**	**19**	**24**	**37**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	3.0	5	<1	<1	2	4	6	8	13
20-34	232	3.4	7	<1	<1	2	5	7	8	12
35-49	53	3.8	5	<1	1	3	5	7	8	9
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	57	4.2	7	1	1	4	6	8	9	14
20-34	629	4.6	8	<1	1	5	6	7	9	14
35-49	130	5.4	25	<1	1	5	7	9	12	32
50-64	16	10.4	81	2	2	8	13	22	32	36
65+	3	10.0	31	4	4	11	14	15	15	15
TOT. SINGLE DX	349	3.4	7	<1	<1	2	5	7	8	12
" MULTIPLE DX	835	4.8	13	<1	1	5	6	8	10	18
TOTAL 0-19 YRS	116	3.6	7	<1	1	3	5	7	9	13
20-34	861	4.3	8	<1	1	4	6	7	9	13
35-49	183	4.9	20	<1	1	5	7	8	10	26
50-64	21	8.3	76	<1	1	6	10	20	28	36
65+	3	10.0	31	4	4	11	14	15	15	15
GRAND TOTAL	**1184**	**4.4**	**12**	**<1**	**1**	**4**	**6**	**8**	**9**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.8		<1	<1	2	3	3	3	3
20-34	2302	1.4		<1	<1	1	2	2	2	4
35-49	1093	1.5		<1	<1	1	2	2	2	4
50-64	4	1.5		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1643	1.7	1	<1	<1	1	2	3	4	6
35-49	1128	1.7	2	<1	<1	1	2	2	3	7
50-64	6	1.5	1	<1	<1	1	1	4	4	4
65+										
TOT. SINGLE DX	3409	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2781	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	14	1.6	1	<1	<1	1	2	3	3	3
20-34	3945	1.5	1	<1	<1	1	2	2	3	5
35-49	2221	1.6	1	<1	<1	1	2	2	3	6
50-64	10	1.5	1	<1	<1	1	2	3	4	4
65+										
GRAND TOTAL	**6190**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.9	4	<1	<1	2	5	6	6	6
20-34	2158	2.4	1	<1	1	2	3	4	5	6
35-49	945	2.5	1	<1	1	2	3	4	5	7
50-64	3	5.0	12	3	3	3	8	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	22	4.0	6	2	2	3	4	6	10	14
20-34	4273	3.7	4	2	2	4	4	5	6	9
35-49	1450	3.6	4	1	1	3	4	6	6	10
50-64	3	5.7	10	2	2	7	8	8	8	8
65+										
TOT. SINGLE DX	3114	2.4	2	<1	1	2	3	4	5	6
" MULTIPLE DX	5748	3.7	4	1	2	4	4	5	6	9
TOTAL 0-19 YRS	30	3.7	6	<1	1	3	4	6	7	14
20-34	6431	3.3	4	1	1	3	4	5	6	8
35-49	2395	3.2	4	1	1	3	4	5	6	9
50-64	6	5.3	9	2	2	5	8	9	9	9
65+										
GRAND TOTAL	**8862**	**3.3**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.3	2	3	3	5	6	8	8	10
20-34	1668	5.2	3	2	3	5	6	7	8	10
35-49	271	5.3	6	1	2	5	7	8	8	16
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	119	6.0	7	3	4	6	7	9	11	18
20-34	1923	5.5	5	2	3	6	7	8	9	12
35-49	422	5.5	7	2	2	5	7	8	9	16
50-64	4	27.5	817	8	8	16	43	70	70	70
65+	6	17.2	184	3	4	11	31	36	37	37
TOT. SINGLE DX	2040	5.3	4	2	3	5	6	7	8	11
" MULTIPLE DX	2474	5.6	8	2	3	6	7	8	9	14
TOTAL 0-19 YRS	218	5.7	6	3	4	5	6	8	9	14
20-34	3591	5.4	5	2	3	5	6	7	8	12
35-49	693	5.4	7	1	2	5	7	8	9	16
50-64	5	24.6	655	8	8	16	30	70	70	70
65+	7	15.4	175	3	3	10	26	36	37	37
GRAND TOTAL	**4514**	**5.5**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	1.8		<1	<1	2	2	3	3	3
20-34	849	2.1	1	<1	1	2	3	3	4	6
35-49	352	2.4	2	1	1	2	3	4	4	10
50-64	119	2.4	1	1	1	2	3	4	4	9
65+	41	2.6	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	11	2.1		<1	<1	2	3	3	3	3
20-34	414	2.5	1	<1	1	2	3	4	5	9
35-49	312	3.0	22	1	1	2	3	4	6	20
50-64	134	3.1	12	1	1	2	3	5	8	20
65+	73	5.0	20	1	2	3	5	11	14	22
TOT. SINGLE DX	1379	2.2	1	<1	1	2	3	3	4	7
" MULTIPLE DX	944	2.9	12	1	1	2	3	4	6	16
TOTAL 0-19 YRS	29	1.9	1	<1	<1	2	3	3	3	3
20-34	1263	2.2	1	<1	1	2	3	3	4	8
35-49	664	2.7	12	1	1	2	3	4	5	14
50-64	253	2.7	8	1	1	2	3	4	5	14
65+	114	4.1	15	1	2	3	4	10	13	21
GRAND TOTAL	**2323**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	1.9	2	<1	<1	2	2	3	4	9
20-34	383	1.9	1	<1	<1	2	2	3	3	8
35-49	727	1.9	2	<1	<1	2	2	2	3	8
50-64	418	2.0	2	<1	1	2	2	3	4	10
65+	155	3.4	12	1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	31	1.7		<1	<1	2	2	2	3	6
20-34	642	2.3	7	<1	<1	2	2	4	6	12
35-49	1721	2.3	7	<1	1	2	2	3	6	14
50-64	905	3.1	33	<1	1	2	2	5	9	22
65+	518	6.6	74	1	2	3	8	15	22	57
TOT. SINGLE DX	1719	2.1	3	<1	<1	2	2	3	4	9
" MULTIPLE DX	3817	3.1	25	<1	1	2	2	6	9	24
TOTAL 0-19 YRS	67	1.8	2	<1	<1	2	2	3	3	8
20-34	1025	2.2	5	<1	<1	2	2	3	5	11
35-49	2448	2.2	6	<1	1	2	2	3	5	13
50-64	1323	2.8	24	<1	1	2	2	4	8	18
65+	673	5.9	62	1	2	3	7	13	20	55
GRAND TOTAL	**5536**	**2.8**	**18**	**<1**	**1**	**2**	**2**	**5**	**8**	**20**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.7	3	1	2	4	4	7	8	8
20-34	689	3.0	5	1	1	3	4	5	6	8
35-49	103	2.8	1	1	1	3	3	4	5	7
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	6	2.7	1	1	1	3	4	4	4	4
20-34	220	4.8	27	1	2	3	5	8	12	31
35-49	39	4.6	19	1	1	3	5	13	15	19
50-64	5	3.6	8	1	1	2	6	8	8	8
65+										
TOT. SINGLE DX	813	3.0	5	1	1	3	4	5	6	8
" MULTIPLE DX	270	4.7	26	1	2	3	5	8	13	27
TOTAL 0-19 YRS	25	3.5	3	1	2	3	4	6	7	8
20-34	909	3.4	12	1	1	3	4	5	7	15
35-49	142	3.3	7	1	1	3	4	5	7	16
50-64	7	3.4	7	1	1	2	5	7	8	8
65+										
GRAND TOTAL	1083	3.4	11	1	1	3	4	5	7	15

670: Hysterotomy and excision of lesion of uterus (66.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.6	2	<1	<1	2	4	5	5	5
20-34	292	5.5	5	<1	2	6	7	8	9	11
35-49	137	5.3	9	<1	1	6	8	9	10	16
50-64	46	3.2	9	<1	<1	2	4	9	10	12
65+	16	3.6	17	1	2	2	3	8	15	18
2. MULTIPLE DX										
0-19 YRS	13	4.1	6	<1	1	5	6	7	8	8
20-34	493	6.2	17	1	2	6	8	9	11	16
35-49	411	5.6	29	<1	1	6	8	9	11	34
50-64	152	3.6	23	<1	1	2	3	8	14	26
65+	100	7.7	77	1	1	4	11	17	27	43
TOT. SINGLE DX	498	5.2	8	<1	1	6	7	8	9	12
" MULTIPLE DX	1169	5.8	28	<1	1	6	7	9	13	29
TOTAL 0-19 YRS	20	3.6	6	<1	<1	3	5	7	8	8
20-34	785	6.0	13	1	2	6	7	9	10	15
35-49	548	5.5	24	<1	1	6	8	9	10	28
50-64	198	3.5	20	<1	1	2	3	8	11	22
65+	116	7.1	71	1	1	3	10	17	24	41
GRAND TOTAL	1667	5.6	22	<1	1	6	7	9	11	22

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	20.0	288	8	8	20	32	32	32	32
20-34	553	7.1	5	5	5	7	8	9	11	17
35-49	1975	7.3	3	5	6	7	8	9	10	15
50-64	675	8.0	7	6	6	7	8	10	12	18
65+	277	9.3	15	6	6	8	10	14	17	27
2. MULTIPLE DX										
0-19 YRS	15	11.3	94	5	5	7	10	29	36	39
20-34	2556	7.5	8	5	5	7	8	10	12	19
35-49	10710	8.0	10	5	6	7	9	11	13	21
50-64	3372	9.3	26	6	6	8	10	14	18	30
65+	1410	13.3	80	6	7	10	16	23	31	54
TOT. SINGLE DX	3482	7.6	6	5	6	7	8	10	11	17
" MULTIPLE DX	18063	8.6	21	5	6	7	9	12	16	28
TOTAL 0-19 YRS	17	12.3	109	5	5	7	11	31	37	39
20-34	3109	7.4	8	5	5	7	8	10	12	18
35-49	12685	7.9	10	5	6	7	8	10	13	20
50-64	4047	9.1	24	6	6	8	10	13	17	29
65+	1687	12.7	72	6	7	10	14	22	28	52
GRAND TOTAL	21545	8.5	19	5	6	7	9	12	15	27

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	201	5.7	1	4	4	6	6	7	8	10
35-49	335	6.3	3	4	4	6	7	8	10	12
50-64	342	7.6	4	5	5	7	8	10	11	14
65+	316	8.0	7	5	5	8	9	11	12	19
2. MULTIPLE DX										
0-19 YRS	6	7.3	6	5	5	7	11	82	99+	99+
20-34	674	6.3	6	4	4	6	7	8	10	13
35-49	1823	7.1	7	4	5	6	8	10	12	19
50-64	1060	8.4	10	5	6	8	9	12	15	20
65+	960	9.9	39	6	6	8	10	14	18	39
TOT. SINGLE DX	1195	7.0	5	4	5	7	8	10	11	14
" MULTIPLE DX	4523	7.9	16	4	5	7	9	11	14	24
TOTAL 0-19 YRS	7	7.6	6	5	5	7	10	74	99+	99+
20-34	875	6.1	5	4	4	6	7	8	10	13
35-49	2158	7.0	7	4	5	6	8	10	12	18
50-64	1402	8.2	9	5	6	8	9	12	14	19
65+	1276	9.4	32	5	6	8	10	13	17	33
GRAND TOTAL	5718	7.7	14	4	5	7	8	11	13	21

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	14	12.9	21	6	6	11	16	19	21	21
35-49	15	13.5	11	7	9	14	16	17	19	20
50-64	9	10.8	8	7	7	11	12	15	16	16
65+	7	14.1	18	9	9	16	18	19	19	19
2. MULTIPLE DX										
0-19 YRS										
20-34	21	16.4	231	5	6	11	17	37	56	69
35-49	60	14.7	72	7	8	13	16	23	33	51
50-64	39	19.1	105	9	10	16	22	28	38	63
65+	32	28.8	374	10	12	22	36	67	77	99+
TOT. SINGLE DX	47	12.6	15	7	8	12	16	19	19	21
" MULTIPLE DX	152	19.0	191	7	9	14	22	34	56	79
TOTAL 0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	35	14.8	148	5	7	11	17	21	42	69
35-49	75	14.4	60	7	8	13	16	20	32	50
50-64	48	17.5	98	8	9	15	21	28	37	63
65+	39	26.1	341	9	10	20	33	64	74	99+
GRAND TOTAL	199	17.5	157	7	8	14	20	32	46	74

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	517	1.1		<1	<1	<1	<1	1	2	3
20-34	2073	1.1		<1	<1	<1	1	1	2	3
35-49	274	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	52	2.8	6	<1	<1	1	3	7	9	10
20-34	322	2.7	19	<1	<1	1	3	6	8	18
35-49	146	2.0	2	<1	<1	1	2	5	5	7
50-64										
65+										
TOT. SINGLE DX	2864	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	520	2.5	13	<1	<1	1	3	5	7	14
TOTAL 0-19 YRS	569	1.2	1	<1	<1	<1	1	2	2	7
20-34	2395	1.3	3	<1	<1	<1	1	1	2	8
35-49	420	1.5	1	<1	<1	<1	1	2	4	6
50-64										
65+										
GRAND TOTAL	3384	1.3	3	<1	<1	<1	1	2	3	7

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1713	1.6	1	[illegible]						
20-34	14491	[illegible]								
35-49	7047	[illegible]								
50-64	2570	[illegible]								
65+	599	1.7	16							
2. MULTIPLE DX										
0-19 YRS	576	[illegible]								
20-34	6902	[illegible]								
35-49	6888	[illegible]								
50-64	3800	[illegible]								
65+	1480	[illegible]								
TOT. SINGLE DX	26420	1.6	1							
" MULTIPLE DX	21646	2.6	15							
TOTAL 0-19 YRS	2289	[illegible]								
20-34	21393	[illegible]								
35-49	15935	[illegible]								
50-64	6370	[illegible]								
65+	2079	4.6	59							
GRAND TOTAL	48066	2.0	8	<1	<1	1	2	3	5	12

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1933	1.0		<1	<1	<1	<1	1	1	2
20-34	6590	1.1		<1	<1	<1	<1	1	1	2
35-49	819	1.1		<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	801	1.2	1	<1	<1	<1	<1	1	2	7
20-34	2591	1.5	3	<1	<1	<1	1	2	4	9
35-49	595	2.0	4	<1	<1	1	1	4	8	11
50-64										
65+										
TOT. SINGLE DX	9342	1.1		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	3987	1.5	4	<1	<1	<1	1	3	4	9
TOTAL 0-19 YRS	2734	1.1	1	<1	<1	<1	<1	1	1	2
20-34	9181	1.2	2	<1	<1	<1	<1	1	2	4
35-49	1414	1.5	3	<1	<1	<1	1	2	4	8
50-64										
65+										
GRAND TOTAL	13329	1.2	1	<1	<1	<1	<1	1	2	5

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	1.4	1	<1	<1	1	1	2	3	6
20-34	2285	1.3		<1	<1	1	1	2	2	5
35-49	430	1.2		<1	<1	1	1	2	2	3
50-64	7	1.9	1	<1	<1	2	2	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	46	2.3	4	<1	<1	1	3	6	7	8
20-34	404	2.3	13	<1	<1	1	2	4	5	14
35-49	102	2.5	5	<1	<1	1	3	6	8	11
50-64	9	4.8	41	<1	<1	1	6	16	17	17
65+	10	12.5	317	<1	1	6	20	75	98	99+
TOT. SINGLE DX	3067	1.3	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	571	2.5	18	<1	<1	1	3	5	7	19
TOTAL 0-19 YRS	390	1.5	1	<1	<1	1	2	3	4	7
20-34	2689	1.5	3	<1	<1	1	1	2	3	6
35-49	532	1.5	2	<1	<1	1	1	2	3	8
50-64	16	3.5	25	<1	<1	2	3	14	16	17
65+	11	11.5	295	<1	1	5	20	71	96	99+
GRAND TOTAL	**3638**	**1.5**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	5.2	4	2	2	5	7	8	9	10
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	6.8	11	2	2	7	10	11	11	11
65+	4	7.8	2	6	6	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	67	4.9	5	1	1	5	6	7	8	11
35-49	15	7.3	7	4	4	7	8	11	13	14
50-64	12	7.8	5	2	4	8	9	10	10	10
65+	19	10.3	30	4	5	9	12	20	22	24
TOT. SINGLE DX	38	5.6	7	1	2	6	7	9	10	11
" MULTIPLE DX	114	6.4	13	1	2	6	7	10	12	22
TOTAL 0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	93	5.0	5	1	2	5	6	8	8	11
35-49	16	6.9	9	1	4	7	8	11	13	14
50-64	18	7.4	7	2	3	8	10	10	11	11
65+	23	9.8	26	4	6	9	11	20	22	24
GRAND TOTAL	**152**	**6.2**	**12**	**1**	**2**	**6**	**7**	**10**	**11**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.2	4	1	1	3	5	6	7	8
20-34	209	3.3	5	<1	<1	2	5	7	7	10
35-49	52	2.7	3	<1	<1	2	4	6	7	9
50-64	33	3.9	7	<1	1	4	5	6	8	16
65+	19	4.6	6	2	2	4	5	9	12	12
2. MULTIPLE DX										
0-19 YRS	14	3.8	4	1	1	4	6	7	7	7
20-34	240	3.8	8	<1	<1	3	6	7	8	11
35-49	109	4.0	11	<1	1	3	5	8	10	18
50-64	66	4.9	23	1	2	4	5	10	16	29
65+	59	4.7	14	1	2	4	5	7	12	23
TOT. SINGLE DX	342	3.3	6	<1	<1	3	5	7	7	10
" MULTIPLE DX	488	4.1	12	<1	1	3	5	7	9	19
TOTAL 0-19 YRS	43	3.4	5	1	1	3	5	6	7	8
20-34	449	3.6	8	<1	<1	3	5	7	8	10
35-49	161	3.6	9	<1	<1	2	5	7	9	17
50-64	99	4.6	19	1	2	4	5	8	13	26
65+	78	4.7	12	1	2	4	5	8	12	22
GRAND TOTAL	**830**	**3.8**	**10**	**<1**	**1**	**3**	**5**	**7**	**8**	**16**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	62	5.5	6	2	2	5	6	8	9	15
35-49	191	6.4	5	3	4	6	8	9	10	13
50-64	374	6.8	4	4	4	7	8	10	11	15
65+	286	7.2	10	4	5	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	3	8.3	56	1	1	8	14	16	16	16
20-34	130	6.6	5	3	4	6	8	10	11	13
35-49	516	7.6	9	4	4	7	9	12	13	18
50-64	706	8.2	15	4	5	7	9	12	14	21
65+	634	8.9	21	5	5	8	10	14	16	24
TOT. SINGLE DX	915	6.7	7	3	4	7	8	10	11	15
" MULTIPLE DX	1989	8.2	16	4	5	7	9	12	14	21
TOTAL 0-19 YRS	5	7.0	32	1	1	6	10	16	16	16
20-34	192	6.2	6	2	3	6	7	9	11	13
35-49	707	7.3	9	3	4	7	8	11	13	17
50-64	1080	7.7	12	4	5	7	9	11	13	19
65+	920	8.4	19	4	5	8	9	12	15	22
GRAND TOTAL	**2904**	**7.7**	**14**	**4**	**4**	**7**	**9**	**11**	**14**	**19**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.0	14	<1	1	1	2	10	13	16
20-34	115	3.7	7	<1	1	3	5	7	9	15
35-49	52	4.1	15	<1	1	3	5	9	10	20
50-64	32	4.9	9	<1	1	5	7	8	9	12
65+	21	7.1	24	2	2	6	8	15	18	21
2. MULTIPLE DX										
0-19 YRS	28	5.7	24	1	1	4	9	12	16	21
20-34	76	5.3	17	1	1	4	7	9	13	22
35-49	64	7.6	113	1	2	6	9	12	14	76
50-64	53	8.5	30	2	3	7	10	14	18	36
65+	63	8.8	34	2	4	8	11	15	24	91
TOT. SINGLE DX	269	4.1	13	<1	1	3	6	8	10	19
" MULTIPLE DX	284	7.2	47	1	2	6	9	13	16	36
TOTAL 0-19 YRS	77	4.0	20	<1	1	2	6	11	13	20
20-34	191	4.4	12	<1	1	3	5	8	11	20
35-49	116	6.0	72	1	1	4	8	11	13	43
50-64	85	7.1	26	1	2	7	9	13	14	31
65+	84	8.4	32	2	3	7	10	15	22	77
GRAND TOTAL	553	5.7	33	1	1	4	8	11	14	23

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	2.5	6	<1	<1	2	3	5	7	13
20-34	381	2.7	6	<1	<1	2	3	6	8	13
35-49	122	3.7	16	<1	<1	2	5	7	11	25
50-64	79	4.9	31	<1	1	4	6	9	11	35
65+	107	4.3	10	<1	1	4	6	7	9	19
2. MULTIPLE DX										
0-19 YRS	94	5.0	49	<1	<1	3	6	9	12	44
20-34	323	4.7	30	<1	1	3	6	10	14	22
35-49	165	6.6	75	1	1	4	8	14	19	53
50-64	228	6.7	40	1	2	5	8	13	21	31
65+	347	10.4	161	2	2	7	11	25	47	99+
TOT. SINGLE DX	821	3.3	11	<1	<1	2	4	7	9	17
" MULTIPLE DX	1157	7.1	85	<1	1	5	8	15	23	55
TOTAL 0-19 YRS	226	3.5	26	<1	<1	2	4	7	9	32
20-34	704	3.6	19	<1	<1	2	4	8	11	18
35-49	287	5.4	52	<1	1	3	6	11	17	41
50-64	307	6.2	38	1	1	5	7	12	21	32
65+	454	8.9	133	1	2	6	9	19	36	99
GRAND TOTAL	1978	5.5	58	<1	1	3	7	11	17	49

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	2.1	1	<1	<1	2	3	4	4	9
20-34	982	2.0	1	<1	<1	2	2	3	4	6
35-49	489	2.1	3	<1	<1	2	3	3	4	8
50-64	199	2.2	1	<1	<1	2	3	4	5	7
65+	89	3.3	11	<1	1	2	4	6	7	22
2. MULTIPLE DX										
0-19 YRS	70	3.4	10	<1	<1	3	4	6	9	18
20-34	344	3.3	7	<1	1	3	4	5	8	17
35-49	203	3.8	16	<1	<1	2	4	8	12	23
50-64	145	4.8	35	<1	1	3	5	11	15	31
65+	206	8.2	101	1	2	4	10	21	30	78
TOT. SINGLE DX	1961	2.1	3	<1	<1	2	3	3	4	7
" MULTIPLE DX	968	4.7	37	<1	1	3	5	10	15	33
TOTAL 0-19 YRS	272	2.5	4	<1	<1	2	3	4	6	10
20-34	1326	2.3	3	<1	<1	2	3	4	5	10
35-49	692	2.6	8	<1	<1	2	3	4	6	16
50-64	344	3.3	17	<1	<1	2	3	7	10	19
65+	295	6.7	79	1	2	3	7	15	27	61
GRAND TOTAL	2929	2.9	15	<1	<1	2	3	5	8	21

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	15	2.5	1	1	2	2	3	4	5	5
35-49	16	4.6	8	<1	1	4	7	9	10	10
50-64	25	8.5	124	1	2	3	9	20	37	50
65+	30	9.5	114	2	2	5	11	24	31	50
2. MULTIPLE DX										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	9	3.9	8	<1	<1	3	6	8	8	8
35-49	16	8.9	140	1	1	3	11	27	37	41
50-64	36	14.4	127	2	3	11	19	30	39	48
65+	87	19.1	191	4	5	17	26	37	47	93
TOT. SINGLE DX	91	6.8	80	1	2	3	8	13	26	50
" MULTIPLE DX	151	15.7	178	2	3	11	22	34	41	81
TOTAL 0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	24	3.0	4	<1	1	2	4	6	8	8
35-49	32	6.8	77	1	1	3	7	15	27	41
50-64	61	12.0	133	2	2	9	15	30	39	50
65+	117	16.6	189	2	3	12	24	35	47	87
GRAND TOTAL	242	12.3	159	1	2	8	17	31	39	61

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	1.8	1	<1	<1	1	2	4	4	4
20-34	71	2.9	5	<1	1	3	3	4	6	15
35-49	10	1.7		<1	<1	1	2	3	3	3
50-64	18	3.2	3	1	1	3	5	5	7	8
65+										
2. MULTIPLE DX										
0-19 YRS	21	2.7	8	<1	<1	1	3	8	10	11
20-34	35	3.5	4	<1	1	3	5	6	7	8
35-49	11	2.5	2	<1	<1	2	4	5	5	5
50-64	17	5.9	54	<1	1	3	6	20	25	26
65+	11	11.8	115	3	4	7	16	27	39	40
TOT. SINGLE DX	149	2.5	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	95	4.6	33	<1	1	3	5	8	16	34
TOTAL 0-19 YRS	71	2.1	3	<1	<1	1	3	4	4	11
20-34	106	3.1	5	<1	1	3	4	6	6	13
35-49	21	2.1	2	<1	<1	2	3	4	5	5
50-64	35	4.5	29	1	1	3	5	8	19	26
65+	11	11.8	115	3	4	7	16	27	39	40
GRAND TOTAL	**244**	**3.3**	**16**	**<1**	**1**	**2**	**4**	**6**	**8**	**23**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.9	10	<1	<1	2	3	9	10	10
20-34	14	3.9	3	<1	<1	4	5	6	7	7
35-49	7	1.3		<1	<1	1	2	2	2	2
50-64	3	2.7	1	2	2	2	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	8	2.1	5	<1	<1	1	3	6	7	7
20-34	10	12.2	303	1	1	4	11	44	52	52
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	9	4.6	42	1	1	2	4	16	21	21
65+	12	10.0	97	2	2	7	11	28	33	34
TOT. SINGLE DX	31	2.9	5	<1	<1	2	5	6	7	10
" MULTIPLE DX	42	7.4	118	<1	1	3	7	22	35	52
TOTAL 0-19 YRS	15	2.5	7	<1	<1	1	3	7	9	10
20-34	24	7.3	139	<1	1	4	6	13	41	52
35-49	10	1.9	2	<1	<1	1	2	4	5	5
50-64	12	4.1	32	1	1	2	3	12	20	21
65+	12	10.0	97	2	2	7	11	28	33	34
GRAND TOTAL	**73**	**5.5**	**74**	**<1**	**<1**	**3**	**6**	**10**	**24**	**48**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	840	3.3	1	2	2	3	4	4	5	6
20-34	6168	3.4		2	3	3	4	4	5	6
35-49	474	3.5	1	2	3	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	790	3.7	4	2	2	3	4	5	6	13
20-34	5676	3.9	3	2	3	4	4	5	6	9
35-49	555	4.0	3	2	3	4	4	6	6	10
50-64										
65+										
TOT. SINGLE DX	7482	3.4	1	2	2	3	4	4	5	6
" MULTIPLE DX	7021	3.9	4	2	3	4	4	5	6	10
TOTAL 0-19 YRS	1630	3.5	3	2	2	3	4	5	5	10
20-34	11844	3.6	2	2	3	3	4	5	5	8
35-49	1029	3.8	2	2	3	4	4	5	6	9
50-64										
65+										
GRAND TOTAL	**14503**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.9		1	2	3	3	4	5	5
20-34	284	3.1		2	2	3	3	4	5	6
35-49	27	4.5	48	1	2	3	4	5	10	39
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	39	2.7	1	1	1	3	3	4	4	6
20-34	482	3.8	14	1	2	3	4	5	7	18
35-49	52	4.2	11	1	2	3	5	6	9	25
50-64										
65+										
TOT. SINGLE DX	348	3.2	5	2	2	3	4	4	5	6
" MULTIPLE DX	573	3.8	13	1	2	3	4	5	7	18
TOTAL 0-19 YRS	76	2.8	1	1	1	3	3	4	5	6
20-34	766	3.5	9	1	2	3	4	5	6	14
35-49	79	4.3	24	1	2	3	4	5	8	35
50-64										
65+										
GRAND TOTAL	**921**	**3.5**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**15**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	3.4	1	2	2	3	4	4	5	8
20-34	1178	3.4	1	2	2	3	4	4	5	6
35-49	82	3.6	1	2	3	4	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	205	3.6	2	2	3	3	4	5	6	8
20-34	1636	3.8	4	2	3	4	4	5	6	9
35-49	127	3.8	2	2	3	4	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	1441	3.4	1	2	2	3	4	4	5	7
" MULTIPLE DX	1968	3.8	4	2	3	4	4	5	6	9
TOTAL 0-19 YRS	386	3.5	2	2	2	3	4	4	6	8
20-34	2814	3.6	3	2	3	3	4	5	5	8
35-49	209	3.7	2	2	3	4	4	5	5	7
50-64										
65+										
GRAND TOTAL	3409	3.6	3	2	3	3	4	5	6	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8001	3.1		2	2	3	3	4	4	6
20-34	54930	3.1	1	2	2	3	3	4	4	6
35-49	3740	3.2		2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1840	3.7	8	2	2	3	4	5	7	13
20-34	13687	3.6	4	2	2	3	4	5	6	10
35-49	1339	3.9	4	2	2	4	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	66671	3.1	1	2	2	3	3	4	4	6
" MULTIPLE DX	16866	3.6	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	9841	3.2	2	2	2	3	4	4	5	8
20-34	68617	3.2	2	2	2	3	4	4	5	7
35-49	5079	3.4	2	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	83537	3.2	2	2	2	3	4	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	993	6.0	3	4	4	6	7	8	8	12
20-34	11949	6.0	3	4	5	6	7	7	8	10
35-49	989	6.5	3	4	5	6	7	8	9	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1912	6.7	10	4	5	6	7	9	12	20
20-34	21122	6.5	9	4	5	6	7	8	10	18
35-49	2729	7.2	16	5	5	6	7	9	11	24
50-64										
65+										
TOT. SINGLE DX	13931	6.1	3	4	5	6	7	8	8	11
" MULTIPLE DX	25763	6.6	10	4	5	6	7	8	10	18
TOTAL 0-19 YRS	2905	6.5	8	4	5	6	7	9	11	18
20-34	33071	6.3	7	4	5	6	7	8	9	15
35-49	3718	7.0	13	5	5	6	7	9	11	22
50-64										
65+										
GRAND TOTAL	39694	6.4	8	4	5	6	7	8	9	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	6.0	3	4	4	6	7	8	9	14
20-34	411	6.0	2	4	4	6	7	8	8	10
35-49	28	6.1	2	4	4	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	7.4	25	4	4	7	8	11	12	39
20-34	702	7.4	35	4	5	6	7	9	13	36
35-49	87	8.4	34	4	5	7	8	11	20	38
50-64										
65+										
TOT. SINGLE DX	479	6.0	3	4	4	6	7	8	8	10
" MULTIPLE DX	844	7.5	35	4	5	6	8	10	14	36
TOTAL 0-19 YRS	95	6.8	16	4	4	6	7	9	12	29
20-34	1113	6.9	24	4	5	6	7	9	11	29
35-49	115	7.8	28	4	5	7	8	10	15	35
50-64										
65+										
GRAND TOTAL	1323	7.0	24	4	5	6	7	9	11	30

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.8	2	3	3	4	5	7	8	8
20-34	44	4.6	2	2	3	5	6	7	7	8
35-49	5	6.4	5	4	4	6	7	10	10	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	57	5.9	3	3	4	6	7	9	10	11
35-49	11	6.3	3	4	4	6	7	9	9	9
50-64										
65+										
TOT. SINGLE DX	57	4.8	3	2	3	5	6	7	8	10
" MULTIPLE DX	69	6.0	4	3	4	6	7	9	10	13
TOTAL 0-19 YRS	9	5.7	10	3	3	4	6	11	13	13
20-34	101	5.3	3	3	3	5	6	8	9	11
35-49	16	6.3	3	4	4	6	7	9	10	10
50-64										
65+										
GRAND TOTAL	**126**	**5.5**	**4**	**3**	**3**	**5**	**6**	**8**	**9**	**12**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1817	1.6		1	1	1	2	2	3	4
20-34	2089	1.6	1	1	1	1	2	3	3	4
35-49	163	1.8		1	1	2	2	3	3	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	102	2.1	2	1	1	2	2	4	5	8
20-34	192	3.1	10	1	1	2	4	6	8	16
35-49	35	3.5	64	1	1	2	3	4	7	49
50-64										
65+										
TOT. SINGLE DX	4069	1.6	1	1	1	1	2	2	3	4
" MULTIPLE DX	329	2.9	14	1	1	2	3	5	7	16
TOTAL 0-19 YRS	1919	1.6	1	1	1	1	2	2	3	5
20-34	2281	1.8	2	1	1	1	2	3	3	6
35-49	198	2.1	12	1	1	2	2	3	4	8
50-64										
65+										
GRAND TOTAL	**4398**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	4.1	6	1	1	4	6	8	9	9
20-34	92	3.8	12	<1	<1	2	5	9	11	15
35-49	23	2.8	7	<1	<1	1	4	8	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	4.4	7	<1	<1	4	6	9	10	10
20-34	411	1.6	3	<1	<1	<1	<1	3	6	10
35-49	564	1.1	2	<1	<1	<1	<1	<1	<1	7
50-64										
65+										
TOT. SINGLE DX	142	3.7	11	<1	<1	2	5	9	10	15
" MULTIPLE DX	992	1.4	3	<1	<1	<1	<1	<1	4	10
TOTAL 0-19 YRS	44	4.2	7	<1	1	4	6	8	9	10
20-34	503	2.0	6	<1	<1	<1	1	5	8	12
35-49	587	1.2	3	<1	<1	<1	<1	<1	<1	8
50-64										
65+										
GRAND TOTAL	**1134**	**1.7**	**5**	**<1**	**<1**	**<1**	**<1**	**3**	**6**	**11**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1247	2.5	2	<1	<1	3	3	4	5	7
20-34	7648	2.7	2	<1	<1	3	3	4	4	6
35-49	544	2.8	3	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	492	3.4	12	<1	<1	3	4	6	7	15
20-34	3217	3.4	10	<1	1	3	4	5	7	15
35-49	335	3.6	3	<1	1	3	4	6	7	12
50-64										
65+										
TOT. SINGLE DX	9439	2.7	2	<1	<1	3	3	4	4	7
" MULTIPLE DX	4044	3.4	10	<1	1	3	4	5	7	15
TOTAL 0-19 YRS	1739	2.8	5	<1	<1	3	3	4	6	10
20-34	10865	2.9	5	<1	<1	3	3	4	5	9
35-49	879	3.1	4	<1	1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**13483**	**2.9**	**5**	**<1**	**<1**	**3**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1471	3.0		2	2	3	3	4	4	5
20-34	10862	3.0		2	2	3	3	4	4	5
35-49	904	3.0		1	2	3	4	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1078	3.4	3	2	2	3	4	4	6	9
20-34	7913	3.4	3	2	2	3	4	5	5	9
35-49	808	3.6	3	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	13237	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	9799	3.4	4	2	2	3	4	5	5	9
TOTAL 0-19 YRS	2549	3.2	2	2	2	3	4	4	5	7
20-34	18775	3.2	2	2	2	3	4	4	5	7
35-49	1712	3.3	2	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	23036	3.2	2	2	2	3	4	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.1	8	1	2	3	5	9	11	12
20-34	48	4.0	8	1	1	3	4	9	10	13
35-49	34	5.6	30	<1	1	3	7	14	16	25
50-64	42	4.7	18	1	1	3	7	11	12	20
65+	29	7.7	68	1	2	3	11	19	22	37
2. MULTIPLE DX										
0-19 YRS	45	4.1	6	1	2	4	4	7	9	16
20-34	43	5.5	32	2	2	4	6	9	18	32
35-49	34	9.0	89	1	1	2	4	10	13	56
50-64	56	8.1	152	1	1	3	9	14	48	59
65+	57	12.5	196	2	2	9	17	35	39	98
TOT. SINGLE DX	181	5.1	25	1	1	3	7	12	14	24
" MULTIPLE DX	245	7.5	114	1	2	4	9	16	32	61
TOTAL 0-19 YRS	73	4.1	7	1	2	4	4	8	10	15
20-34	91	4.7	20	1	2	4	5	9	13	28
35-49	68	5.3	59	1	1	3	5	13	15	50
50-64	108	6.8	102	1	1	3	9	13	20	57
65+	85	10.9	157	2	2	7	14	26	37	93
GRAND TOTAL	426	6.5	78	1	2	4	8	14	22	54

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	4.4	5	2	3	4	5	6	9	16
20-34	352	3.9	2	2	2	4	4	6	7	10
35-49	120	3.7	2	1	2	4	4	5	6	9
50-64	55	3.7	8	2	2	3	4	6	8	19
65+	19	3.7	3	2	2	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	231	5.4	19	3	3	4	5	9	13	28
20-34	287	4.4	4	2	3	4	5	6	8	12
35-49	105	4.9	39	2	2	4	5	7	11	39
50-64	61	5.7	87	2	2	3	5	11	14	66
65+	33	8.1	123	2	2	4	6	26	41	45
TOT. SINGLE DX	741	4.0	4	2	2	4	5	6	7	12
" MULTIPLE DX	717	5.1	27	2	2	4	5	7	11	27
TOTAL 0-19 YRS	426	5.0	14	2	3	4	5	8	11	23
20-34	639	4.1	3	2	3	4	5	6	8	10
35-49	225	4.3	20	1	2	4	4	6	7	24
50-64	116	4.8	51	2	2	3	5	9	13	37
65+	52	6.5	83	2	2	4	5	13	27	45
GRAND TOTAL	1458	4.5	16	2	2	4	5	7	9	21

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	2.9	2	1	1	3	3	6	6	9
20-34	254	3.4	9	1	1	3	4	6	7	13
35-49	50	3.4	5	1	2	3	4	6	8	14
50-64	11	3.7	2	2	2	4	5	6	6	6
65+	5	5.8	11	2	2	5	8	11	11	11
2. MULTIPLE DX										
0-19 YRS	230	5.6	76	1	1	3	5	9	19	63
20-34	326	6.0	59	1	2	4	7	11	17	44
35-45	73	6.1	24	1	2	5	8	13	16	23
50-64	31	6.2	21	2	2	4	8	14	15	19
65+	22	13.0	328	2	3	9	14	20	49	90
TOT. SINGLE DX	477	3.3	7	1	1	3	4	6	7	11
" MULTIPLE DX	682	6.1	69	1	2	4	7	12	17	44
TOTAL 0-19 YRS	387	4.5	48	1	1	3	5	7	10	38
20-34	580	4.9	39	1	1	3	5	8	12	32
35-49	123	5.0	18	1	2	4	6	12	14	22
50-64	42	5.5	17	2	2	4	6	13	14	19
65+	27	11.7	276	2	3	8	12	20	31	90
GRAND TOTAL	1159	4.9	46	1	1	3	5	9	13	34

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	96	3.9	10	2	2	3	4	6	11	19
20-34	323	3.3	4	1	1	3	4	6	8	11
35-49	113	3.8	7	1	1	3	4	6	10	14
50-64	30	3.5	4	1	1	3	4	7	8	10
65+	17	4.8	9	2	2	4	5	9	13	14
2. MULTIPLE DX										
0-19 YRS	183	7.4	46	2	2	5	9	14	24	54
20-34	390	7.6	82	2	2	5	9	16	22	54
35-49	165	8.9	79	2	3	6	10	18	22	49
50-64	103	8.0	29	2	3	7	11	16	20	24
65+	46	15.6	142	3	4	12	23	37	59	99+
TOT. SINGLE DX	579	3.5	6	1	1	3	4	6	8	13
" MULTIPLE DX	867	8.4	75	2	2	6	10	17	24	55
TOTAL 0-19 YRS	279	6.2	37	2	2	4	7	12	20	36
20-34	713	5.6	52	1	2	4	7	12	17	44
35-49	278	6.6	53	1	2	4	9	13	19	45
50-64	133	6.9	27	2	3	5	10	13	19	23
65+	63	12.7	144	3	3	9	15	33	54	99+
GRAND TOTAL	1466	6.5	53	1	2	4	8	13	19	46

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	26	4.8	13	1	1	4	6	11	13	15
20-34	19	4.6	14	1	1	3	5	9	19	22
35-49	26	3.5	6	1	1	3	5	6	7	11
50-64	18	3.0	2	1	1	3	4	6	6	6
65+	9	2.8	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	24	9.4	35	1	1	5	8	10	16	21
20-34	21	5.6	32	1	1	4	7	10	19	47
35-49	20	9.1	208	1	1	3	6	28	49	56
50-64	21	9.2	228	1	1	3	12	18	44	70
65+	18	10.1	117	1	1	5	15	28	35	38
TOT. SINGLE DX	98	3.9	12	1	1	3	5	6	11	21
" MULTIPLE DX	104	7.9	119	1	1	4	9	16	30	62
TOTAL 0-19 YRS	50	5.6	24	1	1	5	7	10	12	21
20-34	40	5.2	33	1	1	3	6	10	19	47
35-49	46	5.9	98	1	1	3	5	11	19	56
50-64	39	6.3	131	1	1	3	6	13	19	70
65+	27	7.6	90	1	1	3	9	21	31	38
GRAND TOTAL	202	6.0	71	1	2	3	6	12	19	49

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	415	6.2	44	1	2	4	7	12	19	39
20-34	311	4.7	36	1	1	3	5	8	12	44
35-49	260	5.1	29	1	1	4	6	10	13	28
50-64	260	7.0	48	1	1	5	9	13	17	37
65+	102	9.5	98	2	3	6	12	17	29	61
2. MULTIPLE DX										
0-19 YRS	329	9.8	133	2	2	6	10	21	30	64
20-34	370	7.4	114	1	1	4	7	15	27	79
35-49	266	8.4	158	1	1	4	7	19	33	85
50-64	355	9.1	107	1	1	6	11	20	37	61
65+	223	14.4	245	2	3	9	18	32	51	98
TOT. SINGLE DX	1348	6.1	46	1	2	4	7	12	16	40
" MULTIPLE DX	1453	9.6	150	1	2	6	10	22	32	80
TOTAL 0-19 YRS	754	7.8	88	1	2	5	8	16	25	47
20-34	681	5.8	74	1	1	4	6	10	17	61
35-49	526	6.8	96	1	1	4	7	13	24	61
50-64	615	8.2	83	1	1	6	10	18	32	56
65+	325	12.8	204	2	3	8	15	29	45	93
GRAND TOTAL	2801	7.9	103	1	2	5	8	16	26	61

704: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	251	3.5	3	1	1	3	4	5	6	8
20-34	454	3.5	3	1	1	3	4	5	6	9
35-49	519	3.8	3	1	1	3	4	6	7	9
50-64	496	4.0	3	1	1	3	4	6	8	10
65+	235	4.5	4	1	1	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	246	4.1	3	1	1	4	5	6	8	10
20-34	751	3.8	3	1	1	4	5	6	7	9
35-49	939	4.2	3	1	1	4	5	6	8	10
50-64	1601	4.9	3	1	1	4	6	8	10	13
65+	999	5.7	31	1	1	4	6	9	13	16
TOT. SINGLE DX	1955	3.9	3	1	1	4	5	6	7	10
" MULTIPLE DX	4536	4.7	14	1	1	4	5	7	9	13
TOTAL 0-19 YRS	497	3.8	3	1	1	4	5	6	7	9
20-34	1205	3.7	3	1	1	3	4	6	7	10
35-49	1458	4.1	3	1	1	4	5	6	8	11
50-64	2097	4.7	3	1	1	4	6	8	10	13
65+	1234	5.4	26	1	1	4	6	8	11	24
GRAND TOTAL	6491	4.4	11	2	2	4	5	7	8	16

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1195	4.2	25	1	1	3	4	7	10	29
20-34	1299	4.0	17	1	1	3	4	7	9	25
35-49	919	4.7	43	1	1	3	5	8	12	42
50-64	739	5.3	55	1	1	3	5	10	16	42
65+	356	8.4	112	1	2	5	10	20	34	70
2. MULTIPLE DX										
0-19 YRS	510	8.3	140	1	2	4	8	21	36	66
20-34	1002	9.1	199	1	2	4	8	26	44	86
35-49	890	8.3	147	1	2	4	8	21	36	75
50-64	1173	10.6	159	2	2	5	13	30	40	71
65+	1094	16.7	291	2	2	11	23	44	59	99+
TOT. SINGLE DX	4508	4.7	40	1	1	3	5	8	13	37
" MULTIPLE DX	4669	11.0	205	1	2	5	13	31	46	90
TOTAL 0-19 YRS	1705	5.4	64	1	2	3	5	10	20	47
20-34	2301	6.2	103	1	1	3	5	12	25	69
35-49	1809	6.5	98	1	2	3	6	13	25	61
50-64	1912	8.5	126	1	2	4	9	23	34	63
65+	1450	14.6	260	2	2	9	20	39	56	99+
GRAND TOTAL	9177	7.9	134	1	2	4	8	20	34	70

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	428	7.1	63	1	2	5	8	14	23	45
20-34	251	5.1	21	1	2	4	6	9	12	22
35-49	110	6.4	47	1	2	5	7	11	17	41
50-64	99	8.8	61	2	2	8	12	16	18	47
65+	199	16.0	122	3	5	14	20	30	33	71
2. MULTIPLE DX										
0-19 YRS	206	11.5	218	2	3	6	11	27	47	76
20-34	186	9.9	143	2	2	6	11	21	35	84
35-49	101	10.6	174	1	2	6	13	26	40	99+
50-64	166	14.1	158	2	3	11	17	32	43	99+
65+	585	22.8	299	5	7	19	29	56	85	99+
TOT. SINGLE DX	1087	8.4	77	2	2	5	10	17	27	48
" MULTIPLE DX	1244	16.9	266	2	3	12	23	42	63	99+
TOTAL 0-19 YRS	634	8.5	117	1	2	5	9	18	29	62
20-34	437	7.2	79	2	2	5	8	14	21	52
35-49	211	8.4	112	1	2	5	9	19	33	98
50-64	265	12.2	128	2	3	9	15	26	36	96
65+	784	20.1	263	5	7	17	27	47	71	99+
GRAND TOTAL	2331	12.9	195	2	2	8	17	30	47	99+

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	797	3.1	17	<1	1	2	3	5	7	23
20-34	1112	3.0	12	<1	1	2	3	5	6	19
35-49	512	3.0	9	<1	1	2	3	5	7	20
50-64	438	4.0	23	1	1	3	4	7	10	30
65+	399	6.1	43	1	2	4	7	15	18	30
2. MULTIPLE DX										
0-19 YRS	463	4.7	48	1	1	3	5	8	13	44
20-34	461	5.7	91	1	1	3	5	11	18	60
35-49	263	6.7	94	1	2	3	6	13	30	52
50-64	350	7.7	101	1	2	4	8	20	30	58
65+	622	14.3	255	2	2	8	19	35	56	99+
TOT. SINGLE DX	3258	3.6	20	<1	1	2	4	6	9	23
" MULTIPLE DX	2159	8.4	146	1	2	4	8	21	34	74
TOTAL 0-19 YRS	1260	3.7	30	<1	1	3	4	6	8	29
20-34	1573	3.8	37	<1	1	2	4	6	10	34
35-49	775	4.3	41	<1	1	3	4	8	12	39
50-64	788	5.6	61	1	1	3	5	12	21	50
65+	1021	11.1	189	2	2	6	14	26	41	84
GRAND TOTAL	5417	5.5	76	<1	1	3	5	12	20	52

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	21.6	224	3	4	20	32	42	44	58
20-34	25	22.4	230	7	8	16	32	45	54	64
35-49	11	10.7	42	4	5	8	17	21	22	22
50-64	49	12.2	55	5	6	10	14	18	32	40
65+	209	20.1	161	7	9	17	23	38	50	90
2. MULTIPLE DX										
0-19 YRS	66	25.9	302	4	7	21	35	54	58	68
20-34	62	24.7	439	5	8	18	37	70	84	99+
35-49	24	28.2	587	7	7	22	54	85	99+	99+
50-64	90	20.0	201	8	9	15	23	41	62	99+
65+	699	24.5	295	8	10	19	32	56	81	99+
TOT. SINGLE DX	362	19.2	170	5	7	16	23	39	45	69
" MULTIPLE DX	941	24.3	305	7	9	19	31	55	79	99+
TOTAL 0-19 YRS	134	23.7	266	3	4	21	33	48	56	68
20-34	87	24.0	377	5	8	18	35	60	79	99+
35-49	35	22.7	477	5	6	17	30	79	95	99+
50-64	139	17.3	163	6	8	13	20	38	51	99+
65+	908	23.5	268	8	10	18	29	52	69	99+
GRAND TOTAL	1303	22.9	273	6	9	18	29	51	68	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	142	12.5	89	4	5	11	16	24	27	67
20-34	94	13.9	93	3	5	11	18	25	30	56
35-49	91	14.0	66	6	7	12	16	30	35	76
50-64	316	14.9	96	6	7	13	17	23	32	59
65+	1432	20.0	131	8	10	17	23	35	46	86
2. MULTIPLE DX										
0-19 YRS	196	21.9	246	5	7	18	28	43	55	82
20-34	287	23.6	254	7	9	19	29	47	62	97
35-49	192	23.2	244	6	9	19	30	50	66	99+
50-64	617	23.9	282	8	9	19	29	49	77	99+
65+	5423	27.2	295	10	12	22	35	59	81	99+
TOT. SINGLE DX	2075	18.2	127	6	8	16	21	32	43	79
" MULTIPLE DX	6715	26.4	292	9	11	22	34	57	78	99+
TOTAL 0-19 YRS	338	18.0	202	4	5	14	22	35	48	81
20-34	381	21.2	232	5	8	17	26	42	56	91
35-49	283	20.2	205	6	8	16	27	43	54	99+
50-64	933	20.8	238	7	9	16	25	42	63	99+
65+	6855	25.7	269	9	11	21	33	54	74	99+
GRAND TOTAL	8790	24.5	265	8	10	20	31	51	71	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	198	13.2	187	1	2	8	18	32	49	59
20-34	15	16.7	503	1	2	10	20	39	76	88
35-49	12	8.1	51	2	3	5	14	38	88	99+
50-64	23	20.0	366	2	3	12	28	51	67	68
65+	48	20.6	221	5	6	15	29	41	62	99+
2. MULTIPLE DX										
0-19 YRS	148	22.1	354	2	3	17	31	51	62	82
20-34	50	35.7	622	4	8	32	61	77	91	99+
35-49	27	27.6	511	3	5	19	49	67	86	99+
50-64	54	26.6	514	5	6	19	41	77	78	99
65+	157	30.5	531	6	8	25	44	81	99+	99+
TOT. SINGLE DX	296	14.9	225	2	2	11	20	38	50	78
" MULTIPLE DX	436	27.6	495	3	5	22	42	71	87	99+
TOTAL 0-19 YRS	346	17.0	278	2	2	12	24	45	52	80
20-34	65	31.3	651	2	3	22	51	76	89	99+
35-49	39	21.6	448	2	3	18	37	65	91	99+
50-64	77	24.6	474	2	5	17	33	64	77	97
65+	205	28.2	475	6	7	23	41	79	98	99+
GRAND TOTAL	732	22.4	424	2	3	16	33	58	78	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	275	4.8	42	1	1	2	5	12	18	29
20-34	251	3.8	16	<1	1	2	4	9	12	18
35-49	179	4.3	30	<1	1	2	4	10	14	30
50-64	214	4.3	26	1	1	3	5	9	13	23
65+	172	5.9	82	1	1	3	6	12	18	62
2. MULTIPLE DX										
0-19 YRS	92	10.9	218	1	1	7	12	22	37	90
20-34	161	11.3	224	1	2	6	12	26	50	72
35-49	97	9.9	171	1	2	5	12	22	34	71
50-64	151	12.5	268	1	2	6	15	36	50	89
65+	207	14.3	231	2	2	9	19	35	51	75
TOT. SINGLE DX	1091	4.5	38	1	1	3	5	10	14	30
" MULTIPLE DX	708	12.2	229	1	2	6	14	30	49	84
TOTAL 0-19 YRS	367	6.3	93	1	1	3	7	15	21	48
20-34	412	6.7	111	1	1	3	7	14	22	62
35-49	276	6.3	87	1	1	3	7	14	26	50
50-64	365	7.7	143	1	1	3	8	18	31	76
65+	379	10.5	181	1	2	5	12	28	41	69
GRAND TOTAL	1799	7.6	127	1	1	3	8	18	29	63

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1290	3.9	14	1	1	3	5	7	9	18
20-34	1679	4.7	16	1	2	4	6	9	11	19
35-49	858	5.5	17	1	2	5	7	11	13	18
50-64	874	6.8	28	2	2	5	8	12	16	27
65+	530	9.1	60	2	3	7	11	17	23	41
2. MULTIPLE DX										
0-19 YRS	593	8.7	127	1	2	5	9	19	35	77
20-34	1108	10.0	135	2	2	6	11	22	35	83
35-49	723	10.4	132	2	2	7	12	23	33	77
50-64	904	11.9	159	2	3	8	14	24	36	69
65+	1109	16.4	222	3	4	12	21	36	51	98
TOT. SINGLE DX	5231	5.4	25	1	2	4	7	10	14	25
" MULTIPLE DX	4437	11.9	168	2	3	8	14	27	40	82
TOTAL 0-19 YRS	1883	5.4	55	1	1	3	6	10	16	44
20-34	2787	6.8	70	1	2	4	8	13	20	51
35-49	1581	7.7	76	1	2	5	9	15	23	55
50-64	1778	9.4	101	2	3	6	11	18	26	59
65+	1639	14.1	182	3	4	10	17	30	42	83
GRAND TOTAL	9668	8.4	101	1	2	5	10	18	27	62

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2919	2.5	10	1	1	2	3	5	7	18
20-34	884	4.0	17	<1	1	3	5	8	11	19
35-49	602	4.5	19	1	1	3	6	8	11	23
50-64	689	4.5	27	1	1	3	5	10	12	23
65+	668	5.1	30	1	1	3	6	12	17	26
2. MULTIPLE DX										
0-19 YRS	873	6.3	96	1	1	3	7	13	21	66
20-34	709	9.2	158	1	1	5	10	21	39	69
35-49	470	9.3	126	1	1	6	11	22	36	67
50-64	720	9.7	130	1	2	6	11	21	32	82
65+	1534	13.1	205	2	2	8	17	32	48	99+
TOT. SINGLE DX	5762	3.5	18	1	1	2	4	7	11	21
" MULTIPLE DX	4306	10.1	161	1	1	6	12	24	38	87
TOTAL 0-19 YRS	3792	3.4	33	1	1	2	3	7	11	27
20-34	1593	6.3	87	1	1	4	7	12	20	57
35-49	1072	6.6	72	1	1	4	8	14	22	54
50-64	1409	7.1	87	1	1	4	8	16	24	63
65+	2202	10.7	166	1	2	6	14	25	38	94
GRAND TOTAL	**10068**	**6.3**	**90**	**1**	**1**	**3**	**7**	**14**	**23**	**60**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	3.7	20	<1	1	2	4	10	15	21
20-34	190	2.6	7	<1	<1	2	3	6	7	15
35-49	105	2.9	10	<1	<1	1	4	7	9	17
50-64	88	4.0	34	<1	1	2	4	9	11	38
65+	134	6.8	76	<1	1	3	9	19	26	41
2. MULTIPLE DX										
0-19 YRS	110	10.5	242	1	1	5	14	23	26	91
20-34	154	9.4	121	1	1	5	12	24	36	48
35-49	71	10.5	257	1	1	5	11	23	39	91
50-64	111	11.3	281	1	1	5	12	29	41	93
65+	252	11.8	202	1	1	7	15	34	45	93
TOT. SINGLE DX	707	3.9	30	<1	1	2	4	9	15	28
" MULTIPLE DX	698	10.9	209	1	1	6	13	27	39	91
TOTAL 0-19 YRS	300	6.2	112	<1	1	3	7	17	21	58
20-34	344	5.7	70	<1	1	2	6	15	23	42
35-49	176	6.0	123	<1	1	3	6	13	21	71
50-64	199	8.1	185	1	1	3	8	23	32	84
65+	386	10.1	164	1	1	5	12	28	39	67
GRAND TOTAL	**1405**	**7.4**	**131**	**<1**	**1**	**3**	**8**	**20**	**29**	**58**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	4.1	20	<1	1	3	5	7	13	27
20-34	211	3.3	4	1	1	3	4	5	7	12
35-49	96	4.3	7	1	2	4	6	7	8	16
50-64	50	5.0	17	1	1	4	7	11	15	17
65+	36	12.6	126	2	2	9	18	27	40	47
2. MULTIPLE DX										
0-19 YRS	49	9.4	94	1	2	5	11	24	31	42
20-34	88	10.0	190	2	2	5	10	23	45	75
35-49	51	9.4	278	1	1	5	8	17	39	96
50-64	52	12.1	253	2	3	6	12	32	69	99
65+	68	17.0	276	3	4	13	20	43	52	86
TOT. SINGLE DX	528	4.5	24	1	1	3	5	8	14	27
" MULTIPLE DX	308	11.7	225	2	2	6	13	30	44	85
TOTAL 0-19 YRS	184	5.5	45	<1	1	3	6	13	22	34
20-34	299	5.3	68	1	2	3	5	9	14	46
35-49	147	6.1	106	1	1	4	6	9	14	70
50-64	102	8.7	149	1	2	5	9	19	33	89
65+	104	15.5	227	2	3	12	19	34	51	74
GRAND TOTAL	**836**	**7.2**	**110**	**1**	**1**	**4**	**7**	**16**	**26**	**59**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	659	3.9	24	1	1	3	4	6	13	27
20-34	603	3.4	8	1	1	3	4	6	8	18
35-49	295	4.1	29	1	1	3	4	7	12	23
50-64	164	6.4	82	1	2	3	6	15	24	43
65+	107	14.9	354	1	1	7	18	49	61	91
2. MULTIPLE DX										
0-19 YRS	337	5.9	63	1	2	3	5	14	24	41
20-34	412	5.2	51	1	1	3	5	11	19	51
35-49	272	6.5	102	1	2	4	6	14	23	81
50-64	270	12.1	265	2	2	5	14	34	50	90
65+	254	20.5	350	2	3	16	32	52	88	99+
TOT. SINGLE DX	1828	4.7	52	1	1	3	4	8	16	41
" MULTIPLE DX	1545	9.3	180	1	2	4	10	27	44	99+
TOTAL 0-19 YRS	996	4.6	39	1	1	3	4	8	20	33
20-34	1015	4.1	27	1	1	3	4	7	12	29
35-49	567	5.3	66	1	1	3	5	11	18	62
50-64	434	9.9	204	2	2	4	10	27	44	85
65+	361	18.8	357	1	2	13	30	52	80	99+
GRAND TOTAL	**3373**	**6.8**	**116**	**1**	**1**	**3**	**6**	**17**	**29**	**75**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	8.1	36	3	3	6	9	20	21	30
20-34	1634	8.8	32	3	3	7	10	16	20	30
35-49	2497	9.4	39	3	4	8	11	17	22	33
50-64	1166	10.2	37	4	4	9	13	18	22	32
65+	248	13.8	65	5	6	11	17	25	32	40
2. MULTIPLE DX										
0-19 YRS	20	13.2	80	4	5	11	16	25	34	40
20-34	506	12.7	113	4	5	10	14	23	32	63
35-49	1147	12.7	81	4	5	10	15	23	31	51
50-64	1138	14.8	131	5	6	11	18	28	38	68
65+	644	19.6	190	6	7	15	25	38	47	86
TOT. SINGLE DX	5620	9.6	39	3	4	8	11	17	22	33
" MULTIPLE DX	3455	14.7	129	4	6	11	18	28	38	64
TOTAL 0-19 YRS	95	9.2	50	3	3	6	11	20	23	37
20-34	2140	9.7	54	3	4	8	11	17	22	40
35-49	3644	10.5	55	3	4	8	12	20	25	40
50-64	2304	12.5	89	4	5	10	15	23	29	57
65+	892	18.0	162	6	7	14	23	35	44	83
GRAND TOTAL	9075	11.5	80	3	4	9	14	22	28	49

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	758	2.7	2	1	1	2	3	5	5	8
20-34	1897	2.8	3	<1	1	2	4	5	6	9
35-49	1103	3.0	3	1	1	2	4	6	7	10
50-64	601	3.2	5	1	1	3	4	6	8	11
65+	118	3.1	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	462	2.9	4	1	1	2	4	5	7	12
20-34	1197	3.3	8	1	1	2	4	6	8	16
35-49	968	3.5	14	1	1	2	4	7	9	15
50-64	1038	3.6	11	1	1	3	4	7	10	18
65+	449	4.9	31	1	2	3	5	10	14	23
TOT. SINGLE DX	4477	2.9	3	1	1	2	4	5	6	9
" MULTIPLE DX	4114	3.6	13	1	1	3	4	7	9	17
TOTAL 0-19 YRS	1220	2.8	3	1	1	2	4	5	6	9
20-34	3094	3.0	5	1	1	2	4	5	7	11
35-49	2071	3.2	9	1	1	2	4	6	8	13
50-64	1639	3.5	9	1	1	3	4	6	9	16
65+	567	4.5	26	1	2	3	5	9	13	23
GRAND TOTAL	8591	3.2	8	1	1	2	4	6	8	14

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1307	2.4	7	<1	1	2	3	4	5	12
20-34	2047	2.4	4	<1	1	2	3	4	5	10
35-49	1102	2.8	10	<1	1	2	3	5	6	12
50-64	640	3.0	12	<1	1	2	3	5	7	12
65+	218	4.2	23	<1	1	3	4	9	12	21
2. MULTIPLE DX										
0-19 YRS	584	3.3	13	1	1	2	3	6	9	23
20-34	1204	3.5	33	<1	1	2	3	6	10	34
35-49	853	4.1	40	1	1	2	4	8	12	29
50-64	962	6.1	98	1	2	3	5	12	25	61
65+	497	9.6	181	2	2	4	11	28	45	99+
TOT. SINGLE DX	5314	2.6	8	<1	1	2	3	5	6	12
" MULTIPLE DX	4100	4.9	69	1	1	3	4	10	18	54
TOTAL 0-19 YRS	1891	2.7	9	<1	1	2	3	5	6	16
20-34	3251	2.8	16	<1	1	2	3	5	6	16
35-49	1955	3.4	24	1	1	2	3	6	9	26
50-64	1602	4.8	66	1	1	3	4	9	15	52
65+	715	8.0	139	1	2	4	8	21	32	99
GRAND TOTAL	9414	3.6	36	<1	1	2	3	6	10	32

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	11.6	38	6	7	10	12	18	21	44
20-34	140	13.2	61	6	7	11	15	23	30	62
35-49	129	12.6	73	5	6	10	14	23	28	43
50-64	59	11.0	23	4	6	10	14	17	21	26
65+	14	15.1	73	6	7	12	15	28	44	49
2. MULTIPLE DX										
0-19 YRS	182	17.6	204	6	7	12	22	34	56	94
20-34	123	17.6	215	6	7	13	21	37	59	99+
35-49	145	16.7	184	6	7	13	20	35	65	99+
50-64	107	17.1	206	5	6	13	22	39	50	99+
65+	51	27.5	380	8	9	24	36	71	99	99+
TOT. SINGLE DX	576	12.2	53	6	7	10	14	19	27	48
" MULTIPLE DX	608	18.1	224	6	7	13	23	39	63	99+
TOTAL 0-19 YRS	416	14.2	119	6	7	11	15	26	35	77
20-34	263	15.3	138	6	7	12	17	28	40	98
35-49	274	14.8	136	5	6	11	17	29	40	99+
50-64	166	14.9	150	5	6	11	17	31	44	97
65+	65	24.8	349	7	8	21	35	65	98	99+
GRAND TOTAL	1184	15.3	149	6	7	11	17	30	43	99+

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	4.5	5	1	2	4	6	8	9	10
20-34	220	4.3	17	1	1	3	5	8	9	23
35-49	188	4.6	20	1	2	4	6	9	10	17
50-64	218	4.4	10	1	2	4	6	8	12	15
65+	125	4.8	33	1	1	3	5	9	13	34
2. MULTIPLE DX										
0-19 YRS	114	7.5	75	2	2	5	8	14	19	56
20-34	197	6.1	40	1	2	4	7	10	17	34
35-49	171	8.1	143	2	2	5	8	13	22	85
50-64	265	6.9	87	2	2	5	7	12	21	63
65+	179	8.7	98	2	2	5	9	19	30	53
TOT. SINGLE DX	846	4.5	17	1	2	4	6	8	10	17
" MULTIPLE DX	926	7.3	89	2	2	5	8	14	21	57
TOTAL 0-19 YRS	209	6.1	46	2	2	4	7	10	15	44
20-34	417	5.2	29	1	2	4	6	9	14	29
35-49	359	6.3	82	1	2	4	7	10	15	52
50-64	483	5.8	54	1	2	4	6	10	14	33
65+	304	7.1	75	1	2	4	8	15	22	51
GRAND TOTAL	**1772**	**6.0**	**57**	**1**	**2**	**4**	**7**	**10**	**16**	**42**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	14.6	19	9	9	13	18	20	24	26
35-49	85	14.2	40	7	8	13	16	23	27	40
50-64	442	15.5	53	8	9	14	18	24	31	45
65+	864	17.1	48	10	11	16	20	25	30	43
2. MULTIPLE DX										
0-19 YRS	4	25.0	362	8	8	20	37	52	52	52
20-34	62	16.9	83	8	9	15	20	33	37	44
35-49	135	20.0	128	8	10	18	23	33	42	89
50-64	833	19.5	128	9	10	16	23	32	46	78
65+	2203	22.2	167	10	11	18	26	38	52	98
TOT. SINGLE DX	1429	16.4	50	9	10	15	19	24	30	44
" MULTIPLE DX	3237	21.3	156	10	11	18	24	37	49	93
TOTAL 0-19 YRS	4	25.0	362	8	8	20	37	52	52	52
20-34	100	16.0	60	8	9	14	19	26	34	43
35-49	220	17.7	102	7	9	15	21	30	33	68
50-64	1275	18.1	106	9	10	16	21	29	40	68
65+	3067	20.7	140	10	11	17	24	34	46	88
GRAND TOTAL	**4666**	**19.8**	**129**	**9**	**10**	**17**	**23**	**33**	**44**	**78**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	14.1	102	4	4	11	16	33	34	34
20-34	12	18.0	97	7	9	15	20	37	38	38
35-49	25	14.5	32	7	8	14	16	23	26	28
50-64	135	14.9	43	8	9	14	17	22	27	63
65+	764	19.6	100	9	11	17	23	31	39	81
2. MULTIPLE DX										
0-19 YRS	10	10.4	72	2	4	7	15	24	30	30
20-34	14	21.4	144	1	6	19	29	41	43	44
35-49	33	22.5	194	8	9	17	31	44	48	68
50-64	313	21.5	181	9	10	18	26	38	47	98
65+	2885	25.7	244	10	12	21	32	52	73	99+
TOT. SINGLE DX	947	18.7	94	9	10	16	22	30	37	69
" MULTIPLE DX	3255	25.2	239	10	12	21	31	50	71	99+
TOTAL 0-19 YRS	21	12.3	87	3	4	9	15	31	33	34
20-34	26	19.8	121	5	8	18	21	38	42	44
35-49	58	19.0	139	7	8	16	23	35	45	66
50-64	448	19.5	149	8	9	16	23	33	44	97
65+	3649	24.4	220	10	12	20	29	48	67	99+
GRAND TOTAL	**4202**	**23.7**	**214**	**10**	**11**	**20**	**29**	**46**	**65**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	4.7	4	2	2	4	6	7	8	12
20-34	524	5.0	8	2	2	5	6	8	9	16
35-49	171	6.5	41	1	2	5	8	13	16	35
50-64	299	13.6	68	2	3	13	17	22	27	43
65+	535	17.0	56	6	9	16	20	27	32	40
2. MULTIPLE DX										
0-19 YRS	329	5.6	21	2	2	5	6	8	12	28
20-34	530	6.4	39	2	2	5	7	10	16	33
35-49	216	8.3	75	1	2	6	10	18	27	61
50-64	452	16.1	114	2	3	15	20	29	34	54
65+	1252	20.7	118	9	11	18	24	34	44	75
TOT. SINGLE DX	1929	9.7	62	2	3	7	15	20	24	37
" MULTIPLE DX	2779	14.4	130	2	3	13	20	28	35	66
TOTAL 0-19 YRS	729	5.1	12	2	2	5	6	8	9	20
20-34	1054	5.7	24	2	2	5	6	9	13	28
35-49	387	7.5	61	1	2	5	8	15	24	49
50-64	751	15.1	98	2	3	14	19	26	33	50
65+	1787	19.5	103	8	10	17	24	31	40	69
GRAND TOTAL	**4708**	**12.5**	**108**	**2**	**3**	**10**	**17**	**25**	**32**	**53**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	528	3.5	3	1	2	3	4	5	6	10
20-34	1076	3.6	3	1	2	3	4	5	6	9
35-49	447	3.5	3	1	2	3	4	6	7	10
50-64	428	4.6	16	1	2	4	5	8	10	22
65+	199	5.9	24	1	2	5	7	10	16	30
2. MULTIPLE DX										
0-19 YRS	132	4.8	22	2	2	4	5	8	13	34
20-34	366	4.2	11	1	2	3	5	7	9	17
35-49	334	4.6	14	1	2	4	5	8	11	20
50-64	542	5.3	27	2	2	4	6	9	12	32
65+	370	9.1	94	2	3	6	11	19	25	45
TOT. SINGLE DX	2678	3.9	7	1	2	3	5	6	8	15
" MULTIPLE DX	1744	5.7	39	2	2	4	6	11	16	34
TOTAL 0-19 YRS	660	3.8	7	1	2	3	4	6	7	14
20-34	1442	3.7	6	1	2	3	4	6	7	14
35-49	781	4.0	8	1	2	4	5	6	8	15
50-64	970	5.0	23	2	2	4	6	8	11	29
65+	569	8.0	72	2	3	5	9	18	21	42
GRAND TOTAL	4422	4.6	21	1	2	4	5	7	11	24

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	307	3.6	20	<1	<1	2	4	7	11	28
20-34	361	3.3	11	<1	<1	2	4	7	9	15
35-49	278	3.1	10	<1	<1	2	4	6	8	14
50-64	341	2.5	11	<1	<1	2	2	4	7	15
65+	108	3.4	28	<1	<1	2	3	7	12	34
2. MULTIPLE DX										
0-19 YRS	267	8.3	63	2	2	5	10	18	25	39
20-34	197	8.4	108	1	2	5	9	20	30	62
35-49	221	8.1	147	1	1	4	9	20	44	99+
50-64	283	7.2	118	1	1	4	7	16	26	74
65+	181	11.8	169	1	2	7	19	36	45	99+
TOT. SINGLE DX	1395	3.1	15	<1	<1	2	4	6	8	21
" MULTIPLE DX	1149	8.5	119	1	2	5	10	22	34	99
TOTAL 0-19 YRS	574	5.8	46	<1	1	4	6	13	20	38
20-34	558	5.1	51	<1	1	3	6	10	16	43
35-49	499	5.3	77	<1	1	3	5	11	19	62
50-64	624	4.6	65	<1	<1	2	4	10	16	47
65+	259	8.7	133	<1	1	3	11	28	40	99+
GRAND TOTAL	2544	5.6	69	<1	1	3	6	13	22	50

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	581	1.9	1	<1	<1	2	2	3	4	7
20-34	949	2.0	4	<1	<1	2	2	3	4	10
35-49	629	2.2	3	<1	<1	2	2	4	5	10
50-64	502	2.7	6	<1	<1	2	3	5	7	14
65+	188	4.0	35	<1	<1	2	4	7	12	34
2. MULTIPLE DX										
0-19 YRS	104	3.6	40	<1	<1	2	3	6	11	39
20-34	231	5.5	61	1	1	3	5	13	23	40
35-49	299	6.3	74	<1	1	3	7	16	26	63
50-64	429	7.8	107	<1	1	4	9	21	29	53
65+	350	13.4	245	1	2	7	17	35	47	91
TOT. SINGLE DX	2849	2.3	7	<1	<1	2	2	4	5	12
" MULTIPLE DX	1413	8.2	132	<1	1	4	9	22	33	66
TOTAL 0-19 YRS	685	2.1	8	<1	<1	2	2	3	5	11
20-34	1180	2.7	18	<1	<1	2	3	4	7	24
35-49	928	3.5	30	<1	<1	2	3	7	13	30
50-64	931	5.1	59	<1	<1	2	5	12	20	42
65+	538	10.1	192	<1	1	4	13	28	41	74
GRAND TOTAL	4262	4.2	56	<1	<1	2	3	9	17	42

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.2	1	<1	1	2	2	4	6	7
20-34	67	2.7	5	<1	<1	2	3	6	7	15
35-49	134	2.1	1	<1	1	2	2	3	4	7
50-64	340	2.3	1	<1	1	2	2	3	4	7
65+	251	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	16	5.6	36	1	2	4	6	11	21	26
20-34	32	4.6	21	1	1	3	5	13	17	18
35-49	40	3.8	21	1	1	2	3	9	15	23
50-64	215	3.5	9	1	1	2	4	6	10	18
65+	210	4.8	56	1	2	3	4	11	17	78
TOT. SINGLE DX	824	2.2	2	<1	1	2	3	3	4	8
" MULTIPLE DX	533	4.2	31	1	2	3	4	9	15	41
TOTAL 0-19 YRS	48	3.3	16	<1	1	2	4	7	9	26
20-34	99	3.3	12	<1	<1	2	3	7	10	18
35-49	174	2.6	8	<1	1	2	3	4	6	20
50-64	555	2.9	9	1	1	2	3	4	6	15
65+	461	3.4	28	1	1	2	3	5	10	44
GRAND TOTAL	1357	3.0	14	<1	1	2	3	4	7	18

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	404	2.2	1	<1		1	2	3	4	5
20-34	564	2.2	1	<1		1	2	3	4	5
35-49	737	2.2	1	<1		1	2	3	4	5
50-64	151	2.2	1	<1		1	2	3	4	5
65+	47	2.2	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	347	2.5	2	1	1	1	2	4	5	10
20-34	485	2.8	7	1	1	1	2	5	7	16
35-49	166	2.8	6	1	1	1	2	5	7	25
50-64	141	3.3	61	<1	1	1	2	5	6	34
65+	68	4.4	35	1	1	2	4	11	17	32
TOT. SINGLE DX	1403	2.1	3	<1	1	1	2	3	4	9
" MULTIPLE DX	1227	2.9	14	1	1	1	2	5	7	19
TOTAL 0-19 YRS	751	2.3	2	1	1	1	2	4	5	8
20-34	1049	2.5	5	1	1	1	2	4	5	11
35-49	423	2.4	3	1	1	1	2	4	5	16
50-64	292	2.7	32	1	1	1	2	4	5	9
65+	115	3.5	23	1	1	2	3	5	13	29
GRAND TOTAL	2630	2.5	9	<1	1	2	3	4	5	12

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	190	2.6	3	1	1	2	3	5	7	10
20-34	365	3.1	4	1	1	2	4	5	7	10
35-49	350	3.4	5	1	1	2	4	6	7	11
50-64	321	4.1	12	1	1	2	5	8	11	22
65+	130	5.4	46	1	1	3	6	10	14	47
2. MULTIPLE DX										
0-19 YRS	129	5.6	44	1	1	3	7	14	20	32
20-34	271	4.8	30	1	1	2	5	9	13	32
35-49	261	6.2	66	1	1	4	8	11	17	43
50-64	317	6.4	39	1	1	4	8	12	16	38
65+	218	8.3	80	1	1	6	9	16	25	50
TOT. SINGLE DX	1360	3.5	11	<1	1	2	4	6	9	15
" MULTIPLE DX	1193	6.3	53	1	1	4	7	13	18	42
TOTAL 0-19 YRS	319	3.8	22	1	1	2	4	8	12	27
20-34	640	3.8	15	<1	1	2	5	7	10	19
35-49	611	4.6	34	1	1	2	5	7	11	35
50-64	638	5.2	27	1	1	3	6	10	14	27
65+	348	7.2	70	1	1	5	8	15	23	47
GRAND TOTAL	2553	4.8	32	1	1	3	5	9	14	31

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	421	2.5	4	1	1	1	2	3	4	6
20-34	402	2.7	3	1	1	1	2	3	4	6
35-49	196	2.7	3	1	1	1	2	3	5	9
50-64	158	2.7	3	1	1	1	2	3	5	9
65+	63	2.9	10	1	1	1	2	5	6	19
2. MULTIPLE DX										
0-19 YRS	418	5.3	52	1	1	2	4	8	13	45
20-34	219	6.1	46	1	1	2	4	8	13	42
35-49	114	7.6	103	1	1	2	4	8	18	77
50-64	102	9.1	109	1	1	2	4	8	19	61
65+	60	12.0	150	1	1	2	5	8	19	46
TOT. SINGLE DX	1306	4.0	15	1	1	1	2	3	5	7
" MULTIPLE DX	961	6.9	79	1	1	2	4	8	13	32
TOTAL 0-19 YRS	839	4.4	31	1	1	1	2	3	5	7
20-34	621	4.5	23	1	1	1	2	3	5	7
35-49	310	5.4	67	1	1	1	2	4	6	9
50-64	260	6.7	88	1	1	2	4	6	9	19
65+	123	9.9	107	1	1	2	5	7	12	32
GRAND TOTAL	2267	5.2	44	1	1	2	4	6	9	14

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	82	2.2	4	<1	1	1	2	3	4	8
20-34	120	2.8	11	<1	1	1	2	4	6	15
35-49	75	3.5	34	1	1	1	2	4	8	40
50-64	55	3.0	10	<1	1	1	2	4	6	19
65+	34	5.5	204	1	1	1	2	4	9	61
2. MULTIPLE DX										
0-19 YRS	36	5.3	56	1	1	1	2	6	11	42
20-34	79	6.1	64	1	1	1	2	6	13	36
35-49	54	8.3	99	1	1	1	2	6	18	59
50-64	61	9.1	209	1	1	1	2	6	18	79
65+	77	10.1	210	1	1	2	3	6	26	76
TOT. SINGLE DX	356	3.1	33	<1	1	1	2	3	6	9
" MULTIPLE DX	323	7.8	142	1	1	1	2	6	15	30
TOTAL 0-19 YRS	100	3.4	29	<1	1	1	2	4	7	10
20-34	193	4.0	34	1	1	1	2	4	7	14
35-49	130	4.7	62	1	1	1	2	4	8	17
50-64	147	5.6	129	1	1	1	2	5	9	19
65+	111	8.7	211	1	1	1	2	5	9	26
GRAND TOTAL	681	5.3	90	1	1	1	2	5	12	19

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	12	6.5	245	<1	<1	2	3	21	51	56
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	3	7.3	12	4	4	7	10	11	11	11
20-34	7	21.6	564	2	2	17	52	90	99+	99+
35-49	3	7.3	16	3	3	8	10	11	11	11
50-64	4	21.0	451	1	1	19	39	44	44	44
65+	25	24.1	263	6	8	23	33	56	66	99+
TOT. SINGLE DX	24	4.5	123	<1	<1	2	3	6	22	56
" MULTIPLE DX	42	21.0	304	2	3	17	33	57	77	99+
TOTAL 0-19 YRS	5	4.8	18	<1	<1	4	8	11	11	11
20-34	19	12.1	394	<1	<1	3	17	61	83	99+
35-49	5	5.6	14	2	2	4	9	11	11	11
50-64	8	11.3	302	<1	<1	2	19	41	44	44
65+	29	21.3	276	2	4	19	28	55	57	99+
GRAND TOTAL	**66**	**15.0**	**299**	**<1**	**1**	**8**	**26**	**53**	**58**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.9	10	1	1	3	5	8	11	15
20-34	17	8.9	122	1	1	4	9	27	36	40
35-49	22	9.8	156	1	1	5	10	33	42	46
50-64	30	12.4	151	1	2	7	20	32	38	47
65+	50	14.5	241	2	2	9	16	39	41	78
2. MULTIPLE DX										
0-19 YRS	25	9.0	210	1	2	4	7	27	48	62
20-34	62	19.5	276	2	3	14	29	44	51	68
35-49	142	21.1	285	3	4	17	31	48	66	99+
50-64	520	21.9	290	4	6	18	29	44	55	92
65+	787	25.8	379	4	6	21	36	59	80	99+
TOT. SINGLE DX	146	10.7	165	1	2	5	14	30	40	51
" MULTIPLE DX	1536	23.5	341	3	5	19	32	51	72	99+
TOTAL 0-19 YRS	52	6.3	111	1	1	3	6	10	26	62
20-34	79	17.2	261	2	2	11	27	42	49	66
35-49	164	19.6	282	2	4	15	30	46	61	99+
50-64	550	21.4	287	3	5	18	28	43	54	90
65+	837	25.2	378	3	6	20	35	58	80	99+
GRAND TOTAL	**1682**	**22.4**	**339**	**3**	**4**	**18**	**31**	**49**	**70**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	14.7	134	4	4	13	23	27	27	27
35-49	3	29.7	85	19	19	35	35	35	35	35
50-64	9	20.8	73	9	10	19	26	34	35	35
65+	27	18.1	157	3	4	19	25	51	99+	99+
2. MULTIPLE DX										
0-19 YRS	5	28.4	261	5	5	27	40	48	48	48
20-34	20	38.7	531	7	8	40	64	83	99+	99+
35-49	55	38.2	572	9	11	36	64	91	99+	99+
50-64	315	36.8	453	11	14	33	56	82	99+	99+
65+	902	36.7	486	10	13	33	57	82	99+	99+
TOT. SINGLE DX	42	19.3	136	3	5	19	28	36	68	99+
" MULTIPLE DX	1297	36.8	481	10	13	34	57	82	99+	99+
TOTAL 0-19 YRS	5	28.4	261	5	5	27	40	48	48	48
20-34	23	35.5	539	5	7	37	59	75	99+	99+
35-49	58	37.8	549	9	12	35	64	88	99+	99+
50-64	324	36.4	449	11	14	33	56	82	99+	99+
65+	929	36.2	487	9	13	32	55	81	99+	99+
GRAND TOTAL	**1339**	**36.3**	**480**	**9**	**13**	**33**	**56**	**82**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.3	41	5	5	12	17	19	19	19
20-34	2	20.5	61	15	15	20	26	26	26	26
35-49	5	20.0	362	6	6	9	33	50	50	50
50-64	7	23.1	144	6	8	22	27	41	45	45
65+	19	17.1	73	3	5	19	23	32	66	99+
2. MULTIPLE DX										
0-19 YRS	5	16.4	241	4	4	14	42	94	99+	99+
20-34	9	34.8	331	14	15	41	64	99+	99+	99+
35-49	25	39.8	774	7	9	39	68	91	94	99+
50-64	180	34.1	469	10	12	31	54	82	99+	99+
65+	950	28.4	410	8	9	25	44	85	99+	99+
TOT. SINGLE DX	37	18.3	116	4	6	18	25	33	48	99+
" MULTIPLE DX	1169	29.5	432	8	9	26	46	86	99+	99+
TOTAL 0-19 YRS	9	14.6	141	4	4	13	20	71	99+	99+
20-34	11	32.2	305	14	15	38	51	99+	99+	99+
35-49	30	36.5	747	6	7	28	52	89	92	99+
50-64	187	33.7	461	10	12	30	53	81	99+	99+
65+	969	28.1	406	8	9	24	44	84	99+	99+
GRAND TOTAL	**1206**	**29.1**	**426**	**8**	**9**	**25**	**45**	**84**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.8	13	5	5	10	12	13	13	13
20-34	4	16.3	161	4	4	15	27	30	30	30
35-49	4	6.8	30	2	2	7	11	12	12	12
50-64	4	16.8	121	<1	<1	20	24	26	26	26
65+	8	24.1	371	3	5	15	38	53	60	60
2. MULTIPLE DX										
0-19 YRS	5	7.4	2	6	6	7	8	10	10	10
20-34	11	38.7	852	10	11	34	81	89	98	99+
35-49	51	31.6	447	6	9	31	49	78	98	99+
50-64	160	30.8	436	9	11	26	42	71	97	99+
65+	284	31.1	378	9	11	27	44	71	99	99+
TOT. SINGLE DX	24	16.3	200	1	2	12	23	38	45	60
" MULTIPLE DX	511	31.0	414	8	11	27	44	73	99	99+
TOTAL 0-19 YRS	9	8.4	8	5	5	7	10	13	13	13
20-34	15	32.7	749	5	7	27	57	84	95	99+
35-49	55	29.8	459	4	7	27	42	75	96	99+
50-64	164	30.5	433	8	11	25	41	71	96	99+
65+	292	30.9	379	9	11	27	44	70	99	99+
GRAND TOTAL	535	30.3	413	7	10	27	43	71	97	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.5	64	<1	1	2	4	6	16	42
20-34	17	4.2	12	<1	1	3	6	10	11	12
35-49	9	4.1	6	1	1	3	7	8	8	8
50-64	8	6.1	13	3	3	5	7	12	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7	8.4	110	2	2	5	6	27	32	32
20-34	8	6.9	38	2	2	4	10	17	20	20
35-49	8	7.8	16	3	3	9	13	65	99+	99+
50-64	4	4.3	15	2	2	3	6	10	10	10
65+	3	11.7	226	2	2	4	23	29	29	29
TOT. SINGLE DX	60	4.6	32	<1	1	3	5	8	11	39
" MULTIPLE DX	30	7.6	57	2	2	5	10	24	32	99+
TOTAL 0-19 YRS	32	5.4	74	<1	1	3	5	7	29	42
20-34	25	5.1	21	<1	1	3	8	10	14	20
35-49	17	5.8	14	1	2	5	9	13	65	99+
50-64	12	5.5	13	2	2	4	7	11	14	14
65+	4	9.3	174	2	2	3	16	29	29	29
GRAND TOTAL	90	5.6	42	1	1	3	7	11	20	76

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.2	1	<1	<1	2	3	4	4	4
20-34	38	3.2	7	<1	1	2	4	6	10	11
35-49	21	4.3	11	<1	1	3	6	10	11	11
50-64	25	5.6	60	<1	<1	3	4	14	26	34
65+	33	9.5	47	1	2	9	14	20	23	27
2. MULTIPLE DX										
0-19 YRS	10	11.7	380	1	1	3	5	48	52	52
20-34	26	8.9	315	<1	1	3	7	14	60	79
35-49	34	10.3	194	1	2	5	9	33	49	53
50-64	71	16.9	209	2	3	13	25	40	50	91
65+	111	18.3	264	3	4	15	25	50	68	99+
TOT. SINGLE DX	130	5.3	34	<1	1	3	6	12	19	28
" MULTIPLE DX	252	15.6	258	1	2	9	21	43	55	99+
TOTAL 0-19 YRS	23	6.3	180	<1	1	2	4	13	47	52
20-34	64	5.5	137	<1	1	2	5	10	12	76
35-49	55	8.0	132	1	1	4	8	20	36	53
50-64	96	13.9	195	1	2	8	20	37	46	81
65+	144	16.3	228	3	3	12	21	42	60	99+
GRAND TOTAL	382	12.1	205	1	1	7	17	34	51	99+

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	6.3	70	1	1	2	12	16	16	16
50-64	10	7.1	31	2	2	5	9	15	21	21
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	8.8	57	2	2	5	17	17	17	17
65+	6	30.3	1078	4	4	16	55	82	85	85
TOT. SINGLE DX	17	6.8	36	1	2	4	9	17	20	21
" MULTIPLE DX	15	16.3	547	2	2	6	17	55	77	85
TOTAL 0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	4	4.0	8	2	2	3	6	8	8	8
35-49	4	5.3	52	1	1	2	9	16	16	16
50-64	15	7.7	37	2	2	5	10	17	20	21
65+	7	28.4	924	4	4	17	47	79	85	85
GRAND TOTAL	32	11.2	289	2	2	5	13	22	52	85

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	469	2.0	1	<1	<1	2	2	3	3	5
20-34	1811	2.0	1	<1	<1	2	2	3	4	6
35-49	2906	2.2	1	<1	<1	2	2	3	4	8
50-64	1771	2.6	4	<1	1	2	3	4	7	13
65+	909	3.3	7	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	88	2.7	4	<1	1	2	3	4	8	12
20-34	690	3.2	18	<1	1	2	3	5	9	22
35-49	1675	3.4	20	<1	1	2	3	6	9	27
50-64	1702	5.2	50	1	2	3	6	12	16	38
65+	1735	8.6	118	2	2	5	10	19	30	70
TOT. SINGLE DX	7866	2.4	3	<1	<1	2	3	4	5	10
" MULTIPLE DX	5890	5.4	62	1	1	3	6	12	18	43
TOTAL 0-19 YRS	557	2.1	2	<1	<1	2	2	3	4	8
20-34	2501	2.4	6	<1	<1	2	2	3	5	12
35-49	4581	2.7	9	<1	1	2	3	4	6	13
50-64	3473	3.9	28	<1	1	2	4	8	12	28
65+	2644	6.8	87	1	2	3	8	16	24	51
GRAND TOTAL	**13756**	**3.7**	**31**	**<1**	**1**	**2**	**3**	**7**	**12**	**30**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.8	1	1	1	3	3	4	5	7
20-34	56	3.6	18	<1	1	2	4	6	7	30
35-49	78	4.4	11	1	2	3	6	9	12	17
50-64	77	6.6	79	2	2	5	7	12	16	61
65+	142	7.0	15	2	2	7	9	11	12	23
2. MULTIPLE DX										
0-19 YRS	8	3.0	1	2	2	3	4	5	5	5
20-34	19	4.2	6	2	2	3	5	8	10	12
35-49	68	7.6	46	2	2	6	9	16	20	39
50-64	116	10.4	130	2	3	7	12	22	33	65
65+	361	11.4	111	3	4	8	13	22	33	58
TOT. SINGLE DX	410	5.4	28	1	2	4	7	10	12	22
" MULTIPLE DX	572	10.4	106	2	3	8	12	20	32	55
TOTAL 0-19 YRS	65	2.8	1	1	2	3	3	4	5	7
20-34	75	3.7	15	<1	1	3	5	6	8	26
35-49	146	5.9	30	2	2	4	7	11	16	33
50-64	193	8.9	113	2	2	6	10	18	23	67
65+	503	10.2	88	2	4	8	11	18	28	53
GRAND TOTAL	**982**	**8.3**	**79**	**2**	**2**	**6**	**9**	**16**	**23**	**50**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	84	7.7	9	4	5	7	9	13	15	19
35-49	530	7.6	9	4	5	7	9	11	13	20
50-64	866	7.9	7	4	5	7	9	11	13	17
65+	823	8.4	14	5	5	8	10	12	13	19
2. MULTIPLE DX										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	100	8.5	12	4	5	8	10	13	15	21
35-49	723	9.1	23	5	5	8	10	14	17	32
50-64	1579	9.7	27	5	5	8	11	15	19	33
65+	2031	11.3	57	5	6	9	13	18	23	47
TOT. SINGLE DX	2306	8.0	11	4	5	8	9	11	13	18
" MULTIPLE DX	4435	10.3	41	5	6	9	12	16	21	39
TOTAL 0-19 YRS	5	4.4	11	1	1	5	7	8	8	8
20-34	184	8.1	11	4	5	7	9	13	15	21
35-49	1253	8.5	18	4	5	8	10	12	16	24
50-64	2445	9.1	21	5	5	8	10	14	17	27
65+	2854	10.4	47	5	6	9	12	16	21	42
GRAND TOTAL	**6741**	**9.5**	**32**	**5**	**5**	**8**	**11**	**15**	**18**	**34**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	3.0	1	1	1	3	4	5	5	7
20-34	658	2.9	3	<1	1	3	4	5	6	8
35-49	427	3.0	3	<1	1	3	4	5	7	10
50-64	192	3.3	1	1	2	3	4	5	6	8
65+	39	3.7	3	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	98	3.5	4	1	1	3	4	6	8	12
20-34	378	3.4	5	1	1	3	4	5	6	15
35-49	549	4.0	11	1	2	3	4	6	8	20
50-64	404	4.9	20	2	2	4	5	9	12	24
65+	116	6.4	39	2	2	4	7	14	19	35
TOT. SINGLE DX	1641	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	1545	4.2	15	1	2	3	5	7	10	21
TOTAL 0-19 YRS	393	3.1	3	1	1	3	4	5	6	10
20-34	1066	3.1	4	<1	1	3	4	5	6	10
35-49	976	3.6	8	1	1	3	4	6	8	16
50-64	596	4.4	15	2	2	3	5	7	10	20
65+	155	5.7	32	2	2	4	6	11	17	35
GRAND TOTAL	**3186**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1168	3.8	5	1	2	3	4	6	7	11
20-34	1970	3.6	3	1	2	3	4	6	6	10
35-49	275	3.6	3	1	1	3	4	6	7	9
50-64	61	3.9	7	1	2	3	4	7	10	16
65+	16	5.1	34	<1	1	3	5	12	21	24
2. MULTIPLE DX										
0-19 YRS	117	4.5	8	2	2	4	5	8	10	18
20-34	282	5.2	21	1	2	4	6	9	13	33
35-49	105	6.3	33	2	2	5	7	11	23	29
50-64	49	7.9	96	2	2	5	8	18	30	53
65+	27	11.5	226	2	2	7	13	19	48	74
TOT. SINGLE DX	3490	3.7	4	1	2	3	4	6	7	11
" MULTIPLE DX	580	5.8	39	2	2	4	6	10	15	39
TOTAL 0-19 YRS	1285	3.8	6	1	2	3	5	6	7	12
20-34	2252	3.8	6	1	2	3	5	6	7	12
35-49	380	4.3	13	1	2	4	5	7	9	25
50-64	110	5.7	51	1	2	4	6	10	17	45
65+	43	9.1	162	1	2	5	12	17	31	74
GRAND TOTAL	**4070**	**4.0**	**10**	**1**	**2**	**3**	**5**	**6**	**8**	**15**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1189	2.4	13	<1	<1	1	2	4	7	15
20-34	1389	2.5	9	<1	<1	2	3	5	7	18
35-49	1378	2.5	10	<1	<1	2	3	4	7	18
50-64	1260	2.9	15	<1	<1	2	3	5	9	22
65+	824	3.7	34	<1	<1	2	4	7	13	30
2. MULTIPLE DX										
0-19 YRS	422	5.5	82	<1	<1	2	6	12	21	79
20-34	810	6.8	86	<1	1	3	8	16	24	50
35-49	1077	7.7	102	<1	1	4	10	18	27	52
50-64	1722	9.0	142	<1	1	5	11	20	32	70
65+	2379	12.4	190	1	2	9	16	30	44	99+
TOT. SINGLE DX	6040	2.7	15	<1	<1	2	3	5	8	22
" MULTIPLE DX	6410	9.6	148	<1	1	5	12	23	34	78
TOTAL 0-19 YRS	1611	3.2	33	<1	<1	2	3	7	10	37
20-34	2199	4.1	42	<1	<1	2	4	9	15	32
35-49	2455	4.8	58	<1	<1	2	5	11	18	38
50-64	2982	6.4	98	<1	<1	3	7	15	23	54
65+	3203	10.2	164	<1	1	6	13	26	39	91
GRAND TOTAL	**12450**	**6.2**	**95**	**<1**	**<1**	**3**	**7**	**15**	**24**	**56**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1521	4.1	27	<1	1	2	5	8	12	27
20-34	1514	4.8	26	<1	1	3	6	10	14	26
35-49	980	5.6	41	<1	1	4	7	11	16	32
50-64	780	6.4	62	<1	1	4	8	14	19	47
65+	689	9.3	141	1	1	5	11	23	33	74
2. MULTIPLE DX										
0-19 YRS	2156	6.3	97	1	1	3	7	14	24	55
20-34	3054	7.2	101	1	1	4	8	16	26	61
35-49	1983	11.1	194	1	2	6	13	27	41	90
50-64	2664	13.8	214	1	2	9	18	33	47	99
65+	4537	17.6	304	2	3	12	24	47	70	99+
TOT. SINGLE DX	5484	5.5	51	<1	1	3	7	12	18	37
" MULTIPLE DX	14394	12.1	219	1	1	7	15	31	49	99+
TOTAL 0-19 YRS	3677	5.4	70	1	1	3	6	11	18	48
20-34	4568	6.4	78	1	1	4	7	14	22	51
35-49	2963	9.3	151	1	1	5	11	22	34	74
50-64	3444	12.1	189	1	2	8	15	30	43	94
65+	5226	16.5	291	2	2	11	22	44	65	99+
GRAND TOTAL	**19878**	**10.3**	**181**	**1**	**1**	**6**	**13**	**26**	**42**	**95**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	8.1	107	<1	1	4	9	20	31	50
20-34	187	8.8	114	1	1	5	12	21	27	57
35-49	146	8.0	83	<1	1	5	11	18	23	45
50-64	137	12.0	198	1	2	8	15	27	34	81
65+	159	18.7	220	1	3	15	28	34	46	83
2. MULTIPLE DX										
0-19 YRS	171	15.3	222	1	2	11	21	35	48	60
20-34	293	16.7	272	2	2	12	21	41	53	80
35-49	209	18.8	304	3	3	14	24	41	58	88
50-64	390	23.0	349	3	4	19	31	51	73	99+
65+	685	27.6	361	5	9	24	40	60	87	99+
TOT. SINGLE DX	809	11.0	158	1	1	7	15	28	34	65
" MULTIPLE DX	1748	22.5	345	2	4	18	32	52	68	99+
TOTAL 0-19 YRS	351	11.6	176	1	1	7	16	31	40	56
20-34	480	13.7	226	1	2	9	17	33	48	72
35-49	355	14.4	242	1	1	10	19	34	49	81
50-64	527	20.1	333	2	3	15	27	47	61	99+
65+	844	25.9	346	4	7	23	35	57	81	99+
GRAND TOTAL	**2557**	**18.9**	**315**	**1**	**2**	**14**	**27**	**45**	**60**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	4.1	37	<1	1	2	4	8	21	31
20-34	101	3.3	11	<1	1	2	4	8	9	18
35-49	60	4.2	17	<1	1	3	5	9	11	24
50-64	51	5.7	106	1	1	2	5	10	20	66
65+	33	7.1	119	<1	1	3	9	22	51	99+
2. MULTIPLE DX										
0-19 YRS	54	9.8	193	1	1	4	13	26	56	99
20-34	106	10.7	201	2	2	5	16	30	43	99+
35-49	83	18.6	485	1	2	9	28	56	71	98
50-64	95	17.2	437	1	2	9	33	73	99+	99+
65+	99	24.6	561	2	3	17	39	82	99+	99+
TOT. SINGLE DX	316	4.4	46	<1	1	2	4	9	16	42
" MULTIPLE DX	437	16.7	413	1	2	9	24	60	91	99+
TOTAL 0-19 YRS	125	6.6	112	<1	1	3	6	19	28	78
20-34	207	7.1	122	1	1	3	7	22	30	99+
35-49	143	12.6	338	1	1	5	15	38	63	95
50-64	146	13.2	351	1	1	5	19	57	82	99+
65+	132	20.2	507	1	2	14	34	72	99	99+
GRAND TOTAL	**753**	**11.5**	**295**	**1**	**1**	**4**	**15**	**38**	**67**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	2.4	12	<1	<1	2	2	4	6	12
20-34	291	2.6	8	<1	<1	2	3	5	6	15
35-49	229	3.0	5	<1	<1	2	4	6	8	11
50-64	241	2.6	5	<1	1	2	3	4	6	10
65+	105	3.0	5	<1	1	2	3	7	8	11
2. MULTIPLE DX										
0-19 YRS	239	4.3	32	<1	1	2	5	10	15	56
20-34	279	4.9	43	1	1	3	5	9	18	49
35-49	302	5.7	56	1	1	4	6	11	15	48
50-64	461	6.0	61	1	1	3	7	14	21	42
65+	515	16.6	289	1	3	12	24	43	83	99+
TOT. SINGLE DX	1238	2.6	8	<1	<1	2	3	5	7	11
" MULTIPLE DX	1796	8.6	145	1	1	4	10	23	36	99+
TOTAL 0-19 YRS	611	3.1	22	<1	<1	2	3	6	10	29
20-34	570	3.7	27	<1	1	2	4	7	10	27
35-49	531	4.5	36	<1	1	3	5	9	12	32
50-64	702	4.8	44	1	1	3	5	11	16	37
65+	620	14.3	267	1	2	9	20	38	75	99+
GRAND TOTAL	**3034**	**6.2**	**98**	**<1**	**1**	**3**	**6**	**15**	**27**	**86**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	11	4.2	17	1	1	2	7	10	14	14
20-34	18	6.4	77	1	1	2	7	10	28	40
35-49	11	3.0	7	1	1	2	3	8	10	10
50-64	14	3.4	5	1	1	3	4	6	9	10
65+	13	7.1	49	1	1	4	11	20	22	22
2. MULTIPLE DX										
0-19 YRS	20	3.0	3	1	1	3	4	6	7	7
20-34	18	5.7	28	1	2	4	7	13	19	22
35-49	18	6.0	14	2	2	5	9	12	13	13
50-64	41	11.7	82	2	3	10	17	23	30	99+
65+	105	13.4	129	3	4	10	17	29	42	60
TOT. SINGLE DX	67	5.0	36	1	1	3	6	11	15	37
" MULTIPLE DX	202	10.7	102	2	2	7	15	24	38	61
TOTAL 0-19 YRS	31	3.4	8	1	1	2	4	7	8	14
20-34	36	6.1	52	1	2	4	7	11	20	40
35-49	29	4.9	14	1	1	3	6	11	12	13
50-64	55	9.6	75	1	2	6	15	22	28	97
65+	118	12.7	125	2	3	10	17	28	40	76
GRAND TOTAL	269	9.3	91	1	2	6	13	21	29	61

754: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	174	4.7	33	1	1	2	5	11	15	33
20-34	2087	4.5	24	1	1	3	5	11	15	23
35-49	2727	4.7	24	1	1	3	6	11	16	24
50-64	1394	5.2	35	1	1	3	6	12	17	28
65+	360	5.2	29	1	1	3	6	13	16	27
2. MULTIPLE DX										
0-19 YRS	127	6.4	73	1	1	3	8	13	26	46
20-34	1075	7.1	51	1	2	4	9	16	21	37
35-49	1816	7.7	68	1	2	5	10	17	23	41
50-64	1800	8.5	87	1	2	6	11	19	25	50
65+	1232	12.7	145	2	3	9	18	29	38	73
TOT. SINGLE DX	6752	4.8	28	1	1	3	6	11	16	25
" MULTIPLE DX	6050	8.8	91	1	2	5	12	20	27	50
TOTAL 0-19 YRS	301	5.4	50	1	1	3	6	11	18	35
20-34	3172	5.4	35	1	1	3	7	12	17	29
35-49	4543	5.9	45	1	1	3	8	14	19	31
50-64	3194	7.1	68	1	2	4	9	15	22	40
65+	1592	11.0	129	1	2	7	15	26	36	65
GRAND TOTAL	12802	6.7	62	1	1	4	9	16	21	39

755: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	61	3.5	8	1	1	2	4	7	10	16
20-34	161	4.6	19	1	1	2	5	10	13	17
35-49	324	5.3	22	1	1	3	6	11	16	25
50-64	373	5.0	41	1	1	3	6	9	13	29
65+	343	5.6	33	1	2	4	7	11	16	33
2. MULTIPLE DX										
0-19 YRS	54	7.5	69	2	2	5	9	14	21	50
20-34	176	8.9	90	2	2	6	10	18	28	52
35-49	354	8.9	73	2	2	6	10	18	28	40
50-64	1322	9.3	105	2	2	7	12	19	27	65
65+	1958	10.7	110	3	3	8	13	21	31	64
TOT. SINGLE DX	1162	5.1	30	2	2	3	6	10	14	27
" MULTIPLE DX	3864	9.9	105	2	2	7	12	20	29	60
TOTAL 0-19 YRS	115	5.4	41	1	1	3	6	12	15	30
20-34	337	6.6	57	1	1	4	8	15	19	43
35-49	678	7.3	57	1	2	5	9	16	23	35
50-64	1695	8.4	95	2	2	6	10	18	25	59
65+	2301	9.9	102	2	2	7	12	20	29	59
GRAND TOTAL	5026	8.8	91	2	2	6	11	18	26	56

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	25	4.7	23	1	1	2	5	12	16	17
50-64	25	3.8	6	1	1	3	5	11	17	17
65+	9	6.1	39	1	1	3	11	16	17	17
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	6.7	108	2	2	3	4	23	30	30
35-49	85	4.3	26	1	1	2	4	11	16	23
50-64	221	5.3	32	2	2	3	6	11	19	23
65+	148	8.2	104	2	2	4	11	18	24	33
TOT. SINGLE DX	52	3.9	17	1	1	2	4	11	15	17
" MULTIPLE DX	472	6.0	57	2	2	3	7	15	20	37
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	3.6	16	2	2	2	4	5	5	5
35-49	110	4.4	23	1	1	2	4	11	16	20
50-64	246	5.0	30	2	2	3	6	11	18	23
65+	157	8.1	101	2	2	4	11	18	24	32
GRAND TOTAL	524	5.8	53	2	2	3	7	15	19	35

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	4.0	12	1	1	3	5	8	11	18
20-34	467	5.6	23	1	1	4	8	12	15	21
35-49	584	5.9	25	1	1	4	8	13	16	24
50-64	807	5.6	27	1	2	3	8	12	15	25
65+	735	6.1	34	1	1	4	9	14	17	27
2. MULTIPLE DX										
0-19 YRS	118	7.7	83	1	1	4	11	19	23	74
20-34	547	8.9	62	2	2	7	12	18	24	41
35-49	1115	8.7	65	2	2	7	11	17	22	38
50-64	3056	8.9	70	2	2	7	12	18	23	39
65+	5061	11.0	106	2	2	9	14	22	31	61
TOT. SINGLE DX	2707	5.7	28	1	1	4	8	12	16	25
" MULTIPLE DX	9897	10.0	89	2	2	8	13	20	27	52
TOTAL 0-19 YRS	232	5.9	52	1	1	3	8	15	19	49
20-34	1014	7.4	47	1	2	5	10	15	20	37
35-49	1699	7.8	54	1	2	6	10	16	20	35
50-64	3863	8.2	63	2	2	6	11	17	22	37
65+	5796	10.4	100	2	2	8	14	21	30	58
GRAND TOTAL	**12604**	**9.1**	**79**	**2**	**2**	**7**	**12**	**19**	**25**	**47**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7593	4.0	18	1	1	3	5	8	10	21
20-34	11510	4.6	23	1	1	3	6	9	12	24
35-49	8210	5.7	31	1	1	4	7	12	15	27
50-64	7281	6.5	32	1	2	5	8	13	17	29
65+	6176	8.7	75	2	2	6	11	17	23	48
2. MULTIPLE DX										
0-19 YRS	8778	6.3	74	1	1	4	7	12	19	52
20-34	14806	6.9	54	1	2	5	8	14	19	40
35-49	18138	8.2	55	2	2	6	10	16	21	41
50-64	35417	9.6	68	2	3	8	12	18	24	46
65+	79724	12.4	115	3	4	10	15	24	33	72
TOT. SINGLE DX	40770	5.7	36	1	1	4	7	11	15	30
" MULTIPLE DX	156863	10.4	95	2	3	8	13	20	28	59
TOTAL 0-19 YRS	16371	5.2	50	1	1	3	6	10	15	39
20-34	26316	5.9	42	1	1	4	7	12	16	35
35-49	26348	7.4	49	1	2	5	9	15	19	37
50-64	42698	9.1	64	2	3	7	11	17	23	43
65+	85900	12.2	113	3	4	9	15	24	33	70
GRAND TOTAL	**197633**	**9.4**	**86**	**2**	**2**	**7**	**12**	**19**	**26**	**54**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3103	5.9	72	1	1	3	5	13	23	50
20-34	1950	7.5	59	1	2	6	9	14	19	39
35-49	1887	7.8	41	2	2	6	10	14	18	35
50-64	1433	8.2	41	2	3	7	10	15	19	35
65+	1287	10.3	92	2	3	8	13	19	27	52
2. MULTIPLE DX										
0-19 YRS	3359	7.8	116	1	2	4	8	17	28	68
20-34	3650	8.0	62	2	3	6	9	14	21	46
35-49	3629	8.8	64	2	3	7	10	16	22	44
50-64	5023	10.3	87	2	3	8	12	19	27	55
65+	10707	13.1	134	3	4	10	16	26	37	82
TOT. SINGLE DX	9660	7.5	64	1	2	5	9	15	21	44
" MULTIPLE DX	26368	10.6	109	2	3	8	13	21	30	66
TOTAL 0-19 YRS	6462	6.9	96	1	1	4	7	15	26	61
20-34	5600	7.8	61	2	2	6	9	14	20	44
35-49	5516	8.5	57	2	3	7	10	15	21	40
50-64	6456	9.8	78	2	3	8	12	18	25	50
65+	11994	12.8	131	3	4	10	15	25	36	79
GRAND TOTAL	**36028**	**9.8**	**99**	**2**	**2**	**7**	**12**	**19**	**28**	**60**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5291	4.1	32	1	1	3	5	7	9	28
20-34	2582	5.1	46	1	1	3	6	10	17	40
35-49	2102	6.1	37	1	1	4	7	13	17	30
50-64	2138	7.0	40	1	2	5	9	14	18	30
65+	2178	8.4	53	2	2	6	11	16	21	37
2. MULTIPLE DX										
0-19 YRS	6235	6.1	80	1	1	4	6	11	20	59
20-34	4307	7.8	100	1	1	5	8	17	29	56
35-49	5959	8.2	73	1	2	6	10	16	24	46
50-64	13592	9.0	62	2	3	7	11	17	23	42
65+	30662	11.3	105	2	3	9	14	21	31	68
TOT. SINGLE DX	14291	5.7	42	1	1	4	7	12	16	33
" MULTIPLE DX	60755	9.7	93	2	2	7	12	19	27	58
TOTAL 0-19 YRS	11526	5.2	59	1	1	3	5	9	14	50
20-34	6889	6.8	82	1	1	4	7	15	24	51
35-49	8061	7.6	65	1	2	5	9	15	22	44
50-64	15730	8.7	60	2	2	7	11	17	22	40
65+	32840	11.1	102	2	3	8	14	21	30	66
GRAND TOTAL	75046	8.9	86	1	2	6	11	18	25	54

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
517	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporumandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
561	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
606	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin